

第13表 死亡者数,死因(年次推移分類)・率(人口10万対)・年次別(茨城県)

		Hi 01 結 核		Hi 02 悪性新生物		Hi 05 心 疾 患 (高血圧性を除く)		Hi 06 脳血管疾患	
		実数	率	実数	率	実数	率	実数	率
茨城									
明治	35	1,823	156.2	547	46.9	568	48.7	2,402	205.8
	44	1,744	138.4	821	65.2	810	64.3	2,094	166.2
大正	元	1,819	143.8	829	65.0	817	64.1	2,227	174.7
	5	1,922	143.8	1,047	78.4	896	67.1	2,423	181.3
	10	1,836	134.4	1,111	81.3	862	63.1	2,981	218.2
昭和	元	1,606	113.0	1,173	82.5	868	61.1	3,180	223.7
	5	1,634	109.9	1,339	90.0	848	57.0	3,282	220.7
	10	1,660	107.2	1,309	84.5	944	60.9	3,296	212.8
	11	1,756	112.4	1,265	81.0	1,012	64.8	3,275	209.7
	12	1,722	109.4	1,287	81.7	1,043	66.2	3,230	205.1
	13	1,834	115.5	1,355	85.4	1,169	73.7	3,465	218.3
	14	1,862	116.7	1,376	86.2	1,202	75.3	3,652	228.9
	15	1,974	121.9	1,331	82.2	1,179	72.8	3,590	221.6
	16	1,908	116.6	1,329	81.2	1,135	69.4	3,702	226.3
	17	2,094	126.6	1,407	85.1	1,185	71.7	3,546	214.5
	22	2,269	112.7	1,535	76.2	1,410	70.0	3,244	161.1
	23	2,330	114.0	1,581	77.3	1,500	73.4	3,193	156.2
	24	2,313	110.4	1,596	76.2	1,634	78.0	3,342	159.5
	25	2,077	101.8	1,750	85.8	1,514	74.2	2,974	145.8
	26	1,530	75.0	1,748	85.6	1,621	79.4	3,502	171.6
	27	1,175	57.3	1,725	84.2	1,591	77.6	3,556	173.5
	28	1,007	48.9	1,663	80.7	1,698	82.4	3,874	188.1
	29	934	45.1	1,791	86.5	1,521	73.4	3,646	176.1
	30	748	36.2	1,885	91.3	1,465	71.0	3,633	176.0
	31	728	35.2	1,955	94.4	1,593	77.0	3,965	191.5
	32	637	30.7	1,985	95.8	1,751	84.5	4,193	202.4
	33	535	25.8	2,043	98.6	1,586	76.5	3,817	184.2
	34	477	23.0	2,049	98.8	1,696	81.8	4,092	197.4
	35	487	23.7	2,092	102.2	1,844	90.1	4,223	206.3
	36	470	22.9	2,150	104.7	1,947	94.8	4,321	210.5
	37	394	19.1	2,160	105.0	1,977	96.1	4,502	218.8
	38	351	17.1	2,305	112.1	1,772	86.1	4,541	220.8
	39	291	14.1	2,347	113.9	1,721	83.5	4,670	226.7
	40	331	16.1	2,333	113.5	1,974	95.9	4,694	228.3
	41	267	13.0	2,377	115.9	1,736	84.6	4,610	224.8
	42	241	11.7	2,365	114.8	1,870	90.7	4,591	222.8
	43	252	12.1	2,468	118.8	1,970	94.8	4,735	227.9
	44	210	10.0	2,622	124.4	2,037	96.6	4,861	230.6
	45	233	10.9	2,529	118.1	2,190	102.3	4,867	227.3
	46	175	8.0	2,761	126.9	2,087	95.9	4,768	219.1
	47	185	8.4	2,806	127.2	1,998	90.6	4,803	217.1
	48	159	7.1	2,889	128.9	2,295	102.7	4,849	216.3
	49	144	6.3	2,833	123.7	2,234	97.5	4,790	209.2

平成19年

Hi 07 肺 炎		Hi 12 腎 不 全		Hi 13 老 衰		Hi 14 不慮の事故		Hi 16 自 殺	
実数	率	実数	率	実数	率	実数	率	実数	率
1,220	104.5	363	31.1	1,098	94.1	491	42.1	170	14.6
1,477	117.2	704	55.9	1,119	55.9	487	38.7	172	13.7
1,644	129.0	717	56.2	1,245	97.7	428	33.6	186	14.6
2,512	188.0	1,072	80.2	1,535	114.9	471	35.2	201	15.0
2,669	195.4	1,403	102.7	1,729	126.6	474	34.7	200	14.6
2,079	146.3	1,471	103.5	1,601	112.6	469	33.0	215	15.1
2,254	151.6	1,592	107.1	1,794	120.6	505	34.0	229	15.4
2,603	168.0	1,326	85.6	2,041	131.8	534	34.5	304	19.6
2,521	161.4	1,410	90.3	2,357	150.9	604	38.7	235	15.0
2,245	142.6	1,385	88.0	2,099	133.3	588	37.3	273	17.3
2,906	183.1	1,501	94.6	2,642	166.5	674	42.5	211	13.3
3,074	192.7	1,453	91.1	2,501	156.7	553	34.7	189	11.8
2,694	166.3	1,423	87.8	2,422	149.5	496	30.6	173	10.7
2,581	157.8	1,306	79.8	2,420	147.9	658	40.2	172	10.5
2,399	145.1	1,339	81.0	2,570	155.4	595	36.0	175	10.6
2,255	112.0	1,313	65.2	2,215	110.0	791	39.3	257	12.8
1,188	51.7	1,146	56.1	1,893	92.6	733	35.9	238	11.6
1,307	62.4	1,076	51.4	1,855	88.5	694	33.1	262	12.5
1,328	65.1	931	45.7	1,850	90.7	644	31.5	247	12.1
1,329	65.1	780	38.2	1,873	91.8	588	28.8	285	14.0
1,184	57.8	651	31.8	1,832	89.4	576	28.1	285	13.9
1,294	62.8	687	33.3	2,122	103.0	557	27.0	289	14.0
1,165	56.3	632	30.5	1,901	91.8	556	27.3	352	17.0
949	46.0	569	30.6	1,898	92.0	579	28.1	352	17.1
952	46.0	571	27.6	1,965	94.9	566	27.3	331	16.0
1,321	63.8	587	28.3	2,069	99.9	600	29.0	356	17.2
906	43.7	446	21.5	1,501	72.4	729	35.2	352	17.0
895	43.2	482	23.3	1,393	67.2	717	34.6	312	15.1
925	45.2	415	20.3	1,576	77.0	724	35.3	313	15.3
830	40.5	390	19.0	1,668	81.2	793	38.6	309	15.1
887	43.1	364	17.7	1,530	74.3	792	38.4	289	14.0
599	29.1	345	16.8	1,304	63.4	766	37.2	294	14.3
602	29.2	298	14.5	1,377	66.8	754	36.6	242	11.7
737	35.8	285	13.9	1,442	70.1	790	38.4	233	11.3
531	25.9	276	13.5	1,262	61.5	882	43.0	254	12.4
514	24.9	257	12.5	1,244	60.4	865	42.0	213	10.3
668	32.1	238	11.5	1,212	58.3	945	45.5	257	12.4
612	29.0	248	11.8	1,081	51.3	1,050	49.8	263	12.5
705	32.9	210	9.8	1,176	54.9	1,112	51.9	250	11.7
520	23.9	183	8.4	1,048	48.2	1,181	54.3	283	13.0
517	23.4	169	7.7	1,021	46.3	1,142	51.8	299	13.6
634	28.3	172	7.7	1,071	47.8	1,127	50.2	293	13.1
618	27.0	185	8.1	1,010	44.1	1,002	43.8	346	15.1

第13表 死亡者数,死因(年次推移分類)・率(人口10万対)・年次別(茨城県)

茨城		Hi 01 結 核		Hi 02 悪性新生物		Hi 05 心 疾 患 (高血圧性を除く)		Hi 06 脳血管疾患	
		実数	率	実数	率	実数	率	実数	率
昭和	50	131	5.6	2,828	120.7	2,303	98.5	4,764	203.8
	51	117	4.9	3,031	127.7	2,331	98.2	4,709	198.4
	52	109	4.5	3,097	128.5	2,382	98.8	4,590	190.5
	53	103	4.2	3,259	132.8	2,398	97.7	4,450	181.3
	54	105	4.2	3,300	132.1	2,528	101.2	4,255	170.3
	55	95	3.7	3,361	131.6	2,779	108.8	4,405	172.5
	56	86	3.3	3,453	133.4	2,868	110.8	4,360	168.4
	57	73	2.8	3,635	138.4	2,956	112.5	4,178	159.0
	58	74	2.8	3,771	141.8	3,135	117.9	3,865	145.3
	59	76	2.8	3,790	141.2	3,208	119.5	3,947	147.0
	60	79	2.9	3,896	143.4	3,105	114.3	3,622	133.3
	61	60	2.2	4,039	147.4	3,209	117.1	3,461	126.3
	62	70	2.5	4,361	157.8	3,091	111.9	3,318	120.1
	63	68	2.4	4,522	162.1	3,506	125.7	3,373	120.9
平成	元	61	2.2	4,573	162.4	3,374	119.8	3,121	107.3
	2	63	2.2	4,679	165.1	3,600	127.0	3,242	114.4
	3	51	1.8	4,831	169.0	3,747	131.1	3,022	105.7
	4	36	1.2	4,977	172.6	4,058	140.8	3,104	107.7
	5	51	1.8	5,075	174.8	4,147	142.8	3,157	108.7
	6	38	1.3	5,274	180.5	3,581	122.6	3,097	106.0
	7	57	1.9	5,774	197.1	3,338	114.0	3,818	130.3
	8	50	1.7	6,075	206.5	3,160	107.4	3,826	130.0
	9	67	2.3	6,227	211.0	3,352	113.6	3,692	125.1
	10	45	1.5	6,412	216.5	3,414	115.3	3,665	123.8
	11	49	1.7	6,510	219.4	3,667	123.6	3,759	126.7
	12	38	1.3	6,780	229.5	3,478	117.7	3,544	119.9
	13	31	1.0	6,800	230.0	3,588	121.3	3,567	120.6
	14	44	1.5	6,942	235.0	3,846	130.2	3,577	121.1
	15	33	1.1	7,194	243.6	4,054	137.3	3,577	121.1
	16	44	1.5	7,385	250.3	3,805	129.0	3,389	114.9
	17	30	1.0	7,549	257.0	4,231	144.0	3,610	122.9
	18	41	1.4	7,613	259.5	4,287	146.1	3,485	118.8
	19	42	1.4	7,681	262.2	4,211	143.8	3,459	118.1

平成19年

Hi 07 肺 炎		Hi 12 1 腎 不 全		Hi 13 2 老 衰		Hi 14 3 不慮の事故		Hi 16 自 殺	
実数	率	実数	率	実数	率	実数	率	実数	率
703	30.1	159	6.8	865	37.0	936	40.0	374	16.0
678	28.6	172	7.2	851	35.8	835	35.2	391	16.5
534	22.1	125	5.2	871	36.1	853	35.4	362	15.0
611	24.9	142	5.8	875	35.7	824	33.5	368	15.0
563	22.5	192	7.7	853	34.1	814	32.6	398	15.9
639	25.0	191	7.5	910	35.6	827	32.4	436	17.1
661	25.5	205	7.9	906	35.0	772	29.8	392	15.1
743	28.3	204	7.8	820	31.2	811	30.9	425	15.4
739	27.8	225	8.5	860	32.3	789	29.7	510	19.2
773	28.8	241	9.0	867	32.3	839	31.3	532	19.8
865	31.8	271	10.0	856	31.5	862	31.7	541	19.9
927	33.8	236	8.6	986	36.0	829	30.3	592	21.6
1,005	36.4	257	9.3	883	32.0	799	28.9	515	18.6
1,101	39.5	307	11.0	963	34.5	891	31.9	487	17.5
1,165	41.4	288	10.2	816	29.0	920	32.7	443	15.7
1,408	49.7	375	13.2	855	30.2	915	32.3	421	14.9
1,494	52.3	320	11.2	779	27.2	969	33.9	419	14.7
1,547	53.7	376	13.0	755	26.2	1,033	35.8	472	16.4
1,623	55.9	367	12.6	769	26.5	1,080	37.2	472	16.3
1,684	57.6	397	13.6	798	27.3	1,006	34.4	460	15.7
1,686	57.6	368	12.6	680	23.2	1,166	39.8	499	17.0
1,412	48.0	326	11.1	606	20.6	1,089	37.0	505	17.2
1,650	55.9	352	11.9	711	24.1	1,122	38.0	530	18.0
1,743	58.9	358	12.1	712	24.0	1,034	34.9	648	21.9
2,121	71.5	399	13.4	768	25.9	1,121	37.8	698	23.5
1,996	67.6	386	13.1	647	21.9	1,076	36.4	709	24.0
1,885	63.7	384	13.0	669	22.6	1,065	36.0	683	23.1
1,969	66.7	400	13.5	688	23.3	1,099	37.2	722	24.4
2,257	76.4	437	14.8	699	23.7	1,067	36.1	748	25.3
2,196	74.4	393	13.3	709	24.0	987	33.5	707	24.0
2,501	85.1	424	14.4	726	24.7	1,091	37.1	697	23.7
2,558	87.2	457	15.6	750	25.6	1,013	34.5	732	24.9
2,518	86.0	458	15.6	846	28.9	938	32.0	770	26.3

(注) 平成6年以前 ICD-9による死因: 1腎炎, ネフローゼ症候群及びネフローゼ
2精神病の記載のない老衰
3不慮の事故及び有害作用