

第13表 死亡者数,死因(年次推移分類)・率(人口10万対)・年次別(全 国)

全国		Hi 01 結 核		Hi 02 悪性新生物		Hi 05 心 疾 患 (高血圧性を除く)		Hi 06 脳血管疾患	
		実数	率	実数	率	実数	率	実数	率
明治	35	82,559	183.6	24,598	54.7	23,837	53.0	74,935	166.7
	44	110,722	222.1	34,219	68.6	31,555	63.3	65,731	131.9
大正	元	114,197	225.8	34,444	68.1	31,223	61.7	67,489	133.4
	5	121,810	227.7	39,410	73.7	37,022	69.2	73,912	138.2
	10	120,719	213.0	40,877	72.1	37,420	66.0	90,523	159.8
昭和	元	113,045	186.1	43,119	71.0	37,949	62.5	98,688	162.5
	5	119,635	185.6	45,488	70.6	41,138	63.8	104,942	162.8
	10	132,151	190.8	50,080	72.3	39,902	57.6	114,554	165.4
	11	145,160	207.0	50,203	71.6	42,910	61.2	118,152	168.5
	12	144,620	204.8	51,578	73.0	42,822	60.6	118,761	168.1
	13	148,827	209.6	51,358	72.3	47,461	66.8	126,861	178.6
	14	154,371	216.3	52,059	72.9	47,442	66.5	130,826	183.3
	15	153,154	212.9	51,879	72.1	45,542	63.3	127,847	177.7
	16	154,344	215.3	52,949	73.9	42,543	59.2	125,124	174.6
	17	161,484	223.1	53,897	74.5	43,487	60.1	125,349	173.2
	18	171,473	235.3	53,580	73.5	45,428	62.3	120,985	166.0
	22	146,241	187.2	53,886	69.0	48,575	62.2	101,095	129.4
	23	143,909	179.9	56,633	70.8	49,046	61.3	94,329	117.9
	24	138,113	168.9	59,889	73.2	52,763	64.5	100,278	122.6
	25	121,769	146.4	64,423	77.4	53,377	64.2	105,728	127.1
	26	93,307	110.3	66,354	78.5	53,750	63.6	105,858	125.2
	27	70,558	82.2	69,488	80.9	52,603	61.3	110,359	128.5
	28	57,849	66.5	71,578	82.2	56,477	64.9	116,351	133.7
	29	55,124	62.4	75,309	85.3	53,128	60.2	116,925	132.4
	30	46,735	52.3	77,721	87.1	54,351	60.9	121,504	136.1
	31	43,874	48.6	81,879	90.7	59,543	66.0	133,931	148.4
	32	42,718	46.9	83,155	91.3	66,571	73.1	138,181	151.7
	33	36,274	39.4	87,895	95.5	59,603	64.8	136,767	148.6
	34	32,992	35.5	91,286	98.2	62,954	67.7	142,858	153.7
	35	31,959	34.2	93,773	100.4	68,400	73.2	150,109	160.7
	36	27,916	29.6	96,442	102.3	68,017	72.1	155,966	165.4
	37	27,852	29.3	98,224	103.2	72,493	76.2	161,228	169.4
	38	23,302	24.2	101,426	105.5	67,672	70.4	164,818	171.4
	39	22,929	23.6	104,324	107.3	68,328	70.3	166,901	171.7
	40	22,366	22.8	106,536	108.4	75,672	77.0	172,773	175.8
	41	20,064	20.3	109,805	110.9	71,188	71.9	172,186	173.8
	42	17,708	17.8	112,593	113.0	75,424	75.2	172,464	173.1
	43	16,922	16.8	115,462	114.6	80,866	80.2	174,905	173.5
	44	16,392	16.1	118,559	116.2	83,357	81.7	177,894	174.4
	45	15,899	15.4	119,977	116.3	89,411	86.7	181,315	175.8
	46	13,608	13.0	122,850	117.7	85,529	82.0	176,952	169.6
	47	12,565	11.9	127,299	120.4	85,885	81.2	176,228	166.7
	48	11,965	11.1	130,964	121.2	94,324	87.3	180,332	166.9
	49	11,410	10.4	133,702	122.2	97,169	88.8	178,333	163.0

平成19年

Hi 07 肺 炎		Hi 12 腎 不 全		Hi 13 老 衰		Hi 14 不慮の事故		Hi 16 自 殺	
実数	率	実数	率	実数	率	実数	率	実数	率
53,502	119.0	15,705	34.9	52,786	117.4	20,035	44.6	8,059	17.9
69,621	139.7	28,918	58.0	56,792	113.9	22,781	45.7	9,373	18.8
73,902	146.1	30,897	61.1	57,765	114.2	23,877	47.2	9,475	18.7
99,489	186.0	44,485	83.2	68,370	127.8	23,914	44.7	9,599	17.9
113,709	200.7	59,788	105.5	75,654	133.5	24,558	43.3	11,358	20.0
108,106	178.0	59,581	98.1	67,576	111.3	25,627	42.2	12,484	20.6
101,046	156.8	63,435	98.4	76,591	118.8	26,295	40.8	13,942	21.6
105,078	151.7	56,026	80.9	78,972	114.0	29,023	41.9	14,172	20.5
112,204	160.0	57,771	82.4	91,672	130.7	30,193	43.1	15,423	22.0
108,256	153.3	56,285	79.7	84,478	119.6	30,205	42.8	14,295	20.2
118,153	166.4	61,996	87.3	98,451	138.6	31,700	44.6	12,223	17.2
131,542	184.3	58,799	82.4	95,173	133.3	29,328	41.1	10,785	15.1
111,077	154.4	54,703	76.0	89,540	124.5	28,408	39.5	9,877	13.7
104,073	145.2	49,900	69.6	89,673	125.1	28,808	40.2	9,713	13.6
106,022	146.5	51,107	70.6	98,998	132.6	31,134	43.1	9,393	13.0
116,494	159.8	49,708	68.2	99,162	136.1	33,519	46.0	8,784	12.1
101,601	130.1	45,017	57.6	78,342	100.3	38,533	49.3	12,262	15.7
52,979	66.2	36,561	45.7	63,639	79.5	38,975	48.7	12,753	15.9
56,213	68.7	33,707	41.2	65,574	80.2	34,277	41.9	14,201	17.4
54,169	65.1	26,978	32.4	58,412	70.2	32,850	39.5	16,311	19.6
50,612	59.8	24,701	29.2	59,796	70.7	31,968	37.8	15,415	18.2
42,880	49.9	22,108	25.8	59,514	69.3	31,215	36.4	15,776	18.4
46,703	53.7	20,160	23.2	67,514	77.6	34,236	39.3	17,731	20.4
37,719	42.7	19,511	22.1	61,334	69.5	34,812	39.4	20,635	23.4
34,309	38.4	19,122	21.4	59,932	67.1	33,265	37.3	22,477	25.2
34,870	38.6	19,459	21.6	68,414	75.8	33,258	36.8	22,107	24.5
43,754	48.0	19,509	21.4	73,283	80.5	34,528	37.9	22,136	24.3
35,252	38.3	17,440	19.0	51,046	55.5	35,785	38.9	23,641	25.7
34,229	36.8	16,426	17.7	52,687	56.7	41,662	44.8	21,090	22.7
37,534	40.2	15,429	16.5	54,139	58.0	38,964	41.7	20,143	21.6
31,839	33.8	14,478	15.4	54,880	58.2	41,614	44.1	18,446	19.6
34,839	36.6	13,863	14.6	54,738	57.5	38,393	40.3	16,724	17.6
26,109	27.2	12,561	13.1	48,466	50.4	39,698	41.3	15,490	16.1
25,547	26.3	11,400	11.7	46,995	48.4	40,437	41.6	14,707	15.1
29,868	30.4	11,515	11.7	49,092	50.0	40,188	40.9	14,444	14.7
22,654	22.9	10,360	10.5	44,209	44.6	42,547	43.0	15,050	15.2
23,451	23.5	9,840	9.9	43,129	43.3	41,769	41.9	14,121	14.2
25,188	25.0	10,080	10.0	39,750	39.4	40,564	40.2	14,601	14.5
25,408	24.9	10,054	9.9	37,817	37.1	43,011	42.2	14,844	14.5
27,929	27.1	9,188	8.9	39,277	38.1	43,802	42.5	15,728	15.3
23,102	22.1	8,567	8.2	35,457	34.0	42,433	40.7	16,239	15.6
23,204	21.9	7,737	7.3	32,520	30.8	42,431	40.1	18,015	17.0
26,996	25.0	7,717	7.1	33,415	30.9	40,244	37.2	18,859	17.4
28,544	26.1	7,379	6.7	32,476	29.7	35,644	32.6	19,085	17.4

第13表 死亡者数,死因(年次推移分類)・率(人口10万対)・年次別(全 国)

全国		Hi 01 結 核		Hi 02 悪性新生物		Hi 05 心 疾 患 (高血圧性を除く)		Hi 06 脳血管疾患	
		実数	率	実数	率	実数	率	実数	率
昭和	50	10,567	9.5	136,383	122.6	99,226	89.2	174,367	156.7
	51	9,578	8.5	140,983	125.3	103,638	92.2	173,745	154.5
	52	8,803	7.8	145,772	128.4	103,562	91.2	170,029	149.8
	53	8,261	7.2	150,336	131.3	106,786	93.3	167,452	146.2
	54	6,738	5.8	156,661	135.7	119,938	103.9	158,974	137.7
	55	6,439	5.5	161,764	139.2	123,505	106.3	162,317	139.7
	56	5,698	4.9	166,399	142.0	126,012	107.5	157,351	134.3
	57	5,343	4.5	170,130	144.2	125,905	106.7	147,537	125.0
	58	5,329	4.5	176,206	148.3	132,244	111.3	145,880	122.8
	59	4,950	4.1	182,280	152.5	136,162	113.9	140,093	117.2
	60	4,692	3.9	187,714	156.1	141,097	117.3	134,994	112.2
	61	4,170	3.4	191,654	158.5	142,581	117.9	129,289	106.9
	62	4,022	3.3	199,563	164.2	143,909	118.4	123,626	101.7
	63	3,872	3.2	205,470	168.4	157,920	129.4	128,695	105.5
平成	元	3,527	2.9	212,625	173.6	156,831	128.1	120,652	98.5
	2	3,664	3.0	217,413	177.2	165,478	134.8	121,944	99.4
	3	3,325	2.7	223,727	181.7	168,878	137.2	118,448	96.2
	4	3,347	2.7	231,917	187.8	175,546	142.2	118,058	95.6
	5	3,249	2.6	235,707	190.4	180,297	145.6	118,794	96.0
	6	3,094	2.5	243,670	196.4	159,579	128.6	120,239	96.9
	7	3,178	2.6	263,022	211.6	139,206	112.0	146,552	117.9
	8	2,858	2.3	271,183	217.5	138,229	110.8	140,366	112.6
	9	2,742	2.2	275,413	220.4	140,174	112.2	138,697	111.0
	10	2,795	2.2	283,921	226.7	143,120	114.3	137,819	110.0
	11	2,935	2.3	290,556	231.6	151,079	120.4	138,989	110.8
	12	2,656	2.1	295,484	235.2	146,741	116.8	132,529	105.5
	13	2,491	2.0	300,658	238.8	148,292	117.8	131,856	104.7
	14	2,317	1.8	304,568	241.7	152,518	121.0	130,257	103.4
	15	2,337	1.9	309,543	245.4	159,545	126.5	132,067	104.7
	16	2,330	1.8	320,358	253.9	159,625	126.5	129,055	102.3
	17	2,296	1.8	325,941	258.3	173,125	137.2	132,847	105.3
	18	2,269	1.8	329,314	261.0	173,024	137.2	128,268	101.7
	19	2,194	1.7	336,468	266.9	175,539	139.2	127,041	100.8

平成19年

Hi 07 肺 炎		Hi 12 1 腎 不 全		Hi 13 2 老 衰		Hi 14 3 不慮の事故		Hi 16 自 殺	
実数	率	実数	率	実数	率	実数	率	実数	率
30,441	27.4	7,038	6.3	29,916	26.9	33,710	30.3	19,975	18.0
29,913	26.6	6,816	6.1	29,659	26.4	31,489	28.0	19,786	17.6
26,440	23.3	6,274	5.5	28,381	25.0	30,325	26.7	20,269	17.9
28,241	24.7	6,632	5.8	27,976	24.4	30,017	26.2	20,199	17.6
27,330	23.7	9,264	8.0	29,419	25.5	29,227	25.3	20,823	18.0
33,051	28.4	10,180	8.8	32,154	27.7	29,217	25.1	20,542	17.7
33,590	28.7	10,685	9.1	29,873	25.5	29,089	24.8	20,096	17.1
35,338	29.9	11,389	9.7	27,501	23.3	29,197	24.7	20,668	17.5
40,237	33.9	12,269	10.3	29,391	24.7	29,668	25.0	24,985	21.0
38,895	32.5	12,688	10.6	28,805	24.1	29,344	24.6	24,344	20.4
45,075	37.5	13,521	11.2	27,804	23.1	29,597	24.6	23,385	19.4
47,256	39.1	13,984	11.6	26,810	22.2	28,610	23.7	25,667	21.2
49,013	40.3	14,329	11.8	25,274	20.8	28,255	23.2	23,831	19.6
57,055	46.8	15,891	13.0	26,400	21.6	30,212	24.8	22,795	18.7
58,963	48.1	16,420	13.4	23,781	19.4	31,049	25.4	21,125	17.3
68,194	55.6	17,140	14.0	24,187	19.7	32,122	26.2	20,088	16.4
70,057	56.9	17,007	13.8	23,200	18.8	33,155	26.9	19,875	16.1
74,274	60.2	18,299	14.8	23,361	18.9	34,677	28.1	20,893	16.9
81,138	65.5	18,505	14.9	23,115	18.7	34,717	28.0	20,516	16.6
83,354	67.2	18,789	15.1	23,464	18.9	36,115	29.1	20,923	16.9
79,629	64.1	16,187	13.0	21,493	17.3	45,323	36.5	21,420	17.2
70,971	56.9	16,196	13.0	20,878	16.7	39,184	31.4	22,138	17.8
78,904	63.1	16,615	13.3	21,434	17.2	38,886	31.1	23,494	18.8
79,952	63.8	16,638	13.3	21,374	17.1	38,925	31.1	31,755	25.4
93,994	74.9	17,704	14.1	22,829	18.2	40,079	32.0	31,413	25.0
86,938	69.2	17,260	13.7	21,213	16.9	39,484	31.4	30,251	24.1
85,305	67.8	17,690	14.0	22,145	17.6	39,496	31.4	29,375	23.3
87,421	69.4	18,185	14.4	22,682	18.0	38,643	30.7	29,949	23.8
94,942	75.3	18,821	14.9	23,499	18.6	38,714	30.7	32,109	25.5
95,534	75.7	19,117	15.2	24,126	19.1	38,193	30.3	30,247	24.0
107,241	85.0	20,528	16.3	26,360	20.9	39,863	31.6	30,553	24.2
107,242	85.0	21,158	16.8	27,764	22.0	38,270	30.3	29,921	23.7
110,159	87.4	21,632	17.2	30,734	24.4	37,966	30.1	30,827	24.4

(注) 平成6年以前 ICD-9による死因:
 1腎炎, ネフローゼ症候群及びネフローゼ
 2精神病の記載のない老衰
 3不慮の事故及び有害作用