

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	100 東海村石神																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	77	76	78	79	77	77	77	77	77	77	78	79	79	76	76	76	77	76	76	78	78	78	77	76	77	79	77	77	78	77		79	76	77	55537	30
05	77	78	76	77	76	77	78	77	77	77	76	76	76	76	77	76	75	(76)	(77)	77	77	78	80	78	77	76	76	76	76	76	77	80	75	77	56065	29
06	77	79	77	77	78	77	76	76	76	77	77	78	77	76	77	76	76	77	77	77	77	78	77	78	78	78	79	78	79	78		79	76	77	55639	30
07	78	79	76	81	78	82	79	76	76	77	77	77	75	76	76	77	77	77	77	77	77	77	76	77	77	78	78	77	77	77	77	82	75	77	57396	31
08	76	76	76	76	77	77	77	78	77	77	77	78	80	77	80	77	76	76	76	77	76	76	79	78	76	77	77	77	78	77	77	80	76	77	57225	31
09	76	77	77	76	76	76	76	76	76	76	78	75	76	76	76	75	74	76	76	77	77	76	77	77	77	76	75	76	76	76		78	74	76	54695	30
10	76	78	77	80	80	77	76	77	78	78	75	76	75	76	77	78	78	78	76	76	76	78	79	77	77	76	77	77	78	78	74	80	74	77	57341	31
11	76	76	64	77	78	49	79	78	78	77	78	79	77	78	77	77	77	77	77	77	77	78	78	78	78	78	78	78	80	79		80	49	76	54902	30
12	78	78	78	83	82	77	77	78	78	79	78	79	(79)	79	78	79	79	79	79	78	79	81	80	79	79	80	79	78	77	79	78	83	77	79	57871	30
01	78	79	80	80	79	79	79	79	78	79	78	77	78	81	78	78	79	78	78	80	79	78	78	78	78	78	78	78	77	78	79	81	77	78	58340	31
02	85	78	79	78	78	78	80	81	78	79	80	79	79	79	79	82	80	78	78	81	77	78	79	78	78	80	78	77			85	77	79	53092	28	
03	82	79	79	79	78	79	78	79	78	78	79	81	80	79	79	81	84	79	80	79	79	79	81	79	78	79	79	80	81	81	80	84	78	80	59163	31
最大	85	79	80	83	82	82	80	81	78	79	80	81	80	81	80	82	84	79	80	81	80	81	81	79	79	80	79	80	81	81	80					
最小	76	76	64	76	76	49	76	76	76	76	75	75	75	76	76	75	74	76	76	76	76	76	76	76	76	76	75	76	76	76	74					
平均	78	78	76	79	78	75	78	78	77	78	78	78	78	77	78	78	78	77	77	78	78	78	78	78	77	78	78	77	78	78	77					

年 平 均 値 : 78  
 1時間値の最大値 : 100 (02/01 21)  
 1時間値の最小値 : 0 (11/03 21) (10/31 12) (11/06 21) (11/03 18) (11/06 16) (11/06 17) (11/06 18) (11/06 19) (11/06 22) (11/06 23) (11/06 24) (11/03 19) (11/03 20) (11/06 20)  
 日平均値の最大値 : 85 (02/01)  
 日平均値の最小値 : 49 (11/06)  
 月平均値の最大値 : 80 (03月)  
 月平均値の最小値 : 76 (09月) (11月)  
 日積算値の最大値 : 2033 (02/01)  
 日積算値の最小値 : 1105 (12/13)  
 年 積 算 値 : 677264  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	101 東海村豊岡																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	79	78	80	81	79	79	79	79	79	79	81	81	81	78	79	79	79	79	79	78	80	80	79	79	78	79	82	79	79	80	79		82	78	79	57158	30
05	79	80	78	79	79	80	80	78	79	79	78	78	78	78	79	78	77	78	79	78	79	80	83	81	79	78	78	78	78	78	79	83	77	79	58636	31	
06	79	80	79	79	79	79	78	(78)	(78)	79	79	79	79	78	79	78	78	78	79	79	79	79	78	79	80	80	80	80	80	79		80	78	79	55957	28	
07	80	81	78	85	79	84	80	77	78	79	78	78	77	77	78	78	78	78	79	79	79	78	78	78	78	79	79	78	78	78	78	85	77	79	58455	31	
08	78	78	78	78	79	79	78	80	79	79	78	80	83	78	81	78	78	78	78	79	78	78	82	80	76	78	78	78	79	78	78	83	76	79	58412	31	
09	78	78	78	78	78	77	77	77	77	78	79	77	77	78	77	77	77	78	79	79	79	79	79	79	79	78	77	78	78	78		79	77	78	56070	30	
10	78	80	79	83	83	79	78	79	80	80	77	77	77	78	79	80	80	79	77	78	78	80	81	78	78	78	78	79	79	80	79	83	77	79	58737	31	
11	78	78	65	79	79	50	81	79	79	79	79	81	79	79	79	79	79	79	79	79	79	80	80	80	80	80	80	80	81	81		81	50	78	56119	30	
12	80	81	80	85	83	79	79	79	80	80	80	81	81	81	80	80	81	81	81	80	81	83	81	81	81	81	80	79	79	80	79	85	79	81	59744	31	
01	80	81	82	81	80	80	80	80	80	81	80	79	79	82	79	79	80	79	79	78	80	79	79	78	78	79	79	79	78	79	79	82	78	80	59183	31	
02	86	79	79	79	79	79	80	83	79	80	80	80	80	80	80	83	81	78	79	82	78	78	79	78	78	81	78	78			86	78	80	53518	28		
03	82	79	80	79	79	80	79	79	79	79	80	82	81	80	80	82	83	79	81	79	79	80	81	79	79	79	79	80	82	81	80	83	79	80	59499	31	
最大	86	81	82	85	83	84	81	83	80	81	81	82	83	82	81	83	83	81	81	82	81	83	83	81	81	82	80	80	82	81	80						
最小	78	78	65	78	78	50	77	77	77	78	77	77	77	77	77	77	77	78	77	78	78	78	78	78	76	78	77	78	78	78	78						
平均	80	79	78	80	80	77	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	80	79	79	79	79	79	79	79	79						

年 平 均 値 : 79  
 1時間値の最大値 : 102 (08/13 05)  
 1時間値の最小値 : 0 (11/03 19)(11/03 20)(11/03 21)(11/06 20)(11/06 21)(11/03 18)(11/06 16)(11/06 17)(11/06 18)(11/06 19)(11/06 22)(11/06 23)(11/06 24)  
 日平均値の最大値 : 86 (02/01)  
 日平均値の最小値 : 50 (11/06)  
 月平均値の最大値 : 81 (12月)  
 月平均値の最小値 : 78 (09月)(11月)  
 日積算値の最大値 : 2066 (02/01)  
 日積算値の最小値 : 1193 (11/06)  
 年 積 算 値 : 691486  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	102 東海村舟石川																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	76	75	77	78	76	76	76	76	76	76	78	78	78	75	75	75	76	75	75	77	77	77	76	75	76	79	76	77	77	76		79	75	76	54876	30
05	76	77	75	76	76	77	77	76	76	76	75	75	75	75	76	75	74	75	75	75	76	76	79	78	76	75	75	75	75	75	76	79	74	76	56317	31
06	76	78	76	75	76	76	75	75	75	76	76	76	(76)	(75)	76	75	75	76	76	76	76	77	76	77	77	78	78	78	77	77		78	75	76	53950	28
07	78	79	76	82	78	82	78	76	76	77	76	76	75	75	75	75	76	76	76	76	77	76	75	76	76	78	77	76	76	76	76	82	75	77	56735	31
08	75	75	75	75	76	76	76	77	76	76	75	78	81	76	79	76	76	76	76	76	76	75	79	77	75	76	76	76	77	76	76	81	75	76	56719	31
09	76	76	76	76	75	75	75	76	75	75	76	75	75	76	75	74	74	75	76	76	76	76	77	77	76	75	75	75	75	75		77	74	75	54302	30
10	76	77	76	80	80	77	76	77	78	78	75	75	75	76	77	78	78	78	76	76	76	78	78	77	77	76	76	77	77	78	74	80	74	77	57117	31
11	76	76	61	77	77	81	79	77	77	77	77	79	77	77	77	77	77	77	76	77	77	77	77	78	77	78	78	77	79	78		81	61	77	55309	30
12	77	78	78	83	81	77	77	77	78	78	77	78	78	77	77	77	78	77	77	77	78	80	78	77	78	78	77	76	76	77	76	83	76	78	57555	31
01	77	78	79	77	77	77	77	77	76	77	77	76	76	79	76	76	77	76	76	76	78	77	77	76	76	76	77	76	75	76	77	79	75	77	57007	31
02	84	76	77	76	76	76	78	79	76	77	77	77	77	77	77	80	78	76	76	79	75	75	76	75	75	78	76	75			84	75	77	51659	28	
03	80	77	77	76	76	77	76	77	76	76	77	78	78	77	77	78	81	76	78	77	77	77	78	76	76	76	76	77	79	78	77	81	76	77	57408	31
最大	84	79	79	83	81	82	79	79	78	78	78	79	81	79	79	80	81	78	78	79	78	80	79	78	78	79	78	78	79	78	77					
最小	75	75	61	75	75	75	75	75	75	75	75	75	75	75	75	74	74	75	75	75	75	75	75	75	75	75	75	75	75	75	74					
平均	77	77	75	78	77	77	77	77	76	77	76	77	77	76	76	77	77	76	76	76	76	77	77	77	76	77	76	76	77	76	76					

年 平 均 値 : 77  
 1時間値の最大値 : 101 (12/05 04)  
 1時間値の最小値 : 0 (11/03 21) (10/31 12) (11/03 23) (11/03 18) (11/03 19) (11/03 20)  
 日平均値の最大値 : 84 (02/01)  
 日平均値の最小値 : 61 (11/03)  
 月平均値の最大値 : 78 (12月)  
 月平均値の最小値 : 75 (09月)  
 日積算値の最大値 : 2006 (02/01)  
 日積算値の最小値 : 1345 (06/14)  
 年 積 算 値 : 668954  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	110 那珂市横堀																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	73	72	73	76	74	74	74	74	74	74	76	76	76	73	73	74	74	73	73	75	75	75	74	73	74	77	74	74	75	74		77	72	74	53384	30
05	74	75	73	74	74	75	76	74	74	74	73	73	73	74	72	72	73	73	73	74	75	78	76	74	73	73	73	73	73	74	78	72	74	54827	31	
06	74	75	74	73	74	74	72	73	73	74	74	74	74	73	74	73	73	73	74	74	74	75	73	75	74	75	75	75	74	75		75	72	74	53117	30
07	75	76	72	79	75	80	76	73	72	74	74	74	(72)	(72)	71	72	73	73	73	72	73	72	72	72	72	74	73	72	72	72	72	80	71	73	53424	29
08	72	71	71	71	72	72	72	73	72	73	71	74	77	73	76	72	72	72	72	72	72	72	74	74	70	72	72	72	73	72	72	77	70	72	53871	31
09	72	72	72	72	71	71	71	71	71	72	73	71	71	72	71	70	70	71	72	72	73	72	73	73	72	71	71	71	71	71		73	70	72	51513	30
10	72	73	73	76	78	73	72	73	74	75	71	71	71	72	73	74	75	73	72	72	72	75	75	73	72	72	72	72	73	74	73	78	71	73	54303	31
11	72	69	61	73	73	78	75	73	73	73	73	75	73	73	73	73	73	73	72	72	73	73	73	74	74	74	74	73	75	74		78	61	73	52510	30
12	73	74	74	79	78	73	73	74	75	76	75	76	76	76	75	76	76	76	76	75	76	78	76	76	76	76	76	75	74	76	75	79	73	76	56030	31
01	75	77	77	76	76	76	76	76	75	76	75	74	75	78	75	75	76	75	74	74	77	75	75	74	74	75	75	75	74	74	75	78	74	75	55995	31
02	83	75	75	75	75	74	76	78	75	76	76	76	75	76	76	79	77	74	74	78	74	74	75	74	74	77	75	73			83	73	76	50756	28	
03	79	75	76	75	75	75	74	75	75	75	75	77	76	76	75	77	80	75	76	75	75	75	77	75	75	75	75	76	77	76	76	80	74	76	56352	31
最大	83	77	77	79	78	80	76	78	75	76	76	77	77	78	76	79	80	76	76	78	77	78	78	76	76	77	76	76	77	76	76					
最小	72	69	61	71	71	71	71	71	71	72	71	71	71	72	71	70	70	71	72	72	72	72	72	72	70	71	71	71	71	71	72					
平均	74	74	73	75	74	75	74	74	74	74	74	74	74	74	74	74	74	74	73	73	74	74	74	75	74	74	74	74	74	74	74	74	74	74	74	74

年 平 均 値 : 74  
 1時間値の最大値 : 101 (12/05 04)  
 1時間値の最小値 : 0 (11/02 07) (11/03 19) (11/03 20) (11/03 18) (11/03 21)  
 日平均値の最大値 : 83 (02/01)  
 日平均値の最小値 : 61 (11/03)  
 月平均値の最大値 : 76 (12月) (02月) (03月)  
 月平均値の最小値 : 72 (08月) (09月)  
 日積算値の最大値 : 1996 (02/01)  
 日積算値の最小値 : 1215 (07/14)  
 年 積 算 値 : 646082  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	103 東海村押延																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	73	72	73	75	72	73	73	73	72	72	74	75	74	72	72	72	72	72	72	74	74	73	73	72	73	75	72	73	73	72		75	72	73	52475	30	
05	73	74	72	72	72	73	74	72	73	73	71	72	72	71	72	71	71	72	72	72	73	73	76	74	72	72	72	72	71	71	73	76	71	72	53856	31	
06	73	74	73	72	73	73	71	71	72	73	73	73	73	72	73	72	72	72	73	72	73	73	72	73	74	74	74	74	73	73		74	71	73	52328	30	
07	74	75	72	79	74	78	75	72	72	73	(73)	(72)	71	71	71	72	73	73	73	73	73	72	72	72	72	75	73	72	73	72	72	79	71	73	53332	29	
08	72	72	72	72	72	72	72	73	72	73	72	74	78	72	75	72	72	71	72	72	72	72	75	74	71	73	73	72	73	72	72	78	71	73	53846	31	
09	72	72	72	72	72	71	71	72	71	72	73	71	71	72	71	71	71	71	72	72	72	72	73	73	72	71	71	71	71	71		73	71	72	51577	30	
10	72	73	73	76	77	73	72	73	75	74	71	71	71	72	73	74	74	74	72	72	72	74	75	73	73	72	73	73	74	74	67	77	67	73	54248	31	
11	73	73	61	74	74	78	76	74	74	73	74	76	74	74	74	73	73	73	73	73	73	74	74	74	74	74	75	74	76	75		78	61	74	52885	30	
12	74	75	75	80	78	74	73	74	74	75	74	75	75	75	74	75	75	75	75	75	75	77	76	75	75	76	75	74	73	75	74	80	73	75	55577	31	
01	74	76	76	75	75	75	75	75	74	75	74	74	74	77	74	73	75	74	73	73	76	74	74	74	74	74	74	74	73	74	74	77	73	74	55312	31	
02	82	73	74	73	73	73	75	77	74	75	75	74	74	75	75	77	75	73	73	76	72	72	73	72	72	75	73	72			82	72	74	49842	28		
03	77	74	75	73	73	74	73	73	73	73	74	76	75	74	74	76	79	74	75	74	74	74	76	74	73	74	74	74	74	76	75	74	79	73	74	55334	31
最大	82	76	76	80	78	78	76	77	75	75	75	76	78	77	75	77	79	75	75	76	76	77	76	75	75	76	75	74	76	75	74						
最小	72	72	61	72	72	71	71	71	71	72	71	71	71	71	71	71	71	71	72	72	72	72	72	72	71	71	71	71	71	71	67						
平均	74	74	72	74	74	74	73	73	73	73	73	74	73	73	73	73	73	73	73	73	73	74	74	73	73	74	73	73	73	73	72						

年 平 均 値 : 73  
 1時間値の最大値 : 96 (08/13 05) (12/05 04)  
 1時間値の最小値 : 0 (11/03 21) (10/31 05) (11/03 20) (11/03 18) (11/03 19) (10/31 12)  
 日平均値の最大値 : 82 (02/01)  
 日平均値の最小値 : 61 (11/03)  
 月平均値の最大値 : 75 (12月)  
 月平均値の最小値 : 72 (05月) (09月)  
 日積算値の最大値 : 1957 (02/01)  
 日積算値の最小値 : 1297 (07/12)  
 年 積 算 値 : 640611  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	104 東海村村松																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	79	78	79	81	80	80	80	80	79	79	81	81	81	79	79	79	79	79	79	80	81	80	80	78	79	82	80	80	80	79		82	78	80	57366	30
05	80	81	78	79	79	80	81	79	80	80	79	79	79	78	79	79	78	79	79	79	79	80	83	81	79	78	79	78	78	78	80	83	78	79	58896	31
06	80	81	80	79	79	79	78	78	79	79	80	80	79	78	(79)	(78)	79	80	80	80	80	80	79	81	81	81	81	81	80	80		81	78	79	56106	28
07	81	82	79	85	81	85	81	79	79	81	80	80	78	78	79	79	80	80	80	80	80	79	79	79	79	82	81	80	79	79	79	85	78	80	59448	31
08	79	79	79	79	79	79	78	80	79	80	79	81	85	80	82	79	79	79	79	80	79	79	82	82	78	80	80	80	80	80	80	85	78	80	59167	31
09	79	79	79	79	79	79	79	79	79	79	80	79	79	79	79	78	78	79	80	80	80	79	80	81	80	79	78	79	79	79		81	78	79	56986	30
10	79	80	80	83	84	81	79	80	82	82	79	79	79	79	80	82	82	81	80	79	79	82	81	80	80	80	80	80	81	81	81	84	79	80	59808	31
11	80	79	66	81	80	84	83	81	81	80	81	82	80	81	81	81	80	80	79	79	80	81	81	81	81	81	81	81	83	82		84	66	80	57813	30
12	81	82	82	86	85	81	80	81	81	82	81	82	82	82	81	82	82	82	82	81	82	84	82	81	81	82	81	79	79	81	79	86	79	82	60530	31
01	78	80	82	81	80	81	81	80	80	82	81	80	80	83	80	80	81	81	80	80	82	81	81	80	80	81	81	80	79	80	81	83	78	81	59916	31
02	88	80	81	80	80	80	82	84	80	81	81	81	81	81	81	84	82	80	80	83	80	80	80	80	79	81	80	79			88	79	81	54464	28	
03	84	82	82	80	80	81	80	81	80	80	81	83	82	81	81	83	85	81	82	81	81	81	83	80	80	81	81	81	83	82	81	85	80	81	60511	31
最大	88	82	82	86	85	85	83	84	82	82	81	83	85	83	82	84	85	82	82	83	82	84	83	82	81	82	81	81	83	82	81					
最小	78	78	66	79	79	79	78	78	79	79	79	79	78	78	79	78	78	79	79	79	79	79	79	78	78	78	78	78	78	78	79					
平均	81	80	79	81	80	81	80	80	80	80	80	81	80	80	80	80	80	80	80	80	80	81	81	80	80	81	80	80	80	80	80					

年 平 均 値 : 80  
 1時間値の最大値 : 103 (12/05 05)  
 1時間値の最小値 : 0 (11/03 20) (11/03 18) (11/03 19) (11/03 21)  
 日平均値の最大値 : 88 (02/01)  
 日平均値の最小値 : 66 (11/03)  
 月平均値の最大値 : 82 (12月)  
 月平均値の最小値 : 79 (05月) (06月) (09月)  
 日積算値の最大値 : 2108 (02/01)  
 日積算値の最小値 : 1331 (06/16)  
 年 積 算 値 : 701011  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	120 ひたちなか市馬渡																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	79	79	80	82	79	79	79	79	79	80	81	81	81	78	78	79	79	78	78	80	80	79	79	79	79	82	79	79	80	80		82	78	79	57110	30
05	80	81	79	80	80	79	81	79	79	79	78	78	78	78	80	78	77	78	78	78	80	81	80	79	78	78	78	78	78	79	81	77	79	58648	31	
06	79	80	79	79	79	79	77	78	78	78	79	79	78	78	78	78	78	79	79	(79)	(79)	78	77	78	79	79	79	79	78	78		80	77	78	55530	28
07	79	80	78	83	79	82	79	77	77	79	77	78	76	76	77	77	78	78	78	78	78	78	77	77	77	80	79	78	78	78	77	83	76	78	57913	31
08	78	77	77	77	77	78	77	78	78	78	77	79	84	78	80	78	77	77	77	78	78	77	80	79	77	78	78	78	79	78	78	84	77	78	58095	31
09	77	77	77	78	77	77	76	77	77	77	78	77	76	77	76	76	77	77	78	77	78	77	78	79	78	77	77	77	77	76		79	76	77	55466	30
10	77	79	78	81	82	79	77	78	81	81	76	77	77	77	78	79	80	79	77	77	77	80	80	79	78	78	78	78	79	79	78	82	76	79	58376	31
11	77	77	65	78	79	82	81	79	79	78	79	81	79	79	79	78	78	78	78	78	79	79	79	79	79	79	79	79	80	80		82	65	78	56416	30
12	78	79	79	85	82	79	79	79	80	81	80	80	81	80	79	80	81	81	80	80	80	82	82	81	81	81	81	80	80	80	80	85	78	80	59610	31
01	80	82	83	81	80	80	81	81	80	80	79	79	79	83	80	79	80	79	79	78	82	79	79	78	78	79	79	79	79	79	80	83	78	80	59406	31
02	87	79	80	79	80	79	81	81	79	80	81	81	80	80	81	84	81	79	80	82	78	78	79	78	79	82	79	78				87	78	80	53841	28
03	83	80	81	79	80	80	80	79	79	79	80	82	82	80	80	81	84	80	81	80	81	80	81	79	80	80	80	81	82	81	81	84	79	81	59854	31
最大	87	82	83	85	82	82	81	81	81	81	81	82	84	83	81	84	84	81	81	82	82	82	82	81	81	82	81	81	82	81	81					
最小	77	77	65	77	77	77	76	77	77	77	76	77	76	76	76	76	77	77	77	77	77	77	77	77	77	77	77	77	77	76	77					
平均	80	79	78	80	80	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79					

年 平 均 値 : 79  
 1時間値の最大値 : 103 (12/05 04)  
 1時間値の最小値 : 0 (11/03 19) (11/03 20) (11/03 18) (11/03 21)  
 日平均値の最大値 : 87 (02/01)  
 日平均値の最小値 : 65 (11/03)  
 月平均値の最大値 : 81 (03月)  
 月平均値の最小値 : 77 (09月)  
 日積算値の最大値 : 2077 (02/01)  
 日積算値の最小値 : 1417 (06/21)  
 年 積 算 値 : 690264  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	121 ひたちなか市常陸那珂																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	75	75	76	78	75	76	75	76	75	75	77	78	77	75	75	75	75	75	75	76	76	76	76	75	75	78	75	76	76	75		78	75	76	54471	30	
05	76	77	75	75	75	76	77	75	75	75	74	75	75	74	75	74	74	75	75	75	75	76	79	76	75	74	75	74	74	75	76	79	74	75	55900	31	
06	75	77	75	75	75	75	74	74	75	75	75	75	75	74	75	74	74	75	75	75	75	(75)	(73)	74	74	75	75	75	74	75		77	73	75	53018	28	
07	75	76	73	81	75	80	76	73	73	74	74	74	73	73	73	73	74	74	75	75	75	75	74	74	74	76	75	74	74	74	74	81	73	75	55354	31	
08	74	73	73	74	75	75	75	76	75	76	74	76	81	74	76	74	74	74	74	75	74	75	78	76	74	75	75	75	76	75	75	81	73	75	55775	31	
09	74	74	74	74	74	74	73	74	74	74	76	73	74	74	74	73	74	74	75	75	76	75	76	77	75	74	74	74	74	74		77	73	74	53523	30	
10	75	76	76	79	82	76	74	75	79	78	74	74	74	75	75	76	77	76	75	75	75	77	77	75	75	75	75	75	76	76	70	82	70	76	56306	31	
11	75	75	60	76	76	79	78	76	76	76	76	78	76	76	76	76	76	76	75	75	75	76	76	77	76	76	77	76	78	77		79	60	76	54504	30	
12	76	77	77	82	80	76	75	76	76	77	76	77	77	77	76	77	77	77	77	76	77	79	78	77	77	78	77	76	75	76	76	82	75	77	57085	31	
01	76	77	78	77	77	77	77	77	76	77	76	75	76	79	76	76	77	76	75	75	77	75	75	74	75	75	76	76	75	75	76	79	74	76	56574	31	
02	84	76	76	75	75	75	77	79	75	76	77	76	76	76	76	80	77	75	75	79	74	75	76	75	75	77	75	74			84	74	76	51262	28		
03	80	76	78	75	75	76	75	76	75	75	76	78	78	76	76	78	81	76	77	76	76	76	77	75	75	75	75	76	78	77	76	81	75	77	56895	31	
最大	84	77	78	82	82	80	78	79	79	78	77	78	81	79	76	80	81	77	77	79	77	79	79	77	77	78	77	76	78	77	76						
最小	74	73	60	74	74	74	73	73	73	74	74	73	73	73	73	73	74	74	74	75	74	75	73	74	74	74	74	74	74	74	74	70					
平均	76	76	74	77	76	76	76	75	75	76	76	76	76	75	75	76	76	75	75	76	76	76	76	76	75	76	75	75	76	75	75						

年 平 均 値 : 76  
 1時間値の最大値 : 101 (12/05 04)  
 1時間値の最小値 : 0 (11/03 19)(11/03 20)(10/31 04)(11/03 21)(11/03 10)(11/03 18)(10/31 10)  
 日平均値の最大値 : 84 (02/01)  
 日平均値の最小値 : 60 (11/03)  
 月平均値の最大値 : 77 (12月)(03月)  
 月平均値の最小値 : 74 (09月)  
 日積算値の最大値 : 2024 (02/01)  
 日積算値の最小値 : 1322 (06/23)  
 年 積 算 値 : 660665  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	122 ひたちなか市阿字ヶ浦																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	78	77	79	81	78	78	78	78	78	78	80	80	80	77	78	78	78	77	77	79	79	79	78	77	78	81	(78)	(78)	79	78		81	77	78	55541	28
05	79	80	77	78	78	79	80	78	78	78	77	78	78	77	78	77	76	77	78	78	78	79	82	79	78	77	77	77	77	77	78	82	76	78	58014	31
06	78	79	78	78	78	78	77	77	77	78	78	78	78	77	78	77	77	78	78	78	78	79	78	78	79	79	79	79	78	79		79	77	78	56205	30
07	79	80	77	84	79	84	80	77	78	78	78	78	77	77	77	77	78	78	78	78	78	78	77	77	78	80	78	78	78	77	77	84	77	78	58091	31
08	77	77	77	77	77	77	77	78	78	78	77	79	83	77	80	78	77	77	77	77	77	77	81	78	76	78	78	77	78	77	78	83	76	78	57848	31
09	77	77	77	77	77	77	76	77	77	77	78	76	76	76	77	76	76	76	77	78	78	77	78	79	78	77	76	76	77	76		79	76	77	55302	30
10	77	78	78	81	85	78	77	78	81	81	76	76	77	77	78	79	80	79	77	77	77	80	80	78	78	77	78	78	79	79	75	85	75	78	58235	31
11	77	77	62	78	78	81	81	78	78	78	78	81	78	79	79	78	78	78	78	78	78	79	78	79	79	79	79	79	80	80		81	62	78	56168	30
12	79	79	79	83	82	78	78	78	79	79	79	79	80	79	78	79	80	79	79	79	79	81	80	79	80	80	79	78	78	79	78	83	78	79	58748	31
01	78	80	80	79	79	79	79	79	78	80	79	78	78	82	78	78	79	78	78	80	78	78	77	78	78	78	78	77	78	79	82	77	79	58437	31	
02	87	78	79	78	78	78	79	81	78	79	79	79	79	79	79	82	80	78	78	81	77	77	78	77	77	80	78	77				87	77	79	53044	28
03	83	79	80	78	78	79	78	78	78	78	79	81	80	79	79	81	83	79	80	78	79	79	80	78	78	78	78	79	81	80	79	83	78	79	58946	31
最大	87	80	80	84	85	84	81	81	81	81	80	81	83	82	80	82	83	79	80	81	80	81	82	79	80	81	79	79	81	80	79					
最小	77	77	62	77	77	77	76	77	77	77	76	76	76	76	77	76	76	76	77	77	77	77	77	77	76	77	76	76	77	76	75					
平均	79	79	77	79	79	79	78	78	78	78	78	79	79	78	78	78	79	78	78	78	78	79	79	78	78	79	78	78	78	78	78					

年 平 均 値 : 78  
 1時間値の最大値 : 107 (02/01 22)  
 1時間値の最小値 : 0 (11/03 19)(11/03 20)(10/31 04)(11/03 10)(11/03 18)(11/03 21)  
 日平均値の最大値 : 87 (02/01)  
 日平均値の最小値 : 62 (11/03)  
 月平均値の最大値 : 79 (12月)(01月)(02月)(03月)  
 月平均値の最小値 : 77 (09月)  
 日積算値の最大値 : 2093 (02/01)  
 日積算値の最小値 : 1412 (04/28)  
 年 積 算 値 : 684579  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	123 ひたちなか市堀口																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	75	75	76	79	75	76	75	76	75	75	78	78	78	75	75	75	75	74	75	77	77	76	76	75	(75)	(78)	75	75	75	75		79	74	76	53461	28
05	75	77	74	75	75	76	77	74	75	75	74	75	75	74	75	74	73	75	75	75	75	76	79	77	75	74	74	74	74	74	76	79	73	75	55631	31
06	76	77	75	75	75	75	74	74	75	75	75	75	75	74	75	74	74	74	75	75	75	75	75	75	76	76	76	77	75	76		77	74	75	54035	30
07	76	77	74	81	76	81	77	74	74	75	74	74	73	73	74	74	75	75	75	75	75	75	74	75	74	77	75	74	74	74	74	81	73	75	55656	31
08	74	74	74	74	74	74	74	76	75	75	74	76	81	74	77	74	74	74	74	74	74	74	77	75	73	74	75	74	75	74	75	81	73	75	55620	31
09	74	74	74	74	74	74	73	74	74	74	75	73	73	74	74	73	73	74	75	75	75	75	75	76	75	74	74	74	74	74		76	73	74	53351	30
10	74	76	76	80	82	75	74	75	77	78	73	74	74	74	75	76	77	76	74	74	74	77	77	75	75	75	75	75	76	70	75	82	70	75	56007	31
11	75	75	56	75	76	80	78	75	75	75	76	78	75	76	76	76	75	75	75	75	75	76	76	76	76	76	76	76	78	77		80	56	75	54205	30
12	76	77	77	81	80	76	75	76	76	76	76	77	77	77	76	77	77	76	76	76	77	79	77	77	77	77	76	76	75	76	76	81	75	77	56792	31
01	76	77	78	77	77	76	77	76	76	77	76	75	76	79	75	75	76	76	75	75	78	75	75	74	75	75	75	75	74	75	76	79	74	76	56437	31
02	85	75	76	75	75	75	77	78	75	76	77	76	76	76	76	80	77	75	75	79	74	74	75	74	75	77	75	74			85	74	76	51106	28	
03	80	76	78	75	75	76	75	75	75	75	76	78	77	76	76	78	81	76	77	76	76	76	77	75	75	75	76	76	78	77	76	81	75	76	56835	31
最大	85	77	78	81	82	81	78	78	77	78	78	78	81	79	77	80	81	76	77	79	78	79	79	77	77	78	76	77	78	77	76					
最小	74	74	56	74	74	74	73	74	74	74	73	73	73	73	74	73	73	74	74	74	74	74	74	74	73	74	74	74	74	70	74					
平均	76	76	74	77	76	76	75	75	75	76	75	76	76	75	75	75	76	75	75	75	75	76	76	75	75	76	75	75	75	75	75	75	75	75	75	75

年 平 均 値 : 75  
 1時間値の最大値 : 103 (12/05 04)  
 1時間値の最小値 : 0 (11/03 18)(11/03 19)(10/30 21)(11/03 21)(11/03 22)(10/30 24)(11/03 17)(11/03 20)  
 日平均値の最大値 : 85 (02/01)  
 日平均値の最小値 : 56 (11/03)  
 月平均値の最大値 : 77 (12月)  
 月平均値の最小値 : 74 (09月)  
 日積算値の最大値 : 2028 (02/01)  
 日積算値の最小値 : 1275 (04/25)  
 年 積 算 値 : 659135  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	130 日立市久慈																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	72	72	73	74	72	73	73	73	72	72	75	75	74	72	72	72	72	71	72	73	73	73	73	72	72	74	72	73	73	72		75	71	73	52223	30	
05	72	73	71	72	72	73	74	72	(72)	(72)	71	72	72	71	72	71	70	72	72	72	72	73	76	74	72	71	71	71	71	71	73	76	70	72	52695	29	
06	72	73	72	72	72	72	71	71	71	72	72	73	72	71	72	71	71	72	72	72	72	73	72	73	73	73	74	73	73	72		74	71	72	51893	30	
07	73	74	71	78	73	77	(73)	71	71	73	72	72	70	71	71	72	71	71	72	72	72	72	71	71	71	74	72	71	71	71	71	78	70	72	53086	30	
08	71	71	71	71	71	71	71	73	71	73	71	73	76	72	75	72	71	71	71	72	71	71	74	74	70	72	72	72	73	71	72	76	70	72	53337	31	
09	71	71	71	71	71	71	71	71	71	71	72	70	71	71	71	70	70	71	71	72	72	72	72	73	72	71	71	71	71		73	70	71	51150	30		
10	71	73	72	76	75	72	71	72	74	74	70	70	70	71	72	73	73	73	71	71	71	73	74	72	72	72	71	72	73	67	72	76	67	72	53602	31	
11	71	71	60	72	72	76	75	72	73	72	73	74	72	73	73	72	72	72	72	72	72	73	72	73	73	73	73	73	75	74		76	60	72	52023	30	
12	72	73	73	77	76	73	72	72	73	73	73	73	74	74	73	73	73	73	73	73	72	73	75	74	73	73	73	73	72	71	72	72	77	71	73	54194	31
01	72	73	74	73	73	72	73	73	72	73	72	72	72	75	72	72	73	72	72	71	73	72	72	71	71	72	72	72	71	71	72	75	71	72	53633	31	
02	78	72	72	71	71	71	73	75	72	72	73	73	72	72	73	76	73	71	71	74	71	71	72	71	71	73	72	71			78	71	72	48589	28		
03	75	73	73	71	72	73	72	72	72	72	72	75	74	73	72	74	76	72	73	72	72	73	74	72	72	72	72	73	74	73	73	76	71	73	54148	31	
最大	78	74	74	78	76	77	75	75	74	74	75	75	76	75	75	76	76	73	73	74	73	75	76	74	73	74	74	73	75	74	73						
最小	71	71	60	71	71	71	71	71	71	71	70	70	70	71	71	70	70	71	71	71	71	71	71	71	70	71	71	71	71	67	71						
平均	73	72	71	73	73	73	72	72	72	72	72	73	72	72	72	72	72	72	72	72	72	72	73	72	72	72	72	72	72	71	72						

年 平 均 値 : 72  
 1時間値の最大値 : 94 (08/15 21)  
 1時間値の最小値 : 0 (10/30 22) (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/30 21)  
 日平均値の最大値 : 78 (07/04) (02/01)  
 日平均値の最小値 : 60 (11/03)  
 月平均値の最大値 : 73 (04月) (12月) (03月)  
 月平均値の最小値 : 71 (09月)  
 日積算値の最大値 : 1881 (02/01)  
 日積算値の最小値 : 1236 (07/07)  
 年 積 算 値 : 630573  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	140 常陸太田市磯部																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	77	77	78	80	77	78	78	78	77	78	80	80	79	77	77	77	78	77	77	79	78	78	78	77	78	81	77	78	79	77		81	77	78	56163	30	
05	78	79	77	78	77	79	79	77	78	78	(77)	(78)	77	77	78	77	76	78	78	78	79	82	79	77	77	77	77	77	77	78	82	76	78	56827	29		
06	78	79	78	78	79	78	77	78	78	78	78	79	78	78	78	77	77	77	78	78	78	78	77	79	79	80	80	80	79	78		80	77	78	56322	30	
07	79	80	76	82	78	83	79	76	76	77	77	77	76	76	77	78	77	77	77	77	78	77	77	77	77	78	77	77	77	77	77	83	76	78	57478	31	
08	77	77	77	77	78	78	78	80	77	78	76	78	81	77	81	77	76	76	77	77	77	77	79	79	75	76	76	76	78	77	77	81	75	77	57519	31	
09	77	77	77	77	77	76	75	76	76	76	78	75	76	76	76	75	76	76	77	77	78	77	78	77	77	76	76	76	77	77		78	75	76	55031	30	
10	77	79	78	81	81	78	77	77	78	79	75	76	76	77	77	78	78	77	76	76	76	79	79	77	77	76	77	77	78	72	77	81	72	77	57452	31	
11	77	77	64	78	78	82	79	78	77	77	78	79	77	78	78	77	77	77	77	77	78	78	78	79	78	79	79	78	80	79		82	64	78	55867	30	
12	78	79	79	84	81	77	77	78	78	78	78	79	79	79	78	79	79	79	79	78	80	81	80	79	80	79	79	78	78	79	78	84	77	79	58581	31	
01	79	80	80	80	79	79	79	79	78	79	79	78	78	81	77	77	78	78	77	77	79	77	77	77	77	77	78	77	76	77	78	81	76	78	58068	31	
02	85	77	78	77	77	77	79	80	77	78	79	78	78	79	79	81	79	77	77	81	76	77	77	76	77	79	77	76			85	76	78	52477	28		
03	80	78	78	77	77	78	77	78	77	78	78	81	79	79	78	80	83	77	79	78	78	79	79	77	77	78	78	79	80	79	79	83	77	78	58360	31	
最大	85	80	80	84	81	83	79	80	78	79	80	81	81	81	81	81	83	79	79	81	80	81	82	79	80	81	80	80	80	80	79	79					
最小	77	77	64	77	77	76	75	76	76	76	75	75	76	76	76	75	76	76	76	76	76	77	77	76	75	76	76	76	76	76	72	77					
平均	79	78	77	79	78	79	78	78	77	78	78	78	78	78	78	78	78	78	77	77	78	78	78	79	78	78	77	78	77	78	77	78					

年 平 均 値 : 78  
 1時間値の最大値 : 108 (08/15 21)  
 1時間値の最小値 : 0 (11/03 19)(10/30 21)(11/03 18)(11/03 21)(10/30 22)(11/03 20)  
 日平均値の最大値 : 85 (02/01)  
 日平均値の最小値 : 64 (11/03)  
 月平均値の最大値 : 79 (12月)  
 月平均値の最小値 : 76 (09月)  
 日積算値の最大値 : 2037 (02/01)  
 日積算値の最小値 : 1310 (05/11)  
 年 積 算 値 : 680143  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	111 那珂市門部																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	72	71	73	74	72	72	73	72	72	72	73	74	74	71	71	72	72	71	71	73	73	73	72	71	72	74	72	73	73	71	74	71	72	52018	30	
05	72	73	71	72	71	72	73	71	72	72	71	71	71	71	72	70	70	71	71	71	72	73	75	73	71	71	71	71	70	70	72	75	70	71	53149	31
06	72	73	71	71	72	71	70	71	71	71	72	72	71	70	71	70	71	71	72	72	72	72	71	72	73	73	73	73	72	72	73	70	72	51598	30	
07	73	74	70	76	73	78	73	71	71	72	72	72	70	70	71	72	72	72	(72)	(72)	72	71	70	71	71	72	72	71	71	71	71	78	70	72	52308	29
08	71	70	70	70	71	71	71	73	71	72	70	73	74	72	76	71	71	71	71	71	71	70	72	73	70	70	71	71	72	71	71	76	70	71	52892	31
09	71	71	71	71	71	70	70	70	70	71	72	70	70	71	70	70	70	70	71	72	72	71	72	72	72	70	70	70	71	70	72	70	71	50882	30	
10	71	72	72	75	77	72	71	72	73	73	70	70	70	71	72	73	74	72	71	71	71	73	74	72	71	71	71	72	72	67	72	77	67	72	53406	31
11	71	71	57	72	72	77	74	72	72	72	72	74	72	72	72	72	72	72	71	71	72	72	72	73	73	73	73	73	74	74	77	57	72	51763	30	
12	72	73	73	78	76	72	72	72	73	73	72	73	73	73	72	73	73	73	73	73	74	75	74	73	74	74	73	72	72	73	72	78	72	73	54259	31
01	72	74	75	74	73	73	73	73	72	73	72	71	72	75	72	72	73	72	71	71	73	73	72	71	71	72	72	72	71	71	72	75	71	72	53843	31
02	80	72	72	71	72	71	73	74	72	73	73	73	72	73	73	75	73	71	72	75	71	71	72	71	71	74	71	70	80	70	73	48699	28			
03	76	72	73	72	72	73	71	72	72	72	72	74	73	73	73	74	78	72	73	72	72	73	74	72	72	72	72	73	74	73	73	78	71	73	54149	31
最大	80	74	75	78	77	78	74	74	73	73	73	74	74	75	76	75	78	73	73	75	74	75	75	73	74	74	73	73	74	74	73					
最小	71	70	57	70	71	70	70	70	70	71	70	70	70	70	70	70	70	70	71	71	71	70	70	71	70	70	70	70	70	67	71					
平均	73	72	71	73	73	73	72	72	72	72	72	72	72	72	72	72	72	72	71	72	72	72	72	73	72	72	72	72	72	71	72					

年 平 均 値 : 72  
 1時間値の最大値 : 101 (08/15 21)  
 1時間値の最小値 : 0 (11/03 17)(11/03 18)(11/03 19)(10/30 21)(10/30 22)(11/03 21)(11/03 20)  
 日平均値の最大値 : 80 (02/01)  
 日平均値の最小値 : 57 (11/03)  
 月平均値の最大値 : 73 (12月)(02月)(03月)  
 月平均値の最小値 : 71 (05月)(08月)(09月)  
 日積算値の最大値 : 1918 (02/01)  
 日積算値の最小値 : 1217 (07/20)  
 年 積 算 値 : 628966  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	112 那珂市菅谷																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	79	79	80	82	79	80	80	80	79	79	81	82	82	79	79	79	79	79	79	81	81	80	80	79	79	82	80	80	80	79		82	79	80	57486	30
05	80	81	79	79	79	80	81	79	79	80	78	79	79	78	79	78	78	79	79	79	79	80	83	81	79	79	78	78	78	78	80	83	78	79	58869	31
06	80	81	79	79	80	79	78	78	79	79	80	80	79	78	79	78	78	78	79	79	79	80	79	80	80	80	80	80	79	80		81	78	79	56931	30
07	80	80	78	84	80	85	81	78	78	79	79	79	77	78	78	78	79	79	79	79	(79)	(79)	79	79	79	81	80	79	79	78	79	85	77	79	57630	29
08	78	78	78	78	78	79	78	80	79	79	78	80	84	79	82	79	78	78	78	79	78	78	81	81	77	79	79	79	80	79	79	84	77	79	58820	31
09	79	78	79	78	78	78	78	78	78	78	79	78	78	78	78	77	77	78	79	79	79	79	80	79	79	78	78	78	78	78		80	77	78	56288	30
10	78	80	79	82	84	79	79	79	81	81	78	78	78	78	79	80	81	80	78	78	79	81	80	79	79	79	79	79	80	74	80	84	74	79	59031	31
11	79	79	66	80	80	84	82	80	80	79	80	82	80	80	80	80	80	79	79	79	79	80	80	80	80	80	80	80	82	81		84	66	80	57330	30
12	80	81	81	84	84	81	80	80	81	81	80	81	81	81	80	81	81	81	81	80	81	83	81	81	81	81	81	80	79	80	80	84	79	81	59897	31
01	80	81	82	81	80	81	81	80	80	81	80	79	80	83	80	80	81	80	79	79	81	80	80	79	79	80	80	80	79	79	80	83	79	80	59640	31
02	87	80	80	79	79	79	81	83	80	81	81	80	80	81	81	84	81	79	79	82	79	79	80	79	79	81	80	79			87	79	80	54029	28	
03	83	80	81	80	80	80	79	80	79	80	80	82	81	81	80	82	85	80	81	80	80	80	82	80	80	80	80	81	82	81	81	85	79	81	60001	31
最大	87	81	82	84	84	85	82	83	81	81	81	82	84	83	82	84	85	81	81	82	81	83	83	81	81	82	81	81	82	81	81					
最小	78	78	66	78	78	78	78	78	78	78	78	78	77	78	78	77	77	78	78	78	78	78	79	79	77	78	78	78	78	74	79					
平均	80	80	79	81	80	80	80	80	79	80	80	80	80	79	80	80	80	79	79	80	80	80	80	80	79	80	80	79	80	79	80					

年 平 均 値 : 80  
 1時間値の最大値 : 106 (12/05 04)  
 1時間値の最小値 : 0 (10/30 21) (11/03 18) (11/03 19) (10/30 22) (11/03 21) (11/03 20)  
 日平均値の最大値 : 87 (02/01)  
 日平均値の最小値 : 66 (11/03)  
 月平均値の最大値 : 81 (12月) (03月)  
 月平均値の最小値 : 78 (09月)  
 日積算値の最大値 : 2097 (02/01)  
 日積算値の最小値 : 1345 (07/22)  
 年 積 算 値 : 695952  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	124 ひたちなか市佐和																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	72	71	72	76	72	71	71	71	71	71	73	75	76	72	71	70	71	72	71	74	73	72	72	71	72	75	72	70	68	69		76	68	72	51732	30	
05	70	72	69	69	70	72	73	70	70	71	70	70	71	70	71	70	69	70	69	69	69	69	72	72	70	69	69	67	69	70	71	73	67	70	52050	31	
06	(77)	76	68	68	68	66	66	65	65	64	65	64	64	64	66	65	65	65	65	64	63	65	63	63	63	63	64	64	63	64		77	63	65	46493	29	
07	65	66	64	74	67	72	66	64	65	65	64	66	64	64	63	63	64	63	65	65	65	65	64	65	64	68	65	64	64	64	64	74	63	65	48391	31	
08	63	62	62	62	62	63	62	64	64	65	64	67	70	64	67	65	64	64	63	63	63	63	67	67	64	65	66	65	66	65	65	70	62	64	47870	31	
09	65	64	64	65	65	65	63	63	64	64	66	63	64	64	65	64	65	65	65	65	66	65	66	67	67	66	65	66	67	67		67	63	65	46800	30	
10	66	66	66	71	73	69	67	66	70	71	67	67	67	67	67	70	71	70	68	68	68	71	71	69	69	69	69	69	70	67	64	73	64	69	51039	31	
11	70	70	58	70	70	74	72	70	70	69	70	72	69	70	(69)	66	66	66	67	67	67	67	67	67	67	67	67	67	69	68		74	58	68	48587	29	
12	68	69	69	74	72	68	67	68	68	69	69	70	70	70	69	69	70	70	70	69	70	72	70	70	70	70	70	69	69	69	69	74	67	70	51736	31	
01	69	70	71	71	70	70	70	70	69	70	69	68	68	71	67	67	69	69	69	69	72	70	71	69	69	70	69	69	68	68	69	72	67	69	51533	31	
02	78	69	69	70	70	70	71	72	69	70	70	70	70	69	68	73	70	69	68	72	67	67	67	67	68	70	67	67			78	67	70	46688	28		
03	73	69	70	68	68	69	67	68	68	67	68	70	71	70	69	70	74	68	69	68	68	69	70	67	67	68	68	68	70	70	70	74	67	69	51272	31	
最大	78	76	72	76	73	74	73	72	71	71	73	75	76	72	71	73	74	72	71	74	73	72	72	72	72	75	72	70	70	70	71						
最小	63	62	58	62	62	63	62	63	64	64	64	63	64	64	63	63	64	63	63	63	63	63	63	63	63	63	64	64	63	64	64						
平均	70	69	67	70	69	69	68	68	68	68	68	69	69	68	68	68	68	68	67	68	68	68	68	68	68	68	68	68	67	68	67	67					

年 平 均 値 : 68  
 1時間値の最大値 : 100 (02/01 21)  
 1時間値の最小値 : 0 (10/31 12) (11/03 20) (11/03 18) (11/03 19) (10/30 21) (10/31 04) (11/03 21)  
 日平均値の最大値 : 78 (02/01)  
 日平均値の最小値 : 58 (11/03)  
 月平均値の最大値 : 72 (04月)  
 月平均値の最小値 : 64 (08月)  
 日積算値の最大値 : 1880 (02/01)  
 日積算値の最小値 : 1096 (11/15)  
 年 積 算 値 : 594191  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	125 ひたちなか市柳沢																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	67	67	68	71	67	67	66	66	66	66	69	71	71	66	66	66	66	65	65	67	67	67	67	66	67	69	67	66	65	65	71	65	67	48209	30	
05	66	68	66	66	66	68	69	67	68	67	66	67	66	66	67	66	65	66	65	65	65	65	69	67	66	66	65	64	65	67	67	69	64	66	49272	31
06	66	67	67	67	66	(66)	65	64	63	64	64	63	64	63	65	65	64	64	63	64	63	64	63	63	63	63	65	64	64	64	67	63	64	45786	29	
07	64	65	64	71	65	70	65	63	64	64	64	64	63	63	62	62	63	63	64	64	64	64	63	63	64	66	63	63	62	62	62	71	62	64	47507	31
08	62	61	62	61	62	63	62	65	64	65	63	65	69	64	66	64	64	63	63	62	62	63	67	65	63	64	63	65	66	65	64	69	61	64	47285	31
09	64	64	63	64	65	64	63	63	64	64	65	64	63	64	64	65	64	64	66	66	66	65	66	67	67	66	65	65	65	65	67	63	65	46577	30	
10	65	66	66	70	74	67	66	66	69	70	66	66	65	65	65	68	70	69	67	67	66	70	69	68	67	67	68	68	69	49	65	74	49	67	49740	31
11	67	67	51	68	68	71	70	68	68	68	69	71	68	69	69	68	(69)	68	68	68	68	69	68	69	69	69	69	69	70	70	71	51	68	48564	29	
12	69	70	69	74	73	68	68	69	69	69	69	71	70	70	69	70	70	70	71	69	70	72	70	70	70	71	70	69	69	70	69	74	68	70	51966	31
01	70	71	72	71	70	70	70	70	70	70	69	68	68	72	68	69	69	69	69	68	71	69	70	68	69	69	69	69	67	68	69	72	67	69	51593	31
02	77	68	69	69	69	69	69	71	68	69	69	69	69	69	69	72	70	67	67	71	67	67	68	67	67	69	68	66							46334	28
03	72	69	70	67	68	69	68	68	68	68	68	70	71	69	69	70	74	68	69	69	68	69	70	68	68	68	69	69	71	69	69	74	67	69	51367	31
最大	77	71	72	74	74	71	70	71	70	70	69	71	71	72	69	72	74	70	71	71	71	72	70	70	70	71	70	69	71	70	69					
最小	62	61	51	61	62	63	62	63	63	64	63	63	63	63	62	62	63	63	63	62	62	63	63	63	63	63	63	63	62	49	62					
平均	67	67	66	68	68	68	67	67	67	67	67	67	67	67	67	67	67	66	66	67	67	67	67	67	67	67	67	66	67	65	67					

年 平 均 値 : 67  
 1時間値の最大値 : 94 (12/05 04)  
 1時間値の最小値 : 0 (10/30 24) (11/03 18) (11/03 19) (10/31 03) (10/30 16) (10/30 11) (11/03 10) (10/30 06) (10/30 20) (10/30 21) (11/03 17) (10/30 19) (11/03 21) (11/03 20)  
 日平均値の最大値 : 77 (02/01)  
 日平均値の最小値 : 49 (10/30)  
 月平均値の最大値 : 70 (12月)  
 月平均値の最小値 : 64 (06月) (07月) (08月)  
 日積算値の最大値 : 1837 (02/01)  
 日積算値の最小値 : 1063 (06/06)  
 年 積 算 値 : 584199  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	113 那珂市本米崎																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	69	69	70	72	70	67	65	64	65	65	69	71	70	68	66	66	66	65	67	70	68	67	67	67	68	70	66	65	64	63		72	63	67	48422	30	
05	64	65	63	64	64	68	69	67	66	65	65	66	67	66	66	65	64	(66)	64	64	64	65	69	67	65	65	64	63	64	64	65	69	63	65	47692	30	
06	64	67	65	64	65	65	63	63	63	64	64	63	62	62	65	63	63	63	63	63	63	64	63	63	63	63	65	64	65	63		67	62	64	45787	30	
07	64	65	62	71	64	70	65	62	63	63	62	64	61	62	61	61	56	57	59	63	63	63	62	63	63	65	62	62	62	62	62	71	56	63	46559	31	
08	61	61	61	61	61	61	61	64	63	64	62	66	69	63	67	62	62	63	62	62	62	62	66	66	62	63	64	64	65	64	64	69	61	63	46854	31	
09	63	63	63	63	64	63	62	62	63	63	65	62	63	63	63	62	63	63	64	64	65	64	65	66	65	64	64	65	65	65		66	62	64	45742	30	
10	65	65	65	70	71	67	65	65	68	69	64	64	64	65	64	67	68	67	65	65	65	69	69	67	66	66	67	67	68	62	68	71	62	66	49323	31	
11	(68)	67	56	67	67	73	68	67	67	68	68	71	68	69	69	69	68	69	68	69	69	70	70	70	70	70	70	70	72	71		73	56	69	48778	29	
12	70	71	71	77	74	69	69	70	70	70	70	71	71	71	70	71	71	71	71	70	71	73	72	71	71	71	71	69	70	71	69	77	69	71	52719	31	
01	70	71	72	72	70	71	70	71	70	70	70	69	69	73	69	69	70	69	69	68	71	69	70	69	69	69	70	69	68	69	70	73	68	70	51969	31	
02	78	69	70	69	70	69	71	73	69	71	71	70	70	70	74	71	69	69	73	68	68	69	68	68	71	69	68				78	68	70	47074	28		
03	73	70	70	69	69	70	69	69	69	69	69	72	71	70	70	72	75	69	70	69	69	70	72	69	69	69	70	69	72	71	70	75	69	70	52133	31	
最大	78	71	72	77	74	73	71	73	70	71	71	72	71	73	70	74	75	71	71	73	71	73	72	71	71	71	71	70	72	71	70						
最小	61	61	56	61	61	61	61	62	63	63	62	62	61	62	61	61	56	57	59	62	62	62	62	63	62	63	62	62	62	62	62	62					
平均	68	67	66	68	67	68	66	66	66	67	66	67	67	67	67	67	67	66	66	67	66	67	68	67	67	67	67	66	67	66	67						

年 平 均 値 : 67  
 1時間値の最大値 : 98 (08/15 21)  
 1時間値の最小値 : 0 (10/30 22) (11/03 19) (11/03 20) (11/03 18) (11/03 21) (10/30 21)  
 日平均値の最大値 : 78 (02/01)  
 日平均値の最小値 : 56 (07/17) (11/03)  
 月平均値の最大値 : 71 (12月)  
 月平均値の最小値 : 63 (07月) (08月)  
 日積算値の最大値 : 1881 (02/01)  
 日積算値の最小値 : 982 (05/18)  
 年 積 算 値 : 583052  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位					
2005年度	114 那珂市額田																															電離箱線量率	nGy/h					
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数		
04	62	61	61	64	62	61	59	58	58	59	61	64	65	60	59	58	59	57	58	60	60	59	59	58	59	60	59	57	56	55		65	55	60	42882	30		
05	56	56	57	56	57	58	59	58	58	57	57	57	57	57	58	57	56	57	(56)	55	55	55	57	58	57	56	56	54	55	55	57	59	54	57	41577	30		
06	54	55	56	57	56	54	54	54	53	53	53	51	51	52	54	54	54	54	53	52	50	52	51	50	49	50	51	51	52	51		57	49	53	37895	30		
07	52	51	52	58	53	56	52	50	52	50	49	51	51	52	51	51	47	46	48	52	52	52	51	51	50	53	50	49	50	50	50	50	58	46	51	37791	31	
08	49	48	48	48	48	48	47	50	50	51	49	51	52	49	52	50	50	50	49	48	47	47	50	51	49	50	50	50	51	49	50	52	47	49	36763	31		
09	49	49	49	49	50	50	48	48	49	49	50	48	48	49	49	49	50	49	49	50	50	50	50	51	51	50	50	(52)	(50)	51		52	48	50	34234	28		
10	50	49	49	53	55	52	(54)	63	65	65	62	62	62	62	63	64	66	64	63	63	63	66	66	64	64	63	64	64	65	57	65	66	49	61	44975	30		
11	64	64	54	65	65	68	66	65	65	64	65	67	65	65	65	65	(65)	65	64	64	65	66	65	66	65	66	66	65	67	66		68	54	65	45970	29		
12	65	66	66	71	69	66	65	66	66	66	66	67	(67)	(67)	66	66	66	67	67	66	66	68	67	67	67	67	67	66	65	66	65	71	65	67	48620	29		
01	65	66	68	67	67	68	67	67	66	67	66	65	66	67	64	65	65	65	66	65	68	66	67	66	66	66	66	65	65	64	65	68	64	66	49094	31		
02	71	65	66	66	67	66	67	68	65	67	67	66	66	66	65	67	66	65	64	67	64	64	64	64	64	66	64	64				71	64	66	44141	28		
03	68	65	66	65	65	65	64	65	64	64	64	67	66	66	65	66	69	65	66	65	65	65	66	64	64	64	64	65	66	66	66	66	69	64	65	48566	31	
最大	71	66	68	71	69	68	67	68	66	67	67	67	67	67	66	67	69	67	67	67	68	68	67	67	67	67	67	66	67	66	66							
最小	49	48	48	48	48	48	47	48	49	49	49	48	48	49	49	49	47	46	48	48	47	47	50	50	49	50	50	49	50	49	50							
平均	59	58	58	60	59	59	59	59	59	59	59	60	60	59	59	59	59	59	59	59	59	59	60	59	59	59	59	59	59	58	57	60						

年 平 均 値 : 59  
 1時間値の最大値 : 88 (12/05 04)  
 1時間値の最小値 : 0 (10/30 06) (10/30 21) (10/30 22) (11/03 19) (11/03 20) (11/03 21) (11/03 18)  
 日平均値の最大値 : 71 (12/04) (02/01)  
 日平均値の最小値 : 46 (07/18)  
 月平均値の最大値 : 67 (12月)  
 月平均値の最小値 : 49 (08月)  
 日積算値の最大値 : 1704 (12/04) (02/01)  
 日積算値の最小値 : 401 (09/29)  
 年 積 算 値 : 512508  
 有効測定日数 : 358 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	115 那珂市鴻巣																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	49	48	50	53	49	48	49	48	49	49	51	51	52	48	48	49	48	48	48	51	50	50	49	49	49	52	48	48	47	47		53	47	49	35401	30	
05	48	48	47	47	48	50	50	49	49	48	48	48	48	48	49	48	47	48	47	46	47	47	51	49	48	47	46	45	46	(47)	49	51	45	48	35156	30	
06	47	48	47	48	48	46	45	45	45	45	46	45	45	44	47	46	45	45	45	45	45	46	44	45	45	45	47	47	47	47		48	44	46	32990	30	
07	48	48	46	54	48	54	48	45	45	45	45	46	44	44	43	43	45	44	45	45	45	45	44	44	44	47	44	44	44	43	43	54	43	46	33773	31	
08	43	43	43	42	43	43	43	46	44	46	44	47	50	45	50	45	45	45	44	44	43	43	47	48	44	45	46	46	47	46	46	50	42	45	33453	31	
09	45	45	44	45	46	45	44	44	45	45	46	44	44	45	45	45	45	45	45	46	46	46	47	47	47	46	46	46	46	46		47	44	45	32566	30	
10	46	46	47	51	54	48	47	47	50	51	47	47	46	47	47	50	52	50	49	48	47	51	52	49	49	49	49	49	50	46	47	54	46	49	36138	31	
11	49	49	39	49	47	55	51	50	50	49	(50)	52	50	50	50	50	50	50	49	50	50	51	50	50	50	50	50	50	52	51		55	39	50	35456	29	
12	50	51	51	56	55	51	50	50	51	51	51	53	53	52	51	52	52	53	53	52	52	54	53	52	53	53	52	51	51	52	51	56	50	52	38665	31	
01	51	52	54	53	52	52	52	52	52	52	51	50	51	54	50	50	51	51	51	50	53	52	52	50	50	51	51	51	49	50	51	54	49	51	38111	31	
02	61	50	51	51	51	51	53	53	51	52	52	51	51	51	51	54	52	50	49	53	48	49	49	49	49	52	49	49			61	48	51	34322	28		
03	55	50	53	50	50	51	49	50	49	49	50	52	52	52	51	52	57	50	51	50	50	51	52	49	49	50	50	50	52	51	51	57	49	51	37825	31	
最大	61	52	54	56	55	55	53	53	52	52	52	53	53	54	51	54	57	53	53	53	53	54	53	52	53	53	52	51	52	52	51						
最小	43	43	39	42	43	43	43	44	44	45	44	44	44	44	43	43	45	44	44	44	43	43	44	44	44	45	44	44	44	43	43						
平均	49	48	48	50	49	50	48	48	48	49	48	49	49	48	48	48	49	48	48	48	48	49	49	48	48	49	48	48	48	48	48	48					

年 平 均 値 : 48  
 1時間値の最大値 : 83 (02/01 21)  
 1時間値の最小値 : 0 (11/05 05) (11/03 17) (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/31 12) (10/30 21) (10/30 22)  
 日平均値の最大値 : 61 (02/01)  
 日平均値の最小値 : 39 (11/03)  
 月平均値の最大値 : 52 (12月)  
 月平均値の最小値 : 45 (08月) (09月)  
 日積算値の最大値 : 1457 (02/01)  
 日積算値の最小値 : 749 (05/30)  
 年 積 算 値 : 423853  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	116 那珂市後台																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	64	64	65	68	64	64	63	63	63	63	65	67	68	63	63	63	63	62	62	64	64	63	63	63	63	66	63	63	63	62		68	62	64	45832	30
05	62	64	61	62	62	63	64	62	62	62	61	62	62	61	62	61	60	61	61	61	61	61	65	63	62	61	61	60	60	61	(62)	65	60	62	45382	30
06	61	63	62	61	62	61	60	60	60	60	61	60	60	59	61	60	60	60	60	60	60	58	60	60	60	59	60	60	58	60		63	58	60	43323	30
07	60	60	59	68	61	66	62	58	60	60	59	59	58	58	58	57	59	58	59	59	59	59	59	59	59	62	59	58	58	58	58	68	57	60	44146	31
08	58	57	57	57	58	58	57	59	58	59	58	60	66	58	62	59	58	58	58	58	58	57	61	60	58	59	59	60	60	59	59	66	57	59	43707	31
09	59	59	58	58	59	59	58	58	58	59	59	58	58	58	59	58	59	59	59	59	60	60	60	60	61	60	59	60	60	60		61	58	59	42394	30
10	60	61	60	65	67	62	61	60	63	65	60	60	61	61	60	62	64	64	62	61	61	64	64	63	62	62	62	63	63	61	63	67	60	62	46221	31
11	62	59	50	60	63	67	65	63	63	62	63	65	63	(63)	63	63	63	63	62	62	63	63	63	64	63	63	64	63	65	64		67	50	63	44641	29
12	63	64	64	68	67	63	63	63	64	64	63	65	65	65	63	64	65	64	64	64	65	67	65	64	65	65	64	63	63	64	63	68	63	64	47766	31
01	64	65	66	65	64	64	64	64	64	64	63	63	63	66	62	63	64	63	63	62	65	64	63	62	63	63	63	63	62	62	63	66	62	64	47269	31
02	72	63	63	63	63	63	64	66	63	64	64	64	64	64	63	68	64	62	62	66	61	62	62	62	62	65	62	61			72	61	64	42743	28	
03	67	63	65	63	63	63	62	63	62	63	63	65	64	64	64	65	69	63	64	63	63	64	65	63	63	63	63	64	65	64	64	69	62	64	47406	31
最大	72	65	66	68	67	67	65	66	64	65	65	67	68	66	64	68	69	64	64	66	65	67	65	64	65	66	64	64	65	64	64					
最小	58	57	50	57	58	58	57	58	58	59	58	58	58	58	58	57	58	58	58	58	58	57	59	59	58	59	59	58	58	58	58					
平均	63	62	61	63	63	63	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	63	62	62	62	62	61	62	61	62					

年 平 均 値 : 62  
 1時間値の最大値 : 92 (02/01 21)  
 1時間値の最小値 : 0 (11/03 17)(11/03 18)(11/03 19)(11/03 20)(11/02 07)(11/04 23)(10/30 21)(11/03 21)  
 日平均値の最大値 : 72 (02/01)  
 日平均値の最小値 : 50 (11/03)  
 月平均値の最大値 : 64 (04月)(12月)(01月)(02月)(03月)  
 月平均値の最小値 : 59 (08月)(09月)  
 日積算値の最大値 : 1736 (02/01)  
 日積算値の最小値 : 995 (05/31)  
 年 積 算 値 : 540828  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	131 日立市大沼																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	80	80	80	83	80	80	78	78	78	78	81	84	84	79	78	78	78	78	78	81	80	79	79	78	78	81	78	77	77	77	84	77	79	57038	30	
05	77	79	77	77	77	79	80	78	78	78	77	78	78	78	77	76	77	77	(76)	76	76	80	79	77	77	77	76	77	77	79	80	76	78	57124	30	
06	77	79	78	78	78	77	76	75	75	75	76	75	75	75	78	77	76	77	76	76	75	76	75	75	75	75	76	75	77	75	79	75	76	54694	30	
07	76	77	75	83	76	82	77	75	76	76	74	77	74	74	74	75	72	73	73	75	75	75	74	74	75	77	75	74	74	74	74	83	72	75	55887	31
08	73	73	73	73	73	73	73	75	74	76	74	76	78	75	77	74	74	74	74	73	73	73	76	78	73	74	75	75	75	74	75	78	73	74	55109	31
09	74	74	73	74	74	74	73	73	74	73	75	72	73	73	74	73	73	73	74	75	75	74	74	76	76	75	74	75	75	74	76	72	74	53236	30	
10	74	75	75	80	79	77	75	76	78	80	75	75	75	74	74	77	78	78	77	76	76	78	80	77	77	77	77	77	78	72	75	80	72	77	56953	31
11	77	(77)	64	77	77	82	79	78	78	77	78	80	78	78	79	78	77	77	77	77	77	78	78	78	78	78	78	78	80	79	82	64	78	55255	29	
12	78	79	79	85	84	79	78	78	78	79	80	80	81	81	80	80	80	82	82	79	80	83	82	81	81	82	81	80	79	80	80	85	78	80	59717	31
01	79	80	82	81	81	81	81	81	80	80	79	79	79	81	78	77	80	79	80	79	82	81	81	80	79	80	80	80	78	78	80	82	77	80	59337	31
02	86	79	80	80	80	79	81	82	80	80	80	80	80	79	78	83	80	79	78	81	77	77	78	78	78	80	77	78	86	77	80	53391	28			
03	82	79	80	78	78	78	77	78	78	77	78	81	81	80	79	80	83	78	80	79	79	79	80	78	77	77	78	78	81	80	80	83	77	79	58759	31
最大	86	80	82	85	84	82	81	82	80	80	81	84	84	81	80	83	83	82	82	81	82	83	82	81	81	82	81	80	81	80	80					
最小	73	73	64	73	73	73	73	73	74	73	74	72	73	73	74	73	72	73	73	73	73	73	74	74	73	74	74	74	74	74	72	74				
平均	78	77	76	79	78	78	77	77	77	77	77	78	78	77	77	77	77	77	77	77	77	77	78	78	77	78	77	77	77	76	77					

年 平 均 値 : 77  
 1時間値の最大値 : 103 (12/05 05)  
 1時間値の最小値 : 0 (11/03 18)(10/31 13)(11/03 20)(11/03 21)(10/30 22)(11/03 19)(10/30 21)  
 日平均値の最大値 : 86 (02/01)  
 日平均値の最小値 : 64 (11/03)  
 月平均値の最大値 : 80 (12月)(01月)(02月)  
 月平均値の最小値 : 74 (08月)(09月)  
 日積算値の最大値 : 2073 (02/01)  
 日積算値の最小値 : 1223 (11/02)  
 年 積 算 値 : 676499  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	141 常陸太田市真弓																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	86	85	86	89	86	86	85	84	84	84	88	89	87	79	78	78	79	78	78	80	80	79	79	78	79	82	79	78	76	76	89	76	82	58842	30	
05	77	77	76	76	77	78	79	78	78	78	77	78	77	77	79	77	76	77	76	75	75	76	(81)	77	76	76	75	74	74	74	77	81	74	77	56488	30
06	75	77	76	76	76	74	74	74	73	73	74	73	73	72	74	73	73	74	73	73	72	73	73	73	72	72	74	73	73	72	77	72	74	52930	30	
07	74	74	71	80	74	79	75	71	72	72	72	73	71	71	71	73	70	71	72	73	73	74	73	73	73	76	74	73	73	74	74	80	70	73	54169	31
08	73	73	73	73	73	73	73	75	73	75	73	76	78	74	79	74	74	73	74	73	73	73	76	76	73	75	75	75	75	74	74	79	73	74	55164	31
09	74	74	73	74	74	73	73	73	73	73	75	72	73	73	74	73	72	73	74	75	75	74	75	76	75	74	74	74	75	75	76	72	74	53125	30	
10	74	75	75	79	79	76	75	75	78	78	74	74	75	75	75	77	79	78	77	77	76	80	81	78	78	78	78	78	80	73	76	81	73	77	57137	31
11	78	78	65	(79)	78	84	80	78	78	78	79	81	79	79	80	79	79	79	79	79	79	80	80	80	80	80	80	80	81	81	84	65	79	56263	29	
12	80	81	81	87	84	80	80	80	80	81	81	82	82	82	80	81	81	82	82	80	81	84	82	81	82	82	81	80	80	81	80	87	80	81	60422	31
01	80	81	83	82	81	82	81	81	80	81	81	80	80	82	78	78	79	79	80	79	83	81	81	80	80	80	80	80	78	79	80	83	78	80	59811	31
02	87	79	80	80	80	80	82	83	80	81	81	81	81	81	80	83	81	79	79	82	78	78	79	78	78	82	79	78							53949	28
03	83	80	81	80	79	80	79	79	79	78	79	83	81	81	80	82	85	80	81	80	80	80	82	79	79	79	80	81	82	82	81	85	78	80	59846	31
最大	87	85	86	89	86	86	85	84	84	84	88	89	87	82	80	83	85	82	82	82	83	84	82	81	82	82	81	81	82	82	81					
最小	73	73	65	73	73	73	73	71	72	72	72	72	71	71	71	73	70	71	72	73	72	73	73	73	72	72	74	73	73	72	74					
平均	78	78	77	79	78	79	78	78	78	78	78	78	78	77	77	77	77	77	77	77	77	78	78	78	77	78	77	77	77	77	76	77				

年平均値 : 78  
 1時間値の最大値 : 111 (08/15 21)  
 1時間値の最小値 : 0 (11/03 19)(10/31 03)(11/03 18)(10/30 21)(11/03 21)(10/30 22)(11/03 20)  
 日平均値の最大値 : 89 (04/04)(04/12)  
 日平均値の最小値 : 65 (11/03)  
 月平均値の最大値 : 82 (04月)  
 月平均値の最小値 : 73 (07月)  
 日積算値の最大値 : 2131 (04/12)  
 日積算値の最小値 : 1264 (11/04)  
 年積算値 : 678145  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																														測定項目	単位					
2005年度	142 那珂市瓜連																														電離箱線量率	nGy/h					
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	57	57	58	60	58	57	57	57	57	57	59	59	60	57	57	57	57	55	56	58	58	57	57	56	57	60	57	56	57	55		60	55	57	41241	30	
05	56	56	56	56	56	57	58	56	57	56	56	56	56	56	57	55	55	56	55	55	55	55	58	57	55	(55)	55	54	54	54	56	58	54	56	41105	30	
06	55	57	56	56	56	55	54	54	54	55	55	55	54	54	55	54	54	54	54	55	54	55	54	54	54	55	55	55	54	54		57	54	55	39292	30	
07	55	55	54	60	56	61	56	54	54	54	54	55	53	53	53	55	54	53	52	53	53	53	52	53	53	54	53	52	52	52	52	61	52	54	39947	31	
08	52	51	52	51	52	52	52	53	52	53	52	55	55	53	57	53	52	52	52	52	52	52	54	54	51	52	53	53	54	53	53	57	51	53	39169	31	
09	52	52	52	52	53	52	52	52	52	52	53	51	51	52	52	51	51	52	52	53	53	53	53	53	53	52	52	53	52	52		53	51	52	37598	30	
10	52	53	53	56	57	54	53	54	55	56	53	52	52	53	53	55	56	55	53	53	53	56	56	55	54	54	54	54	55	49	53	57	49	54	40052	31	
11	54	54	43	55	55	59	56	55	(55)	55	55	57	55	55	55	55	54	54	54	54	55	55	55	55	55	55	55	55	56	56		59	43	55	38984	29	
12	55	56	56	59	59	56	55	55	55	55	55	57	56	56	56	56	56	56	56	56	56	58	57	56	57	57	56	55	55	56	55	59	55	56	41708	31	
01	55	56	57	57	56	56	56	56	56	56	56	55	55	57	54	55	55	55	55	55	55	57	56	56	55	55	55	55	55	54	54	55	57	54	56	41287	31
02	63	54	55	55	55	55	56	57	55	55	56	55	55	55	55	57	56	54	54	57	53	54	54	53	54	56	53	53			63	53	55	37050	28		
03	58	55	56	54	54	55	54	54	54	54	54	57	55	55	55	56	60	54	55	54	54	55	56	54	54	54	54	55	56	55	55	60	54	55	40890	31	
最大	63	57	58	60	59	61	58	57	57	57	59	59	60	57	57	57	60	56	56	58	58	58	58	57	57	60	57	56	57	56	56						
最小	52	51	43	51	52	52	52	52	52	52	52	51	51	52	52	51	51	52	52	52	52	52	52	52	53	51	52	52	52	52	49	52					
平均	56	55	54	56	55	56	55	55	55	55	55	55	55	55	55	55	55	55	54	54	55	54	55	55	54	55	54	54	55	54	54						

年 平 均 値 : 55  
 1時間値の最大値 : 80 (08/15 21)  
 1時間値の最小値 : 0 (10/30 23) (11/03 17) (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/31 12) (10/30 21) (10/30 22)  
 日平均値の最大値 : 63 (02/01)  
 日平均値の最小値 : 43 (11/03)  
 月平均値の最大値 : 57 (04月)  
 月平均値の最小値 : 52 (09月)  
 日積算値の最大値 : 1505 (02/01)  
 日積算値の最小値 : 932 (11/09)  
 年 積 算 値 : 478322  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	143 常陸大宮市根本																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	73	72	73	76	73	73	73	73	72	73	74	75	75	72	72	72	72	72	72	75	74	73	72	71	72	75	72	71	71	70		76	70	73	52325	30
05	70	71	70	70	70	72	72	70	71	70	70	70	70	70	71	69	68	70	70	69	69	70	73	71	(71)	69	69	68	68	69	71	73	68	70	51655	30
06	70	71	70	70	71	69	68	68	68	69	70	69	69	68	70	69	69	69	70	70	69	71	69	69	70	70	71	71	71	70		71	68	69	49994	30
07	71	72	68	77	71	78	72	69	70	69	70	71	68	68	68	71	69	69	69	69	69	69	68	69	69	71	69	68	69	68	68	78	68	70	51863	31
08	68	67	67	67	68	69	69	71	69	70	68	73	72	70	76	69	69	69	69	69	69	68	71	72	68	70	70	70	72	70	71	76	67	70	51642	31
09	70	69	70	69	70	70	68	69	69	69	71	69	69	70	69	69	69	69	70	71	71	71	71	72	71	70	70	70	70		72	68	70	50273	30	
10	71	72	71	76	77	73	71	72	74	74	70	70	70	71	72	73	75	73	72	71	71	74	75	73	72	72	72	72	73	67	70	77	67	72	53734	31
11	72	72	60	73	70	79	74	(73)	73	73	74	76	73	74	74	73	73	73	72	73	73	74	74	74	74	74	74	74	75	75		79	60	73	52024	29
12	73	74	74	79	78	74	73	73	74	74	74	75	75	75	74	74	74	74	75	74	75	76	75	74	75	75	74	73	73	74	73	79	73	74	55304	31
01	73	75	76	75	74	75	74	75	74	74	74	73	73	76	72	73	73	73	73	72	75	74	74	74	73	73	74	73	72	72	74	76	72	74	54790	31
02	83	73	73	73	74	73	75	77	73	74	75	74	74	74	74	77	74	73	72	76	72	72	73	72	72	75	72	72			83	72	74	49613	28	
03	78	73	74	73	73	74	72	73	73	73	73	77	74	74	74	75	79	73	74	73	73	74	75	73	73	73	73	74	75	75	74	79	72	74	55022	31
最大	83	75	76	79	78	79	75	77	74	74	75	77	75	76	76	77	79	74	75	76	75	76	75	74	75	75	74	74	75	75	74					
最小	68	67	60	67	68	69	68	68	68	69	68	69	68	68	68	69	68	69	69	69	69	68	68	69	68	69	69	68	68	67	68					
平均	73	72	71	73	72	73	72	72	72	72	72	73	72	72	72	72	72	71	71	72	72	72	73	72	72	72	72	71	72	71	71					

年 平 均 値 : 72  
 1時間値の最大値 : 115 (08/15 21)  
 1時間値の最小値 : 0 (10/30 23) (11/03 20) (11/03 18) (11/03 19) (11/05 04) (11/03 21) (10/31 12) (10/30 22)  
 日平均値の最大値 : 83 (02/01)  
 日平均値の最小値 : 60 (11/03)  
 月平均値の最大値 : 74 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 69 (06月)  
 日積算値の最大値 : 1985 (02/01)  
 日積算値の最小値 : 1200 (05/25)  
 年 積 算 値 : 628238  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	144 常陸太田市久米																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	60	60	61	63	60	60	59	58	58	58	59	62	63	59	58	57	58	57	57	59	59	59	58	57	58	60	58	57	58	58		63	57	59	42452	30	
05	58	58	57	57	58	58	59	57	57	57	57	57	57	57	58	56	55	57	56	55	56	56	59	(59)	57	56	56	55	55	55	58	59	55	57	41836	30	
06	57	59	57	58	58	56	55	55	56	56	57	57	57	56	57	57	57	57	57	57	56	58	56	57	58	59	60	59	59	58		60	55	57	41168	30	
07	59	59	56	63	58	63	59	57	57	57	57	58	56	56	56	56	54	53	55	56	56	56	55	55	54	56	54	54	54	53	53	63	53	56	41643	31	
08	53	52	53	52	53	54	53	56	55	57	54	57	56	54	59	72	299	58	54	53	53	52	55	57	53	54	55	55	56	54	55	299	52	63	46710	31	
09	54	54	54	54	54	53	52	52	54	53	56	53	53	54	54	54	54	54	54	56	56	55	55	56	55	54	54	55	55	55		56	52	54	38946	30	
10	55	55	55	59	60	56	55	56	57	57	54	55	54	54	54	56	59	58	56	55	55	59	59	57	56	56	56	57	57	50	55	60	50	56	41656	31	
11	57	57	48	58	57	61	(59)	57	57	57	57	59	57	58	58	57	57	57	57	58	58	58	58	58	58	58	58	58	59	59		61	48	58	40891	29	
12	58	59	59	64	62	59	58	58	59	59	60	61	61	62	61	61	61	62	62	60	61	63	62	62	62	62	62	61	60	62	61	64	58	61	45155	31	
01	61	62	63	63	62	62	62	62	61	62	61	60	61	62	58	59	60	60	61	60	62	61	62	60	60	61	61	61	59	60	61	63	58	61	45284	31	
02	67	59	60	60	60	60	62	63	60	61	62	61	61	61	60	61	60	60	59	62	58	58	58	58	59	61	58	58			67	58	60	40474	28		
03	63	59	61	59	59	60	58	59	59	58	59	62	61	62	61	61	64	59	60	60	59	60	60	58	58	58	58	59	61	62	61	64	58	60	44517	31	
最大	67	62	63	64	62	63	62	63	61	62	62	62	63	62	61	72	299	62	62	62	62	63	62	62	62	62	62	61	61	62	61						
最小	53	52	48	52	53	53	52	52	54	53	54	53	53	54	54	54	54	53	54	53	53	52	55	55	53	54	54	54	54	50	53						
平均	58	58	57	59	59	59	58	58	58	58	58	58	58	58	58	58	59	78	58	57	58	57	58	58	58	57	58	58	57	58	57	58					

年 平 均 値 : 58  
 1時間値の最大値 : 3.7E3 (08/17 15)  
 1時間値の最小値 : 0 (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/31 12) (10/30 21) (10/30 22) (10/30 23)  
 日平均値の最大値 : 299 (08/17)  
 日平均値の最小値 : 48 (11/03)  
 月平均値の最大値 : 63 (08月)  
 月平均値の最小値 : 54 (09月)  
 日積算値の最大値 : 7185 (08/17)  
 日積算値の最小値 : 946 (11/07)  
 年 積 算 値 : 510732  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	203 三菱原燃																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	77	76	78	80	78	77	77	77	77	77	79	83	82	78	77	77	78	76	77	79	79	78	78	77	78	80	78	77	77	76		83	76	78	56016	30
05	76	78	76	76	76	78	79	77	77	76	75	76	76	76	77	75	75	76	75	75	75	76	79	78	77	76	75	74	75	76	77	79	74	76	56682	31
06	76	77	77	77	77	75	74	74	74	74	75	74	75	75	76	75	75	75	75	76	(75)	76	75	75	75	75	76	76	76	76		77	74	75	53535	29
07	77	77	75	83	76	81	77	75	75	75	74	76	74	74	73	74	72	72	74	75	76	76	75	76	75	78	75	74	74	74	74	83	72	75	55817	31
08	73	73	73	72	73	73	72	74	74	75	74	77	80	74	78	74	74	74	73	73	73	73	77	77	74	75	75	76	76	75	75	80	72	75	55436	31
09	75	74	74	74	75	75	73	73	74	74	75	73	73	73	74	74	74	74	74	75	76	75	76	77	76	75	75	75	75	75		77	73	75	53635	30
10	75	76	76	80	81	77	76	77	79	80	75	75	75	75	75	78	79	78	76	75	75	79	79	77	76	76	76	77	78	72	77	81	72	77	57028	31
11	76	77	61	77	77	81	79	77	77	77	77	80	78	77	77	77	77	77	77	77	78	78	78	78	78	78	78	78	79	79		81	61	77	55602	30
12	(79)	79	79	86	83	78	78	78	79	79	79	80	80	80	79	80	80	81	80	79	81	83	81	81	81	81	81	79	79	80	79	86	78	80	59016	30
01	79	81	82	81	80	80	80	80	79	80	79	78	79	82	77	78	79	79	79	78	81	80	80	79	78	79	79	79	78	77	78	82	77	79	58942	31
02	87	78	78	79	79	79	80	82	79	79	80	79	79	79	78	82	80	78	78	81	76	76	77	77	77	80	77	77			87	76	79	53009	28	
03	83	79	79	78	78	78	77	77	77	77	78	80	80	80	79	80	83	78	79	78	78	78	80	77	77	78	77	78	80	79	79	83	77	79	58585	31
最大	87	81	82	86	83	81	80	82	79	80	80	83	82	82	79	82	83	81	80	81	81	83	81	81	81	81	81	79	80	80	79					
最小	73	73	61	72	73	73	72	73	74	74	74	73	73	73	73	74	72	72	73	73	73	73	75	75	74	75	75	74	74	72	74					
平均	78	77	76	79	78	78	77	77	77	77	77	78	78	77	77	77	77	77	77	77	77	77	78	77	77	78	77	77	77	76	77					

年 平均 値 : 77  
 1時間値の最大値 : 105 (12/05 05) (12/05 04)  
 1時間値の最小値 : 0 (11/03 18) (11/03 19) (11/03 20) (11/03 21) (11/03 17) (10/30 22) (10/30 21)  
 日平均値の最大値 : 87 (02/01)  
 日平均値の最小値 : 61 (11/03)  
 月平均値の最大値 : 80 (12月)  
 月平均値の最小値 : 75 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2077 (02/01)  
 日積算値の最小値 : 1279 (06/21)  
 年 積 算 値 : 673301  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	204 原燃工																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効 日数
04	56	56	57	60	57	57	56	56	56	56	58	62	63	58	58	58	57	55	56	58	57	57	57	55	56	59	56	56	55	55		63	55	57	41053	30
05	56	58	55	55	55	57	59	56	56	56	55	56	57	57	58	57	56	56	55	55	55	56	59	58	56	57	57	56	55	57	59	59	55	56	41945	31
06	57	57	56	56	56	55	54	55	54	54	55	54	54	53	55	54	54	55	56	55	54	56	54	55	55	55	56	57	57	56		57	53	55	39580	30
07	55	57	54	63	56	62	57	54	54	55	54	55	53	54	53	54	56	56	55	55	54	54	54	54	54	57	54	53	53	53	53	63	53	55	40201	31
08	53	52	52	52	52	53	52	53	53	54	53	55	60	53	56	53	53	54	53	53	53	53	60	57	53	54	54	54	54	54	54	60	52	54	39975	31
09	53	53	53	53	54	53	52	52	53	53	54	52	52	53	54	54	54	55	56	55	55	54	(55)	56	56	54	54	54	54	54		56	52	54	38310	29
10	54	55	55	59	61	56	54	55	57	57	54	53	54	54	54	57	58	57	55	55	55	60	60	59	57	56	57	58	58	50	55	61	50	56	41635	31
11	56	56	47	56	57	62	59	57	56	56	58	59	57	57	57	57	56	58	59	58	57	57	57	57	58	57	57	58	60	59		62	47	57	40912	30
12	58	59	59	65	62	58	60	59	(58)	59	59	60	60	60	59	59	59	59	59	59	59	61	59	59	59	60	59	58	57	59	59	65	57	59	43707	30
01	59	61	61	60	60	60	60	60	59	60	59	58	58	61	58	58	59	58	59	58	63	62	61	60	60	60	59	58	57	57	58	63	57	59	44130	31
02	67	58	58	61	61	61	62	63	60	61	61	61	61	60	58	61	59	57	57	61	57	57	57	56	57	59	57	56			67	56	60	39965	28	
03	62	58	59	57	57	58	57	58	57	57	58	60	60	59	58	59	64	60	59	59	60	61	60	58	57	58	58	59	61	60	59	64	57	59	43839	31
最大	67	61	61	65	62	62	62	63	60	61	61	62	63	61	59	61	64	60	59	61	63	62	61	60	60	60	59	59	61	60	59					
最小	53	52	47	52	52	53	52	52	53	53	53	52	52	53	53	53	53	54	53	53	53	53	54	54	53	54	54	53	53	50	53					
平均	57	57	56	58	57	58	57	57	56	56	56	57	57	57	57	57	57	57	57	57	57	57	58	57	56	57	57	56	57	56	56					

年 平 均 値 : 57  
 1時間値の最大値 : 147 (08/23 13)  
 1時間値の最小値 : 0 (10/30 05) (11/03 21) (10/30 24) (10/31 12) (11/03 20) (11/03 18) (11/03 19) (10/30 21)  
 日平均値の最大値 : 67 (02/01)  
 日平均値の最小値 : 47 (11/03)  
 月平均値の最大値 : 60 (02月)  
 月平均値の最小値 : 54 (08月) (09月)  
 日積算値の最大値 : 1602 (02/01)  
 日積算値の最小値 : 931 (09/23)  
 年 積 算 値 : 495253  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	150 大洗町大貫																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	70	70	71	73	70	70	70	70	70	70	72	72	73	69	69	70	70	69	69	71	71	71	71	69	69	72	69	69	70	69		73	69	70	50505	30	
05	69	71	68	69	69	70	71	69	69	69	68	68	68	68	69	68	67	68	68	68	69	70	73	71	68	68	68	68	67	68	69	73	67	69	51171	31	
06	69	70	69	69	69	69	67	67	68	69	69	69	69	68	69	68	68	68	68	69	69	69	69	69	70	69	70	70	(69)	(70)		70	67	69	48687	28	
07	71	71	69	76	71	77	72	69	69	70	70	70	68	69	69	69	70	70	71	70	71	70	70	70	70	72	71	70	70	69	70	77	68	70	52249	31	
08	69	69	69	69	70	70	70	71	70	70	69	71	75	70	73	70	70	69	70	70	70	70	73	70	68	70	69	70	70	70	70	75	68	70	52075	31	
09	70	70	70	70	70	69	69	69	69	70	71	69	69	69	69	68	69	69	70	70	70	70	71	71	70	69	69	69	69	69		71	68	70	50008	30	
10	70	71	71	74	78	70	69	71	73	73	69	69	69	69	70	71	73	72	70	70	70	73	72	70	70	70	70	70	71	71	71	78	69	71	52805	31	
11	67	70	56	71	71	74	74	71	71	71	71	73	71	72	71	71	71	71	70	71	71	71	71	72	71	72	72	72	72	73	73		74	56	71	50945	30
12	71	72	71	76	74	70	70	70	71	71	71	71	72	72	71	71	72	71	71	71	72	74	72	72	71	72	71	70	70	71	70	76	70	71	52924	31	
01	71	72	73	72	71	71	72	71	71	72	71	70	70	74	70	70	71	70	70	69	72	70	70	69	69	70	70	70	69	70	71	74	69	71	52475	31	
02	79	70	70	70	70	70	71	72	70	71	71	71	70	71	71	75	73	69	69	73	69	69	70	69	69	72	70	69				79	69	71	47570	28	
03	75	71	73	70	70	70	70	70	70	70	71	72	72	71	71	72	76	71	72	70	70	71	72	70	70	70	70	71	73	71	71	76	70	71	52897	31	
最大	79	72	73	76	78	77	74	72	73	73	72	73	75	74	73	75	76	72	72	73	72	74	73	72	71	72	72	72	73	73	71						
最小	67	69	56	69	69	69	67	67	68	69	68	68	68	68	69	68	67	68	68	68	69	69	69	69	68	68	68	68	67	68	69						
平均	71	70	69	71	71	71	70	70	70	70	70	70	71	70	70	70	71	70	70	70	70	71	71	70	70	70	70	70	70	70	70	70	70	70	70	70	70

年 平均 値 : 70  
 1時間値の最大値 : 100 (08/23 16)  
 1時間値の最小値 : 0 (11/03 21) (11/03 19) (11/03 10) (11/03 18) (11/01 17) (11/03 20)  
 日平均値の最大値 : 79 (02/01)  
 日平均値の最小値 : 56 (11/03)  
 月平均値の最大値 : 71 (10月) (11月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 69 (05月) (06月)  
 日積算値の最大値 : 1897 (02/01)  
 日積算値の最小値 : 1177 (06/29)  
 年 積 算 値 : 614310  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	170 茨城町広浦																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	70	70	71	73	70	71	70	71	70	70	72	73	74	70	70	70	70	69	70	72	71	71	71	70	70	73	70	71	71	70		74	69	71	50817	30
05	71	72	69	70	70	71	72	70	70	70	69	70	70	69	70	69	69	70	70	70	70	71	74	72	70	70	70	69	69	70	71	74	69	70	52211	31
06	71	71	70	70	70	70	69	69	70	70	70	70	70	69	70	69	69	69	70	70	70	71	70	71	71	70	(71)	(72)	70	71		72	69	70	49624	28
07	71	71	69	75	71	77	73	69	69	70	70	69	68	69	68	69	69	69	70	70	70	70	69	70	69	71	70	69	69	69	69	77	68	70	52050	31
08	69	69	69	69	69	69	69	71	69	69	69	70	74	70	72	70	69	69	69	69	69	69	72	70	68	69	69	69	70	70	70	74	68	70	51672	31
09	69	69	69	69	69	69	68	69	69	69	70	68	68	68	69	68	68	69	69	70	70	70	70	71	70	69	69	69	69	69		71	68	69	49661	30
10	69	70	70	74	78	70	69	70	72	73	69	69	69	69	70	71	72	71	70	69	69	72	71	70	70	70	70	70	71	71	68	78	68	70	52406	31
11	70	69	55	71	70	74	73	70	70	70	71	72	70	72	71	71	70	70	70	70	70	71	71	71	71	71	71	71	73	72		74	55	70	50659	30
12	71	72	72	75	74	71	70	71	71	71	71	72	72	72	71	71	72	71	71	71	72	74	72	72	72	72	71	70	70	71	71	75	70	72	52971	31
01	71	73	73	72	71	71	72	71	71	72	71	70	70	74	70	70	71	71	70	70	73	70	70	69	69	70	70	70	69	70	72	74	69	71	52722	31
02	78	70	71	70	70	70	72	73	71	71	72	71	71	71	71	75	74	70	70	73	69	70	70	70	70	73	70	69			78	69	71	47883	28	
03	75	72	73	70	70	71	70	71	70	71	71	73	73	71	71	73	76	71	72	71	71	72	72	71	70	71	71	72	73	72	71	76	70	72	53299	31
最大	78	73	73	75	78	77	73	73	72	73	72	73	74	74	72	75	76	71	72	73	73	74	74	72	72	73	71	72	73	72	72					
最小	69	69	55	69	69	69	68	69	69	69	69	68	68	68	68	68	68	69	69	69	69	69	69	69	68	69	69	69	69	69	68					
平均	71	71	69	72	71	71	71	70	70	71	70	71	71	70	70	71	71	70	70	70	70	71	71	70	70	71	70	70	70	70	70					

年 平 均 値 : 70  
 1時間値の最大値 : 94 (11/06 24)  
 1時間値の最小値 : 0 (11/03 21) (11/03 19) (11/03 17) (11/03 18) (10/31 03) (11/03 20)  
 日平均値の最大値 : 78 (10/05) (02/01)  
 日平均値の最小値 : 55 (11/03)  
 月平均値の最大値 : 72 (12月) (03月)  
 月平均値の最小値 : 69 (09月)  
 日積算値の最大値 : 1879 (02/01)  
 日積算値の最小値 : 1285 (06/27)  
 年 積 算 値 : 615977  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位					
2005年度	160 銚田市造谷																															電離箱線量率	nGy/h					
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数		
04	70	69	71	73	70	70	69	70	69	69	72	72	72	69	69	69	70	68	69	70	70	70	70	69	70	72	70	70	70	70	73	68	70	50277	30			
05	70	72	69	70	70	71	71	69	69	70	69	69	69	68	69	68	68	69	69	69	70	70	73	71	70	69	69	68	68	69	70	73	68	70	51402	31		
06	70	71	70	69	70	70	68	68	69	70	70	70	69	69	69	68	68	69	69	69	69	69	69	70	70	70	70	71	70	70	71	68	69	49927	30			
07	70	71	69	(74)	(70)	76	71	68	69	69	69	69	68	68	68	68	69	69	70	70	70	69	69	69	69	71	70	69	69	69	69	76	68	70	50604	29		
08	69	68	68	68	69	69	69	70	69	69	69	70	74	69	71	69	68	68	69	69	69	69	71	69	68	69	68	69	70	69	69	74	68	69	51438	31		
09	69	69	69	69	68	68	68	68	68	68	70	68	68	68	68	67	68	68	69	69	69	69	69	71	69	68	68	68	68	68	71	67	69	49316	30			
10	69	70	70	73	76	69	68	69	72	73	68	68	68	69	69	70	72	70	69	68	68	71	70	70	69	69	70	69	71	70	61	76	61	70	51743	31		
11	69	69	55	67	70	72	72	70	70	70	71	72	70	71	70	70	70	70	69	70	70	70	70	71	71	71	71	71	72	71	72	55	70	50221	30			
12	71	72	71	74	73	70	70	70	71	71	71	71	72	72	71	71	72	71	71	71	72	73	72	71	72	72	70	70	70	71	70	74	70	71	52776	31		
01	70	72	73	72	71	71	71	71	70	71	70	69	70	73	70	70	70	70	70	69	72	69	69	68	69	69	70	69	69	69	71	73	68	70	52248	31		
02	78	70	70	69	70	70	71	71	70	71	71	71	71	71	71	75	72	69	69	73	69	69	70	69	69	71	70	69						78	69	71	47405	28
03	74	71	74	69	70	70	70	70	69	70	70	72	72	70	70	72	75	70	72	70	70	71	72	70	70	70	70	71	72	71	70	75	69	71	52694	31		
最大	78	72	74	74	76	76	72	71	72	73	72	72	74	73	71	75	75	71	72	73	72	73	73	71	72	72	71	71	72	71	71							
最小	69	68	55	67	68	68	68	68	68	68	68	68	68	68	68	67	68	68	69	68	68	69	69	68	68	68	68	68	68	68	61							
平均	71	70	69	71	70	71	70	70	70	70	70	70	70	70	70	70	70	70	69	70	70	70	70	70	70	70	70	70	70	70	69							

年 平 均 値 : 70  
 1時間値の最大値 : 95 (03/03 19)  
 1時間値の最小値 : 0 (11/03 18)(10/31 07)(11/03 17)(11/03 21)(11/03 19)(11/03 20)(10/31 08)(10/31 09)(11/04 02)  
 日平均値の最大値 : 78 (02/01)  
 日平均値の最小値 : 55 (11/03)  
 月平均値の最大値 : 71 (12月)(02月)(03月)  
 月平均値の最小値 : 69 (06月)(08月)(09月)  
 日積算値の最大値 : 1881 (02/01)  
 日積算値の最小値 : 1187 (07/05)  
 年 積 算 値 : 610052  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	161 銚田市荒地																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	76	75	77	80	76	76	76	76	76	76	79	79	79	75	75	75	76	74	75	77	77	77	76	75	76	78	76	76	76	76	80	74	76	54806	30	
05	76	78	75	76	76	77	78	76	76	76	75	76	75	75	75	75	74	75	76	75	76	77	79	78	76	75	75	75	74	76	77	79	74	76	56398	31
06	76	77	77	76	76	75	74	74	75	76	76	76	75	75	76	75	75	75	75	76	76	76	76	76	76	76	76	77	76	76	77	74	76	54470	30	
07	76	77	75	82	77	(85)	(79)	75	75	76	76	75	74	75	75	75	75	76	76	76	76	76	75	75	76	78	77	76	76	75	75	85	74	76	55519	29
08	75	75	75	75	75	75	75	77	75	76	76	76	81	76	78	76	75	75	76	76	75	75	78	76	75	76	75	76	76	76	76	81	75	76	56412	31
09	75	76	75	75	75	75	75	75	75	75	76	74	74	75	75	74	73	75	75	76	76	76	76	78	76	75	74	75	75	75	78	73	75	54062	30	
10	75	76	76	79	83	76	75	77	78	80	75	74	74	75	76	77	79	77	76	75	75	78	77	76	76	76	77	76	77	77	64	83	64	76	56689	31
11	76	75	63	77	77	79	80	77	77	76	77	78	76	77	77	77	76	76	76	76	76	77	77	77	77	77	78	77	79	78	80	63	77	55061	30	
12	77	78	78	82	80	77	76	77	77	77	77	78	78	78	77	78	78	78	77	77	78	80	78	78	78	79	78	77	76	77	77	82	76	78	57638	31
01	77	79	79	78	78	77	78	78	77	78	77	77	77	81	77	77	78	77	76	76	79	75	76	75	75	76	76	77	76	76	78	81	75	77	57312	31
02	87	77	77	76	77	77	78	79	77	78	78	78	77	78	77	83	80	76	76	80	76	76	76	76	76	78	77	75							52156	28
03	82	78	81	76	76	77	76	77	76	77	77	78	79	78	77	79	83	78	79	77	77	78	79	77	76	77	77	78	79	78	78	83	76	78	57934	31
最大	87	79	81	82	83	85	80	79	78	80	79	79	81	81	78	83	83	78	79	80	79	80	79	78	78	79	78	78	79	78	78					
最小	75	75	63	75	75	75	74	74	75	75	75	74	74	75	75	74	73	74	75	75	75	75	75	75	75	75	74	75	74	75	64					
平均	77	77	76	78	77	77	77	76	76	77	77	77	77	76	76	77	77	76	76	76	76	77	77	76	76	77	76	76	76	76	75					

年 平 均 値 : 76  
 1時間値の最大値 : 102 (02/16 22)  
 1時間値の最小値 : 0 (10/31 09) (10/31 07) (10/31 08) (10/31 12) (11/03 21) (11/03 18) (11/03 19) (11/03 20)  
 日平均値の最大値 : 87 (02/01)  
 日平均値の最小値 : 63 (11/03)  
 月平均値の最大値 : 78 (12月) (02月) (03月)  
 月平均値の最小値 : 75 (09月)  
 日積算値の最大値 : 2076 (02/01)  
 日積算値の最小値 : 1417 (07/07)  
 年 積 算 値 : 668456  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	192 水戸市石川																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	77	77	78	80	78	78	78	78	77	77	78	79	80	77	77	77	77	77	76	78	78	78	78	77	77	80	77	78	78	77		80	76	78	55900	30
05	78	79	77	77	77	78	79	77	77	77	76	77	77	76	77	76	75	77	77	77	77	78	80	78	77	76	76	76	76	76	78	80	75	77	57267	31
06	77	79	77	77	78	77	76	76	76	77	78	77	77	76	77	76	76	76	77	77	77	78	77	77	78	78	78	77	78		79	76	77	55483	30	
07	78	78	76	82	78	82	79	76	76	77	77	77	75	76	76	76	76	77	77	77	77	76	77	76	78	(77)	(76)	76	76	76	82	75	77	56254	29	
08	76	75	75	75	76	76	75	77	76	76	76	77	81	76	79	76	76	76	76	76	75	75	78	77	75	76	76	76	77	76	76	81	75	76	56648	31
09	76	76	76	76	76	76	75	75	75	75	76	75	75	76	75	75	75	75	76	76	77	77	77	77	76	75	75	75	75	75		77	75	76	54488	30
10	76	77	77	80	81	77	76	77	78	79	75	75	75	76	77	78	78	78	76	76	76	78	78	77	77	77	77	77	78	78	77	81	75	77	57282	31
11	76	76	61	77	77	81	79	77	77	77	78	79	77	77	77	77	77	77	76	76	77	77	77	77	77	78	78	77	79	78		81	61	77	55047	30
12	77	78	78	80	81	78	77	77	78	78	78	78	78	78	77	78	78	78	78	78	80	78	78	78	78	78	78	77	77	78	77	81	77	78	57769	31
01	77	79	80	78	78	78	78	78	77	78	78	77	77	80	77	77	78	77	77	77	78	78	77	77	77	77	77	77	76	77	78	80	76	78	57686	31
02	84	77	77	77	77	77	78	79	77	78	78	78	77	78	78	81	79	77	77	79	76	76	77	76	76	79	77	76			84	76	78	52232	28	
03	80	78	79	77	77	78	77	77	77	77	78	79	78	78	78	79	83	77	79	77	77	78	79	77	77	77	77	78	79	78	78	83	77	78	58000	31
最大	84	79	80	82	81	82	79	79	78	79	78	79	81	80	79	81	83	78	79	79	78	80	80	78	78	80	78	78	79	78	78					
最小	76	75	61	75	76	76	75	75	75	75	75	75	75	76	75	75	75	75	76	76	75	75	76	76	75	75	75	75	75	75	76					
平均	78	77	76	78	78	78	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	78	78	77	77	77	77	77	77	77	77					

年 平 均 値 : 77  
 1時間値の最大値 : 99 (12/05 04)  
 1時間値の最小値 : 0 (11/03 21) (11/03 19) (11/03 17) (11/03 18) (11/03 20)  
 日平均値の最大値 : 84 (02/01)  
 日平均値の最小値 : 61 (11/03)  
 月平均値の最大値 : 78 (04月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 76 (08月) (09月)  
 日積算値の最大値 : 2023 (02/01)  
 日積算値の最小値 : 1295 (07/28)  
 年 積 算 値 : 674055  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	191 水戸市大場																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	80	79	80	82	80	80	80	80	79	80	82	82	82	79	79	79	80	78	79	80	81	80	80	79	79	82	80	80	80	79		82	78	80	57575	30	
05	80	81	79	80	79	81	81	79	79	80	79	79	79	78	80	79	78	79	79	79	79	80	82	81	79	79	79	79	78	79	80	82	78	80	59126	31	
06	80	81	80	79	80	79	78	79	79	79	80	80	79	78	79	79	79	79	79	80	79	80	79	80	80	80	81	81	80	80		81	78	80	57229	30	
07	81	81	79	85	80	86	81	79	79	80	79	79	78	78	78	78	79	79	80	79	80	79	79	79	(79)	(82)	80	79	79	79	79	86	78	80	58034	29	
08	79	79	79	79	79	79	79	81	79	79	79	81	85	80	81	80	79	79	79	80	79	79	82	79	78	79	79	79	80	79	79	85	78	80	59133	31	
09	79	79	79	79	79	78	78	79	78	79	80	78	78	78	78	78	78	78	79	80	80	79	80	80	80	78	78	79	79	78		80	78	79	56660	30	
10	79	80	80	83	86	80	78	80	82	82	78	78	78	79	80	81	82	81	79	79	79	82	81	80	80	79	80	80	81	61	74	86	61	79	58937	31	
11	79	79	60	80	80	83	82	80	80	80	81	82	80	81	80	80	80	80	80	80	80	81	81	81	81	81	81	81	81	83	82		83	60	80	57521	30
12	81	81	81	85	84	81	80	80	81	81	81	81	82	81	81	81	82	81	81	81	82	84	82	81	82	82	81	80	80	81	81	85	80	81	60264	31	
01	81	83	83	82	81	81	82	81	81	81	81	80	80	84	80	80	81	80	80	80	82	80	80	79	79	80	80	80	79	80	81	84	79	81	60028	31	
02	88	80	81	80	80	80	81	82	80	81	82	81	81	81	81	84	83	79	80	83	79	79	80	79	79	82	80	79			88	79	81	54347	28		
03	84	81	82	80	80	81	80	81	80	80	81	83	82	81	81	82	85	81	82	81	81	81	82	81	80	81	81	81	81	83	82	81	85	80	81	60428	31
最大	88	83	83	85	86	86	82	82	82	82	82	83	85	84	81	84	85	81	82	83	82	84	82	81	82	82	81	81	83	82	81						
最小	79	79	60	79	79	78	78	79	78	79	78	78	78	78	78	78	78	78	79	79	79	79	79	79	78	78	78	79	78	61	74						
平均	81	80	79	81	81	81	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	81	80	80	80	80	80	78	79						

年 平均 値 : 80  
 1時間値の最大値 : 102 (12/05 04)  
 1時間値の最小値 : 0 (10/30 16) (10/30 24) (11/03 10) (10/30 19) (10/30 20) (10/30 21) (11/03 17) (10/30 10) (11/03 19) (11/03 20) (11/03 18) (10/31 13) (11/03 21) (10/31 03)  
 日平均値の最大値 : 88 (02/01)  
 日平均値の最小値 : 60 (11/03)  
 月平均値の最大値 : 81 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 79 (09月) (10月)  
 日積算値の最大値 : 2109 (02/01)  
 日積算値の最小値 : 1343 (07/25)  
 年 積 算 値 : 699280  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	171 茨城町海老沢																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	76	75	77	79	75	76	75	76	76	76	78	78	78	75	76	76	76	75	75	77	77	77	77	76	76	78	76	77	77	76	79	75	76	54905	30	
05	77	78	76	76	76	77	78	76	76	76	75	76	76	75	76	(75)	(74)	75	76	76	76	77	79	77	76	75	76	75	75	75	76	79	74	76	55518	29
06	76	77	76	76	76	76	75	75	75	76	76	76	76	75	75	75	75	75	76	76	76	76	76	76	77	77	77	77	76	77	77	75	76	54614	30	
07	77	77	75	81	77	82	78	75	75	76	76	75	75	75	75	75	76	76	77	76	76	76	76	76	76	78	77	76	76	76	76	82	75	76	56591	31
08	76	76	75	75	75	76	75	78	76	76	75	76	81	76	79	76	75	75	76	76	76	76	78	76	75	76	75	76	77	76	76	81	75	76	56586	31
09	76	76	76	76	75	75	75	75	75	76	76	74	75	75	75	74	74	75	76	76	76	76	76	77	76	75	75	75	75	75	77	74	75	54165	30	
10	75	77	76	79	83	76	75	77	78	78	75	75	75	75	76	77	78	77	75	75	75	78	78	76	76	76	76	76	77	61	73	83	61	76	56522	31
11	76	76	60	77	77	80	79	76	76	76	77	78	76	78	77	77	77	76	76	76	76	77	77	77	77	78	78	77	79	78	80	60	77	55073	30	
12	77	78	78	80	80	77	76	76	77	77	77	78	78	78	77	77	78	77	77	77	78	80	78	78	78	78	77	76	76	77	76	80	76	78	57406	31
01	77	79	79	78	77	77	78	77	77	77	77	76	76	80	77	76	77	77	76	76	78	76	76	75	75	76	76	76	75	76	77	80	75	77	57104	31
02	84	76	77	76	76	76	77	78	77	77	78	77	77	77	77	80	79	76	76	79	75	76	76	76	76	78	76	75							51736	28
03	80	77	79	76	76	77	76	77	76	77	77	79	78	77	77	79	81	77	78	77	77	77	78	77	76	77	77	78	79	78	77	81	76	78	57634	31
最大	84	79	79	81	83	82	79	78	78	78	78	79	81	80	79	80	81	77	78	79	78	80	79	78	78	78	78	78	79	78	77					
最小	75	75	60	75	75	75	75	75	75	76	75	74	75	75	75	74	74	75	75	75	75	76	76	75	75	75	75	75	75	61	73					
平均	77	77	75	77	77	77	76	76	76	77	76	77	77	76	76	76	77	76	76	76	76	77	77	76	76	77	76	76	77	75	76					

年 平 均 値 : 76  
 1時間値の最大値 : 98 (03/03 19)  
 1時間値の最小値 : 0 (11/03 21)(10/30 18)(10/30 05)(10/30 06)(10/31 08)(11/03 20)(11/03 17)(11/03 18)(11/03 19)(10/30 19)(10/30 20)  
 日平均値の最大値 : 84 (02/01)  
 日平均値の最小値 : 60 (11/03)  
 月平均値の最大値 : 78 (12月)(03月)  
 月平均値の最小値 : 75 (09月)  
 日積算値の最大値 : 2009 (02/01)  
 日積算値の最小値 : 1274 (05/16)  
 年 積 算 値 : 667852  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	151 大洗町磯浜																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	73	72	73	76	73	72	71	72	72	72	74	75	75	72	71	72	73	72	72	74	74	73	73	72	72	75	73	71	70	71		76	70	73	52269	30
05	71	72	71	71	71	73	74	72	72	71	71	72	72	71	72	71	70	71	71	71	71	71	73	73	71	71	70	69	70	71	72	74	69	71	52995	31
06	70	72	71	71	71	70	69	69	69	69	70	69	69	69	71	71	70	70	69	69	68	(70)	70	70	70	69	71	71	70	70		72	68	70	49694	29
07	71	71	70	77	71	76	71	70	70	69	69	70	69	69	68	68	68	68	69	69	69	70	69	69	69	72	69	68	68	68	68	77	68	70	51695	31
08	68	67	68	67	67	67	67	68	68	69	68	70	73	68	69	68	68	68	67	67	67	67	70	69	68	69	68	69	69	69	69	73	67	68	50816	31
09	68	68	68	69	69	69	68	67	69	68	69	66	67	67	68	68	68	68	68	70	70	69	69	71	71	69	69	69	70	69		71	66	69	49420	30
10	69	70	70	73	78	71	70	70	73	75	70	70	70	69	69	71	74	73	72	71	70	74	74	72	72	72	72	72	74	58	73	78	58	71	53051	31
11	73	72	57	73	73	75	75	73	73	73	74	75	74	75	74	73	73	73	73	73	73	74	74	74	73	74	74	73	75	75		75	57	73	52510	30
12	74	(75)	75	79	77	74	74	74	74	75	75	76	76	76	74	75	75	75	75	75	75	77	75	75	76	76	75	74	74	75	74	79	74	75	55344	30
01	74	76	77	76	75	76	76	75	75	76	75	74	75	77	73	73	74	74	74	74	77	74	75	73	74	74	74	74	73	73	75	77	73	75	55490	31
02	82	74	74	74	74	75	76	76	74	75	75	75	75	75	74	78	76	73	73	77	72	72	73	73	73	75	73	73			82	72	75	50092	28	
03	78	75	76	74	74	74	73	73	73	73	74	75	76	75	74	76	78	74	75	74	74	74	75	73	73	73	74	74	76	75	75	78	73	75	55434	31
最大	82	76	77	79	78	76	76	76	75	76	75	76	76	77	74	78	78	75	75	77	77	77	75	75	76	76	75	74	76	75	75					
最小	68	67	57	67	67	67	67	67	68	68	68	66	67	67	68	68	68	68	67	67	67	67	69	69	68	69	68	68	68	58	68					
平均	73	72	71	73	73	73	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	73	72	72	72	72	72	72	70	72					

年 平 均 値 : 72  
 1時間値の最大値 : 98 (02/01 22)  
 1時間値の最小値 : 0 (10/30 24) (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/30 18) (11/03 10) (10/30 06) (10/30 08) (10/30 19)  
 日平均値の最大値 : 82 (02/01)  
 日平均値の最小値 : 57 (11/03)  
 月平均値の最大値 : 75 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 68 (08月)  
 日積算値の最大値 : 1972 (02/01)  
 日積算値の最小値 : 1113 (06/22)  
 年 積 算 値 : 628811  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	162 銚田市田崎																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	60	59	60	63	60	59	58	59	59	58	62	62	62	58	58	58	58	58	58	60	60	60	59	59	59	61	59	59	58	58		63	58	59	42743	30	
05	59	60	57	58	58	60	61	59	58	58	58	58	58	58	58	57	57	57	57	57	58	58	62	60	58	57	57	57	57	57	59	62	57	58	43254	31	
06	58	59	59	58	58	58	56	(57)	57	58	58	58	57	57	58	57	57	57	57	58	57	58	58	58	58	58	59	59	58	58		59	56	58	41070	29	
07	58	59	58	65	59	66	60	57	58	58	58	58	56	57	56	57	57	57	58	58	58	58	57	57	57	60	58	57	57	57	57	66	56	58	43081	31	
08	56	56	56	56	56	57	56	58	57	57	57	58	64	57	60	57	56	56	57	57	56	56	59	57	56	57	56	57	58	57	57	64	56	57	42483	31	
09	57	57	56	56	57	56	56	56	56	56	58	56	56	56	57	56	56	57	57	58	58	57	57	60	58	57	57	57	57		60	56	57	40861	30		
10	57	58	58	62	66	58	57	58	62	62	57	57	57	57	58	59	61	60	58	58	57	61	60	59	59	58	59	58	60	49	54	66	49	59	43524	31	
11	59	58	47	56	60	62	62	59	59	59	60	61	59	60	59	59	59	(59)	59	59	59	60	60	61	60	61	61	61	62	61		62	47	59	42293	29	
12	60	61	61	64	62	59	59	60	61	61	60	61	61	61	60	61	61	60	60	60	61	63	61	61	61	61	60	59	60	60	59	64	59	61	45164	31	
01	60	61	62	61	60	61	60	61	60	60	60	59	59	63	59	59	60	59	59	59	62	59	59	58	58	58	59	59	58	58	60	63	58	60	44352	31	
02	69	59	59	59	59	60	60	61	59	61	61	60	60	60	60	65	62	58	58	63	58	58	59	58	58	61	59	57				69	57	60	40291	28	
03	64	60	63	59	59	60	59	59	59	59	59	61	61	60	60	61	65	60	61	59	59	60	61	59	59	59	59	60	61	60	60	60	65	59	60	44739	31
最大	69	61	63	65	66	66	62	61	62	62	62	62	64	63	60	65	65	60	61	63	62	63	62	61	61	61	61	61	62	61	60						
最小	56	56	47	56	56	56	56	56	56	56	57	56	56	56	56	56	56	56	57	57	56	56	57	57	56	57	56	57	57	49	54						
平均	60	59	58	60	60	60	59	59	59	59	59	59	59	59	59	59	59	59	58	58	59	59	59	59	59	58	59	58	58	59	58	58					

年平均値 : 59

1時間値の最大値 : 88 (03/03 19)

1時間値の最小値 : 0 (11/03 17) (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/31 08) (10/30 18) (10/30 06) (10/31 09) (10/30 08) (10/30 19) (11/04 02)

日平均値の最大値 : 69 (02/01)

日平均値の最小値 : 47 (11/03)

月平均値の最大値 : 61 (12月)

月平均値の最小値 : 57 (08月) (09月)

日積算値の最大値 : 1657 (02/01)

日積算値の最小値 : 906 (06/08)

年積算値 : 513855

有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2005年度	163 銚田市縦山																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	65	64	65	70	65	65	64	65	65	65	69	70	70	65	64	64	65	65	65	68	68	66	66	65	65	67	65	64	63	63		70	63	66	47278	30	
05	63	65	63	63	63	66	67	64	64	64	63	64	65	64	64	63	62	63	63	63	63	64	67	65	64	63	63	63	63	64	65	67	62	64	47421	31	
06	63	65	65	64	63	63	(62)	62	62	63	63	62	63	62	64	63	62	63	62	62	62	63	64	62	62	62	62	63	62	63		65	62	63	44627	29	
07	63	63	62	70	64	72	64	61	62	62	62	62	61	62	60	60	60	61	62	62	62	62	62	61	61	64	62	61	61	61	60	72	60	62	46276	31	
08	60	60	60	60	60	60	60	61	60	61	61	62	66	60	63	62	60	60	60	61	60	60	62	62	61	61	60	61	62	61	61	66	60	61	45279	31	
09	61	61	61	61	61	61	60	60	61	61	61	60	60	60	61	60	60	61	61	62	(63)	(62)	62	65	64	62	61	62	62	62		65	60	61	42146	28	
10	62	62	62	67	72	64	62	63	67	68	63	62	62	62	62	65	68	66	65	64	64	67	66	65	65	65	65	65	66	58	52	72	52	64	47589	31	
11	64	64	54	65	65	67	68	65	65	65	66	67	65	65	66	65	65	65	65	65	65	66	66	(66)	66	66	66	66	67	67		68	54	65	46405	29	
12	66	67	67	72	69	66	66	66	66	67	67	68	68	68	67	67	68	68	68	67	68	70	69	68	69	69	68	67	67	67	67	72	66	68	50264	31	
01	67	69	70	69	68	68	68	68	67	68	68	67	67	70	66	66	67	67	67	66	71	66	66	66	65	66	66	67	65	66	69	71	65	67	50075	31	
02	79	66	67	66	67	67	68	68	66	67	68	67	67	67	66	76	70	66	65	71	65	65	65	66	65	67	65	65			79	65	67	45277	28		
03	73	67	71	66	66	66	65	66	66	66	66	68	70	67	66	68	72	67	69	66	66	67	68	66	66	66	66	67	68	68	67	73	65	67	49981	31	
最大	79	69	71	72	72	72	68	68	67	68	69	70	70	70	67	76	72	68	69	71	71	70	69	68	69	69	68	67	68	68	69						
最小	60	60	54	60	60	60	60	60	60	61	61	60	60	60	60	60	60	60	60	61	60	60	62	61	61	61	60	61	61	58	52						
平均	65	64	64	66	65	65	65	64	64	65	65	65	65	65	64	65	65	64	64	65	65	65	65	65	64	65	64	64	64	64	64	63					

年平均値 : 65

1時間値の最大値 : 99 (02/16 22)

1時間値の最小値 : 0 (10/30 17) (10/30 06) (10/30 07) (10/31 09) (10/31 07) (10/31 08) (10/31 12) (10/31 10) (11/03 18) (11/03 19) (11/03 20) (11/03 21)

日平均値の最大値 : 79 (02/01)

日平均値の最小値 : 52 (10/31)

月平均値の最大値 : 68 (12月)

月平均値の最小値 : 61 (08月) (09月)

日積算値の最大値 : 1884 (02/01)

日積算値の最小値 : 557 (09/22)

年積算値 : 562618

有効測定日数 : 361 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	172 茨城町谷田部																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	63	62	64	67	64	63	62	63	63	63	66	67	66	62	62	63	63	62	62	64	65	64	64	63	63	66	63	63	61	62		67	61	64	45688	30
05	63	64	62	62	63	65	65	63	63	63	62	63	63	62	63	62	61	63	62	62	62	62	65	65	63	62	61	60	61	63	64	65	60	63	46591	31
06	62	63	63	63	62	61	60	61	60	60	61	59	59	58	(61)	62	62	61	61	61	61	62	61	61	60	59	60	60	60	60		63	58	61	43363	29
07	61	61	59	68	61	67	62	59	59	59	59	60	58	59	58	58	57	57	60	60	60	60	59	59	59	62	59	59	59	58	58	68	57	60	44380	31
08	58	58	57	57	58	58	57	61	60	61	60	61	66	60	63	61	60	60	60	59	59	59	64	61	60	60	60	61	61	61	61	66	57	60	44657	31
09	61	60	60	60	61	60	59	59	60	60	61	58	59	60	60	60	60	60	61	62	62	63	61	63	63	61	61	61	61	61		63	58	61	43606	30
10	61	62	62	66	71	63	61	62	64	66	62	61	61	61	61	63	66	65	62	62	62	66	65	63	63	63	63	63	64	51	61	71	51	63	46549	31
11	62	61	49	62	62	66	64	62	63	62	64	65	63	65	64	64	64	63	63	63	64	64	65	65	64	65	64	64	(65)	64		66	49	63	45073	29
12	63	64	64	67	66	64	63	63	64	64	64	65	65	65	64	65	65	65	64	64	65	67	65	65	65	65	64	64	63	64	63	67	63	65	47992	31
01	64	65	66	65	65	65	65	65	64	64	64	63	63	67	62	62	64	63	63	63	66	63	63	62	63	63	64	63	62	62	64	67	62	64	47401	31
02	72	63	63	63	63	64	65	65	63	64	65	64	63	64	63	67	65	62	62	66	61	61	62	62	62	64	62	61			72	61	64	42673	28	
03	67	63	66	62	62	63	61	62	62	62	62	64	65	64	63	64	68	62	63	63	62	63	64	62	62	62	62	63	65	64	63	68	61	63	47015	31
最大	72	65	66	68	71	67	65	65	64	66	66	67	66	67	64	67	68	65	64	66	66	67	65	65	65	66	64	64	65	64	64					
最小	58	58	49	57	58	58	57	59	59	59	59	58	58	58	58	58	57	57	60	59	59	59	59	59	59	59	59	59	59	51	58					
平均	63	62	61	64	63	63	62	62	62	62	62	63	63	62	62	63	63	62	62	62	62	63	63	63	62	63	62	62	62	61	62					

年 平 均 値 : 62  
 1時間値の最大値 : 87 (08/23 15)  
 1時間値の最小値 : 0 (10/30 24) (11/03 18) (11/03 19) (10/31 03) (10/30 16) (10/30 17) (11/03 17) (11/03 20) (10/30 20) (10/30 21) (11/03 21)  
 日平均値の最大値 : 72 (02/01)  
 日平均値の最小値 : 49 (11/03)  
 月平均値の最大値 : 65 (12月)  
 月平均値の最小値 : 60 (07月) (08月)  
 日積算値の最大値 : 1725 (02/01)  
 日積算値の最小値 : 1031 (06/15)  
 年 積 算 値 : 544987  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	190 水戸市吉沢																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	78	78	79	82	78	78	78	78	78	78	80	81	81	77	77	77	77	77	77	79	79	78	78	77	77	80	78	78	78	77		82	77	78	56358	30
05	78	79	76	77	77	78	78	77	77	77	76	76	76	76	77	76	75	76	77	77	77	78	80	78	76	76	76	76	75	76	77	80	75	77	57100	31
06	77	78	77	77	77	76	75	75	76	77	78	77	76	75	76	75	75	75	76	(76)	76	76	75	76	76	76	77	77	76	76		78	75	76	54203	29
07	77	77	75	82	77	82	78	75	75	76	76	76	74	75	75	75	76	76	76	76	76	76	75	75	75	77	76	76	76	76	76	82	74	76	56520	31
08	75	75	75	75	75	76	76	78	76	76	75	77	82	76	78	76	75	76	76	76	76	76	79	76	75	76	76	76	77	77	77	82	75	76	56782	31
09	76	76	76	76	76	76	76	76	76	76	77	75	75	76	76	75	75	75	76	76	77	77	77	78	77	75	75	76	76	76		78	75	76	54662	30
10	76	77	77	81	84	77	76	77	79	80	76	76	76	76	77	78	79	79	77	77	77	80	80	78	78	78	78	78	79	73	79	84	73	78	57829	31
11	74	76	57	77	77	81	80	77	77	77	78	80	77	78	78	78	77	77	77	77	77	78	78	78	78	78	78	78	79	(79)		81	57	77	54770	29
12	78	79	79	82	81	78	78	78	78	79	78	79	79	79	78	79	79	79	79	79	79	81	79	79	80	80	79	78	78	79	78	82	78	79	58691	31
01	78	80	81	80	79	79	79	79	78	79	78	77	78	81	78	78	79	78	78	77	81	78	78	77	78	78	78	78	77	77	79	81	77	79	58364	31
02	87	78	78	78	78	78	79	80	78	79	79	79	78	79	78	82	80	77	77	81	77	77	77	77	77	80	77	76			87	76	79	52812	28	
03	82	79	80	77	78	78	77	78	77	77	78	80	79	79	78	80	84	78	79	78	78	79	80	78	77	78	78	79	80	79	79	84	77	79	58553	31
最大	87	80	81	82	84	82	80	80	79	80	80	81	82	81	78	82	84	79	79	81	81	81	80	79	80	80	79	79	80	79	79					
最小	74	75	57	75	75	76	75	75	75	76	75	75	74	75	75	75	75	75	76	76	76	76	75	75	75	75	75	76	75	73	76					
平均	78	78	76	79	78	78	78	77	77	77	78	78	78	77	77	77	78	77	77	77	77	78	78	77	77	78	77	77	77	77	77	78				

年 平均 値 : 77  
 1時間値の最大値 : 102 (02/01 21)  
 1時間値の最小値 : 0 (11/03 10) (11/03 17) (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/30 20) (10/30 21) (11/01 09)  
 日平均値の最大値 : 87 (02/01)  
 日平均値の最小値 : 57 (11/03)  
 月平均値の最大値 : 79 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 76 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2083 (02/01)  
 日積算値の最小値 : 1213 (06/20)  
 年 積 算 値 : 676644  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	180 銚田市上富田																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	64	63	64	68	64	64	62	63	63	63	66	67	67	62	62	62	63	62	62	65	65	64	64	63	63	65	63	62	61	61		68	61	64	45709	30
05	62	64	61	61	62	64	65	62	63	62	62	63	63	62	63	62	61	62	61	61	61	61	65	64	62	61	60	60	61	62	63	65	60	62	46147	31
06	61	62	63	62	61	60	59	60	59	(60)	61	60	60	(60)	62	61	60	60	59	59	58	60	60	59	58	58	59	59	59	60		63	58	60	42548	28
07	60	60	59	68	61	69	61	58	60	59	58	59	58	59	58	58	58	58	59	59	59	60	59	59	59	61	59	58	58	58	58	69	58	60	44207	31
08	58	58	57	57	57	57	57	59	59	59	58	61	65	58	61	60	58	58	58	58	57	58	60	60	58	59	58	59	59	59	59	65	57	59	43587	31
09	59	58	58	59	59	59	57	57	58	58	59	57	57	58	58	58	58	58	58	59	59	59	60	61	61	59	59	60	60	60		61	57	59	42239	30
10	59	59	60	64	68	61	60	60	63	65	60	60	60	59	59	62	65	63	62	61	61	65	64	62	62	62	63	62	64	58	55	68	55	62	45828	31
11	62	62	49	60	63	66	65	62	63	63	64	65	64	65	64	63	63	63	63	63	64	64	64	64	64	64	64	(64)	65	65		66	49	63	45056	29
12	64	66	65	68	67	65	64	64	65	65	65	66	67	66	65	66	66	66	66	65	66	68	66	66	66	67	66	65	65	66	65	68	64	66	48864	31
01	65	67	68	67	66	66	66	66	65	66	65	64	65	67	63	63	64	64	65	64	67	64	64	63	64	64	64	64	63	63	66	68	63	65	48281	31
02	73	64	64	65	65	65	66	66	65	65	66	65	64	64	63	69	67	63	63	67	62	62	62	63	62	65	62	62			73	62	65	43422	28	
03	68	64	67	63	63	64	62	63	63	63	63	64	66	64	64	65	69	63	65	64	63	64	65	62	63	63	63	63	65	65	64	69	62	64	47650	31
最大	73	67	68	68	68	69	66	66	65	66	66	67	67	67	65	69	69	66	66	67	67	68	66	66	66	67	66	65	65	66	66					
最小	58	58	49	57	57	57	57	57	58	58	58	57	57	58	58	58	58	58	58	58	57	58	59	59	58	58	58	58	58	58	55					
平均	63	62	61	64	63	63	62	62	62	62	62	63	63	62	62	62	63	62	62	62	62	62	63	62	62	62	62	62	62	61	61					

年平均値 : 62

1時間値の最大値 : 90 (03/03 19)

1時間値の最小値 : 0 (11/03 18) (11/03 19) (11/03 20) (11/03 21) (10/30 17) (10/30 18) (10/31 07) (10/31 08) (10/31 09) (11/03 17) (11/04 02)

日平均値の最大値 : 73 (02/01)

日平均値の最小値 : 49 (11/03)

月平均値の最大値 : 66 (12月)

月平均値の最小値 : 59 (08月) (09月)

日積算値の最大値 : 1755 (02/01)

日積算値の最小値 : 1095 (11/28)

年積算値 : 543539

有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2005年度	181 銚田市徳宿																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	54	53	55	59	55	54	53	54	54	53	57	57	57	53	53	53	54	53	53	55	56	54	54	53	54	56	54	52	51	52		59	51	54	38914	30
05	52	54	52	52	53	55	56	53	53	53	52	53	53	53	53	52	52	52	51	51	51	51	55	53	53	52	50	49	51	53	54	56	49	52	38978	31
06	51	52	53	53	51	50	49	49	(50)	52	51	50	51	50	52	52	50	50	49	49	48	50	50	48	48	47	48	49	49	49		53	47	50	35631	29
07	49	49	49	57	50	58	50	48	49	48	48	50	48	49	47	48	48	48	49	50	49	50	50	49	49	52	49	48	48	48	47	58	47	49	36653	31
08	47	46	46	47	47	46	46	48	48	49	48	50	54	48	50	49	48	48	47	47	47	47	49	49	48	49	47	49	49	48	48	54	46	48	35607	31
09	48	48	47	48	49	48	47	46	48	48	48	47	47	46	48	48	48	48	47	49	49	49	49	51	50	49	48	49	49	49		51	46	48	34625	30
10	48	48	49	53	57	50	49	49	53	55	49	49	49	48	48	50	54	52	51	50	50	53	52	51	51	51	51	51	53	46	43	57	43	50	37518	31
11	51	49	43	49	52	54	53	52	51	52	53	54	53	54	53	52	52	51	52	52	52	52	52	53	(53)	52	52	52	53	53		54	43	52	36978	29
12	53	54	53	57	55	52	52	52	53	53	54	54	54	54	53	54	54	54	54	53	55	56	54	54	54	54	53	52	53	54	52	57	52	54	39903	31
01	53	54	56	54	54	54	54	53	53	54	53	52	52	55	50	50	52	52	52	52	55	51	51	50	51	51	51	51	50	51	53	56	50	52	38931	31
02	60	51	51	51	52	52	53	52	52	52	52	52	51	52	51	57	54	50	50	54	49	49	49	50	49	51	49	49			60	49	52	34610	28	
03	55	51	54	50	50	50	49	50	49	49	49	51	53	51	50	52	55	50	51	50	50	51	51	49	49	49	49	50	51	51	50	55	49	51	37597	31
最大	60	54	56	59	57	58	56	54	54	55	57	57	57	55	53	57	55	54	54	55	56	56	55	54	54	56	54	52	53	54	54					
最小	47	46	43	47	47	46	46	46	48	48	48	47	47	46	47	48	48	48	47	47	47	47	49	48	48	47	47	48	48	46	43					
平均	52	51	51	53	52	52	51	50	51	51	51	52	52	51	51	51	52	51	50	51	51	51	51	51	51	51	50	50	51	50	50					

年 平 均 値 : 51  
 1時間値の最大値 : 76 (02/01 22)  
 1時間値の最小値 : 0 (10/30 17)(10/31 12)(10/30 06)(11/03 18)(11/04 07)(11/02 06)(11/03 21)(10/31 07)(10/30 18)(11/03 20)(10/31 08)(10/31 09)(11/03 19)  
 日平均値の最大値 : 60 (02/01)  
 日平均値の最小値 : 43 (10/31)(11/03)  
 月平均値の最大値 : 54 (04月)(12月)  
 月平均値の最小値 : 48 (08月)(09月)  
 日積算値の最大値 : 1448 (02/01)  
 日積算値の最小値 : 855 (06/09)  
 年 積 算 値 : 445945  
 有効測定日数 : 363 日