

第14表 死亡数,性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4歳 以下	5～ 9歳	10～ 14歳	15～ 19歳	20～ 24歳	25～ 29歳	30～ 34歳	35～ 39歳
	総 数		26,244	103	11	11	61	97	92	151	205
		男	14,271	51	4	5	41	68	66	107	143
		女	11,973	52	7	6	20	29	26	44	62
01000	感染症及び寄生虫症		575	3	-	-	-	-	-	2	5
		男	315	3	-	-	-	-	-	2	3
		女	260	-	-	-	-	-	-	-	2
01100	腸管感染症		49	-	-	-	-	-	-	-	2
		男	20	-	-	-	-	-	-	-	1
		女	29	-	-	-	-	-	-	-	1
01200	結核		42	-	-	-	-	-	-	-	-
		男	33	-	-	-	-	-	-	-	-
		女	9	-	-	-	-	-	-	-	-
01201	呼吸器結核		35	-	-	-	-	-	-	-	-
		男	28	-	-	-	-	-	-	-	-
		女	7	-	-	-	-	-	-	-	-
01202	その他の結核		7	-	-	-	-	-	-	-	-
		男	5	-	-	-	-	-	-	-	-
		女	2	-	-	-	-	-	-	-	-
01300	敗血症		211	-	-	-	-	-	-	2	2
		男	98	-	-	-	-	-	-	2	1
		女	113	-	-	-	-	-	-	-	1
01400	ウイルス肝炎		152	-	-	-	-	-	-	-	-
		男	94	-	-	-	-	-	-	-	-
		女	58	-	-	-	-	-	-	-	-
01401	B型ウイルス肝炎		14	-	-	-	-	-	-	-	-
		男	9	-	-	-	-	-	-	-	-
		女	5	-	-	-	-	-	-	-	-
01402	C型ウイルス肝炎		127	-	-	-	-	-	-	-	-
		男	80	-	-	-	-	-	-	-	-
		女	47	-	-	-	-	-	-	-	-
01403	その他のウイルス肝炎		11	-	-	-	-	-	-	-	-
		男	5	-	-	-	-	-	-	-	-
		女	6	-	-	-	-	-	-	-	-
01500	ヒト免疫不全ウイルス[HIV] 病		2	-	-	-	-	-	-	-	-
		男	1	-	-	-	-	-	-	-	-
		女	1	-	-	-	-	-	-	-	-
01600	その他の感染症及び寄生 虫症		119	3	-	-	-	-	-	-	1
		男	69	3	-	-	-	-	-	-	1
		女	50	-	-	-	-	-	-	-	-
02000	新生物		7,910	2	4	3	9	10	11	25	38
		男	4,869	-	1	1	9	4	9	12	22
		女	3,041	2	3	2	-	6	2	13	16
02100	悪性新生物		7,681	2	3	3	9	10	10	24	35
		男	4,742	-	1	1	9	4	8	11	19
		女	2,939	2	2	2	-	6	2	13	16
02101	口唇,口腔及び咽頭の 悪性新生物		136	-	-	-	-	-	-	2	-
		男	97	-	-	-	-	-	-	-	-
		女	39	-	-	-	-	-	-	2	-
02102	食道の悪性新生物		248	-	-	-	-	-	-	-	-
		男	214	-	-	-	-	-	-	-	-
		女	34	-	-	-	-	-	-	-	-
02103	胃の悪性新生物		1,278	-	-	-	-	1	-	2	3
		男	884	-	-	-	-	-	-	1	1
		女	394	-	-	-	-	1	-	1	2
02104	結腸の悪性新生物		621	-	-	-	1	-	-	-	2
		男	300	-	-	-	1	-	-	-	2
		女	321	-	-	-	-	-	-	-	-
02105	直腸S状結腸移行部及 び直腸の悪性新生物		373	-	-	-	-	-	-	1	2
		男	259	-	-	-	-	-	-	1	2
		女	114	-	-	-	-	-	-	-	-

40～ 44歳	45～ 49歳	50～ 54歳	55～ 59歳	60～ 64歳	65～ 69歳	70～ 74歳	75～ 79歳	80～ 84歳	85～ 89歳	90～ 94歳	95～ 99歳	100歳 以上	不詳
239	367	667	1,190	1,484	1,917	2,773	3,718	4,428	4,128	3,204	1,228	170	-
155	259	456	847	1,049	1,368	1,913	2,380	2,376	1,607	1,039	309	28	-
84	108	211	343	435	549	860	1,338	2,052	2,521	2,165	919	142	-
2	7	21	36	33	43	69	110	110	68	50	15	1	-
2	5	17	30	16	22	42	65	59	26	18	5	-	-
-	2	4	6	17	21	27	45	51	42	32	10	1	-
-	-	1	1	1	-	5	5	10	10	11	3	-	-
-	-	1	1	-	-	1	4	4	1	5	2	-	-
-	-	-	-	1	-	4	1	6	9	6	1	-	-
-	2	1	2	1	-	4	6	12	7	6	1	-	-
-	1	1	2	1	-	4	5	9	6	3	1	-	-
-	1	-	-	-	-	-	1	3	1	3	-	-	-
-	2	-	2	1	-	4	3	10	7	5	1	-	-
-	1	-	2	1	-	4	2	8	6	3	1	-	-
-	1	-	-	-	-	-	1	2	1	2	-	-	-
-	-	1	-	-	-	-	3	2	-	1	-	-	-
-	-	1	-	-	-	-	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
1	-	3	11	9	13	18	45	42	32	23	10	-	-
1	-	2	10	3	6	10	26	18	11	6	2	-	-
-	-	1	1	6	7	8	19	24	21	17	8	-	-
1	4	13	17	16	22	24	30	18	4	3	-	-	-
1	3	11	13	9	13	17	16	9	1	1	-	-	-
-	1	2	4	7	9	7	14	9	3	2	-	-	-
-	1	-	4	3	2	-	3	1	-	-	-	-	-
-	1	-	3	1	2	-	1	1	-	-	-	-	-
-	-	-	1	2	-	-	2	-	-	-	-	-	-
1	3	12	10	13	18	23	26	14	4	3	-	-	-
1	2	10	8	8	11	16	14	8	1	1	-	-	-
-	1	2	2	5	7	7	12	6	3	2	-	-	-
-	-	1	3	-	2	1	1	3	-	-	-	-	-
-	-	1	2	-	-	1	1	-	-	-	-	-	-
-	-	-	1	-	2	-	-	3	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	2	4	6	8	18	24	28	15	7	1	1	-
-	1	2	3	3	3	10	14	19	7	3	-	-	-
-	-	-	1	3	5	8	10	9	8	4	1	1	-
76	115	267	519	717	887	1,218	1,380	1,240	845	436	100	8	-
26	55	150	318	497	619	894	939	737	365	182	27	2	-
50	60	117	201	220	268	324	441	503	480	254	73	6	-
70	111	263	507	708	872	1,189	1,339	1,194	815	415	94	8	-
26	54	146	311	493	611	873	911	709	352	174	27	2	-
44	57	117	196	215	261	316	428	485	463	241	67	6	-
1	5	5	14	10	21	26	22	15	9	4	2	-	-
1	5	3	11	6	17	19	21	10	3	-	1	-	-
-	-	2	3	4	4	7	1	5	6	4	1	-	-
-	1	9	24	48	39	37	41	29	16	2	2	-	-
-	1	8	22	44	32	35	39	23	10	-	-	-	-
-	-	1	2	4	7	2	2	6	6	2	2	-	-
7	20	29	69	117	153	215	215	215	142	74	15	1	-
3	8	20	49	91	121	184	151	148	64	38	5	-	-
4	12	9	20	26	32	31	64	67	78	36	10	1	-
5	10	16	44	44	68	70	101	100	81	62	15	2	-
1	5	7	31	32	45	46	48	43	19	18	2	-	-
4	5	9	13	12	23	24	53	57	62	44	13	2	-
3	5	16	28	38	46	55	62	51	27	29	9	1	-
2	3	12	19	35	35	42	44	32	14	14	4	-	-
1	2	4	9	3	11	13	18	19	13	15	5	1	-

第14表 死亡数,性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4歳 以下	5～ 9歳	10～ 14歳	15～ 19歳	20～ 24歳	25～ 29歳	30～ 34歳	35～ 39歳
02106	肝及び肝内胆管の悪性 新生物	男	699	-	-	-	1	-	-	-	1
		女	477	-	-	-	1	-	-	-	1
			222	-	-	-	-	-	-	-	-
02107	胆のう及びその他の胆 道の悪性新生物	男	427	-	-	-	-	-	1	-	-
		女	211	-	-	-	-	-	1	-	-
			216	-	-	-	-	-	-	-	-
02108	膵の悪性新生物	男	584	-	-	-	-	-	-	-	2
		女	316	-	-	-	-	-	-	-	2
			268	-	-	-	-	-	-	-	-
02109	喉頭の悪性新生物	男	16	-	-	-	-	-	-	-	-
		女	13	-	-	-	-	-	-	-	-
			3	-	-	-	-	-	-	-	-
02110	気管,気管支及び肺の 悪性新生物	男	1,374	-	-	-	-	1	-	1	3
		女	1,032	-	-	-	-	1	-	-	3
			342	-	-	-	-	-	-	1	-
02111	皮膚の悪性新生物	男	27	-	-	-	-	-	1	1	-
		女	13	-	-	-	-	-	1	-	-
			14	-	-	-	-	-	-	1	-
02112	乳房の悪性新生物	男	247	-	-	-	-	-	2	2	4
		女	2	-	-	-	-	-	-	-	-
			245	-	-	-	-	-	2	2	4
02113	子宮の悪性新生物	男	136	-	-	-	-	-	-	4	5
		女
			136	-	-	-	-	-	-	4	5
02114	卵巣の悪性新生物	男	105	-	-	-	-	-	-	-	1
		女
			105	-	-	-	-	-	-	-	1
02115	前立腺の悪性新生物	男	234	-	-	-	-	-	-	-	-
		女	234	-	-	-	-	-	-	-	-
		
02116	膀胱の悪性新生物	男	131	-	-	-	-	-	-	-	-
		女	81	-	-	-	-	-	-	-	-
			50	-	-	-	-	-	-	-	-
02117	中枢神経系の悪性新生 物	男	46	1	-	-	2	2	-	1	2
		女	27	-	-	-	2	1	-	1	2
			19	1	-	-	-	1	-	-	-
02118	悪性リンパ腫	男	210	-	-	2	1	1	2	3	1
		女	131	-	-	1	1	-	2	3	1
			79	-	-	1	-	1	-	-	-
02119	白血病	男	165	-	1	1	2	2	2	4	4
		女	109	-	-	-	2	1	2	3	2
			56	-	1	1	-	1	-	1	2
02120	その他のリンパ組織,造 血組織及び関連組織の 悪性新生物	男	104	-	-	-	-	-	-	-	-
		女	48	-	-	-	-	-	-	-	-
			56	-	-	-	-	-	-	-	-
02121	その他の悪性新生物	男	520	1	2	-	2	3	2	3	5
		女	294	-	1	-	2	1	2	2	3
			226	1	1	-	-	2	-	1	2
02200	その他の新生物	男	229	-	1	-	-	-	1	1	3
		女	127	-	-	-	-	-	1	1	3
			102	-	1	-	-	-	-	-	-
02201	中枢神経系その他の新 生物	男	66	-	1	-	-	-	1	1	3
		女	31	-	-	-	-	-	1	1	3
			35	-	1	-	-	-	-	-	-
02202	中枢神経系を除くその 他の新生物	男	163	-	-	-	-	-	-	-	-
		女	96	-	-	-	-	-	-	-	-
			67	-	-	-	-	-	-	-	-
03000	血液及び造血器の疾患並びに 免疫機構の障害	男	105	-	-	-	1	-	-	-	1
		女	48	-	-	-	-	-	-	-	1
			57	-	-	-	1	-	-	-	-

40～ 44歳	45～ 49歳	50～ 54歳	55～ 59歳	60～ 64歳	65～ 69歳	70～ 74歳	75～ 79歳	80～ 84歳	85～ 89歳	90～ 94歳	95～ 99歳	100歳 以上	不詳
-	9	29	51	72	78	159	132	86	54	23	4	-	-
-	9	22	39	63	58	118	89	41	28	7	1	-	-
-	-	7	12	9	20	41	43	45	26	16	3	-	-
4	5	11	16	25	43	69	74	86	53	29	9	2	-
2	4	9	12	14	28	35	41	37	12	14	1	1	-
2	1	2	4	11	15	34	33	49	41	15	8	1	-
4	2	16	38	69	73	73	96	105	61	35	10	-	-
3	2	9	23	42	51	49	50	52	23	9	1	-	-
1	-	7	15	27	22	24	46	53	38	26	9	-	-
1	-	-	-	1	3	3	2	1	4	1	-	-	-
1	-	-	-	1	3	3	2	-	3	-	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-	-
8	11	45	75	108	142	238	286	239	150	55	11	1	-
6	9	31	56	88	111	203	241	174	79	24	6	-	-
2	2	14	19	20	31	35	45	65	71	31	5	1	-
1	-	1	2	-	1	3	6	2	5	4	-	-	-
-	-	1	-	-	1	2	3	1	3	1	-	-	-
1	-	-	2	-	-	1	3	1	2	3	-	-	-
18	18	28	40	28	25	20	25	13	14	8	2	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-	-
18	18	28	40	27	25	20	24	13	14	8	2	-	-
2	8	11	11	18	13	18	17	20	6	3	-	-	-
.
2	8	11	11	18	13	18	17	20	6	3	-	-	-
2	4	11	16	19	12	11	9	10	6	3	1	-	-
.
2	4	11	16	19	12	11	9	10	6	3	1	-	-
1	-	3	3	13	20	33	53	52	30	23	2	1	-
1	-	3	3	13	20	33	53	52	30	23	2	1	-
.
-	-	-	4	5	10	19	21	27	25	19	1	-	-
-	-	-	2	4	7	13	13	16	13	13	-	-	-
-	-	-	2	1	3	6	8	11	12	6	1	-	-
2	2	2	7	6	4	6	6	2	1	-	-	-	-
1	1	1	4	6	1	3	3	1	-	-	-	-	-
1	1	1	3	-	3	3	3	1	1	-	-	-	-
1	1	7	10	20	26	38	33	29	22	9	4	-	-
-	-	3	7	15	19	25	20	18	12	2	2	-	-
1	1	4	3	5	7	13	13	11	10	7	2	-	-
4	7	5	9	21	25	13	25	21	16	3	-	-	-
2	5	4	6	12	17	10	20	10	10	3	-	-	-
2	2	1	3	9	8	3	5	11	6	-	-	-	-
-	-	2	4	8	12	22	21	20	12	3	-	-	-
-	-	2	2	4	5	11	12	9	2	1	-	-	-
-	-	-	2	4	7	11	9	11	10	2	-	-	-
6	3	17	42	38	58	61	92	71	81	26	7	-	-
3	2	11	25	22	40	42	60	42	27	7	2	-	-
3	1	6	17	16	18	19	32	29	54	19	5	-	-
6	4	4	12	9	15	29	41	46	30	21	6	-	-
-	1	4	7	4	8	21	28	28	13	8	-	-	-
6	3	-	5	5	7	8	13	18	17	13	6	-	-
4	-	-	4	4	6	11	13	11	6	1	-	-	-
-	-	-	2	2	2	8	6	5	1	-	-	-	-
4	-	-	2	2	4	3	7	6	5	1	-	-	-
2	4	4	8	5	9	18	28	35	24	20	6	-	-
-	1	4	5	2	6	13	22	23	12	8	-	-	-
2	3	-	3	3	3	5	6	12	12	12	6	-	-
-	-	2	8	1	8	11	8	28	20	12	5	-	-
-	-	2	5	-	6	5	3	12	11	2	1	-	-
-	-	-	3	1	2	6	5	16	9	10	4	-	-

第14表 死亡数, 性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4歳 以下	5～ 9歳	10～ 14歳	15～ 19歳	20～ 24歳	25～ 29歳	30～ 34歳	35～ 39歳
03100	貧血		43	-	-	-	-	-	-	-	-
		男	14	-	-	-	-	-	-	-	-
		女	29	-	-	-	-	-	-	-	-
03200	その他の血液及び造血器 の疾患並びに免疫機構の 障害		62	-	-	-	1	-	-	-	1
		男	34	-	-	-	-	-	-	-	1
		女	28	-	-	-	1	-	-	-	-
04000	内分泌, 栄養及び代謝疾患		563	2	-	-	-	2	2	5	1
		男	306	-	-	-	-	2	2	5	-
		女	257	2	-	-	-	-	-	-	1
04100	糖尿病		401	-	-	-	-	1	2	-	1
		男	226	-	-	-	-	1	2	-	-
		女	175	-	-	-	-	-	-	-	1
04200	その他の内分泌, 栄養及び 代謝疾患		162	2	-	-	-	1	-	5	-
		男	80	-	-	-	-	1	-	5	-
		女	82	2	-	-	-	-	-	-	-
05000	精神及び行動の障害		113	-	-	-	-	-	-	1	1
		男	30	-	-	-	-	-	-	-	1
		女	83	-	-	-	-	-	-	1	-
05100	血管性及び詳細不明の痴 呆		87	-	-	-	-	-	-	-	-
		男	18	-	-	-	-	-	-	-	-
		女	69	-	-	-	-	-	-	-	-
05200	その他の精神及び行動の 障害		26	-	-	-	-	-	-	1	1
		男	12	-	-	-	-	-	-	-	1
		女	14	-	-	-	-	-	-	1	-
06000	神経系の疾患		320	2	1	-	-	5	3	7	3
		男	174	1	-	-	-	4	3	4	2
		女	146	1	1	-	-	1	-	3	1
06100	髄膜炎		7	1	-	-	-	-	-	-	2
		男	5	-	-	-	-	-	-	-	2
		女	2	1	-	-	-	-	-	-	-
06200	脊髄性筋萎縮症及び関連 症候群		39	-	-	-	-	-	-	-	-
		男	26	-	-	-	-	-	-	-	-
		女	13	-	-	-	-	-	-	-	-
06300	パーキンソン病		84	-	-	-	-	-	-	-	-
		男	42	-	-	-	-	-	-	-	-
		女	42	-	-	-	-	-	-	-	-
06400	アルツハイマー病		52	-	-	-	-	-	-	-	-
		男	11	-	-	-	-	-	-	-	-
		女	41	-	-	-	-	-	-	-	-
06500	その他の神経系の疾患		138	1	1	-	-	5	3	7	1
		男	90	1	-	-	-	4	3	4	-
		女	48	-	1	-	-	1	-	3	1
07000	眼及び付属器の疾患		-	-	-	-	-	-	-	-	-
		男	-	-	-	-	-	-	-	-	-
		女	-	-	-	-	-	-	-	-	-
08000	耳及び乳様突起の疾患		1	-	-	-	-	-	-	-	-
		男	-	-	-	-	-	-	-	-	-
		女	1	-	-	-	-	-	-	-	-
09000	循環器系の疾患		8,203	1	-	1	5	4	7	19	44
		男	4,005	1	-	1	3	2	5	13	26
		女	4,198	-	-	-	2	2	2	6	18
09100	高血圧性疾患		142	-	-	-	-	-	-	-	-
		男	41	-	-	-	-	-	-	-	-
		女	101	-	-	-	-	-	-	-	-
09101	高血圧性心疾患及び心 腎疾患		78	-	-	-	-	-	-	-	-
		男	22	-	-	-	-	-	-	-	-
		女	56	-	-	-	-	-	-	-	-
09102	その他の高血圧性疾患		64	-	-	-	-	-	-	-	-
		男	19	-	-	-	-	-	-	-	-
		女	45	-	-	-	-	-	-	-	-

40～ 44歳	45～ 49歳	50～ 54歳	55～ 59歳	60～ 64歳	65～ 69歳	70～ 74歳	75～ 79歳	80～ 84歳	85～ 89歳	90～ 94歳	95～ 99歳	100歳 以上	不詳
-	-	-	1	1	2	2	3	10	12	8	4	-	-
-	-	-	-	-	1	1	1	3	6	1	1	-	-
-	-	-	1	1	1	1	2	7	6	7	3	-	-
-	-	2	7	-	6	9	5	18	8	4	1	-	-
-	-	2	5	-	5	4	2	9	5	1	-	-	-
-	-	-	2	-	1	5	3	9	3	3	1	-	-
6	8	15	24	38	41	66	89	97	89	56	19	3	-
5	8	12	17	28	33	45	51	45	31	16	6	-	-
1	-	3	7	10	8	21	38	52	58	40	13	3	-
4	5	11	21	31	30	55	72	70	56	32	8	2	-
3	5	10	14	21	24	39	44	33	16	10	4	-	-
1	-	1	7	10	6	16	28	37	40	22	4	2	-
2	3	4	3	7	11	11	17	27	33	24	11	1	-
2	3	2	3	7	9	6	7	12	15	6	2	-	-
-	-	2	-	-	2	5	10	15	18	18	9	1	-
2	2	-	2	1	4	3	7	22	28	25	14	1	-
2	1	-	2	-	1	2	3	9	5	3	-	1	-
-	1	-	-	1	3	1	4	13	23	22	14	-	-
-	-	-	1	-	1	1	5	18	25	23	12	1	-
-	-	-	1	-	-	1	2	6	4	3	-	1	-
-	-	-	-	-	1	-	3	12	21	20	12	-	-
2	2	-	1	1	3	2	2	4	3	2	2	-	-
2	1	-	1	-	1	1	1	3	1	-	-	-	-
-	1	-	-	1	2	1	1	1	2	2	2	-	-
6	1	8	17	17	32	38	47	56	43	26	7	1	-
3	1	6	15	11	21	27	26	26	15	8	1	-	-
3	-	2	2	6	11	11	21	30	28	18	6	1	-
-	-	-	1	1	2	-	-	-	-	-	-	-	-
-	-	-	1	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	2	6	3	6	8	5	8	-	-	-	-	-
-	-	1	5	2	5	6	4	3	-	-	-	-	-
1	-	1	1	1	1	2	1	5	-	-	-	-	-
-	-	-	-	1	2	14	14	24	19	8	2	-	-
-	-	-	-	-	2	13	6	9	8	3	1	-	-
-	-	-	-	1	-	1	8	15	11	5	1	-	-
-	-	-	-	1	2	1	10	9	12	11	5	1	-
-	-	-	-	-	-	1	3	4	1	2	-	-	-
-	-	-	-	1	2	-	7	5	11	9	5	1	-
5	1	6	10	11	20	15	18	15	12	7	-	-	-
3	1	5	9	8	13	7	13	10	6	3	-	-	-
2	-	1	1	3	7	8	5	5	6	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
56	113	151	292	367	483	748	1,087	1,491	1,539	1,244	487	64	-
45	90	112	237	275	351	477	640	721	522	347	124	13	-
11	23	39	55	92	132	271	447	770	1,017	897	363	51	-
-	-	-	1	3	7	7	8	19	30	44	19	4	-
-	-	-	1	2	4	5	5	8	7	7	2	-	-
-	-	-	-	1	3	2	3	11	23	37	17	4	-
-	-	-	-	2	6	2	7	7	13	27	12	2	-
-	-	-	-	1	3	-	5	6	2	3	2	-	-
-	-	-	-	1	3	2	2	1	11	24	10	2	-
-	-	-	1	1	1	5	1	12	17	17	7	2	-
-	-	-	1	1	1	5	-	2	5	4	-	-	-
-	-	-	-	-	-	-	1	10	12	13	7	2	-

第14表 死亡数,性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4歳 以下	5～ 9歳	10～ 14歳	15～ 19歳	20～ 24歳	25～ 29歳	30～ 34歳	35～ 39歳
09200	心疾患(高血圧性を除く)		4,211	-	-	-	4	2	3	11	20
		男	2,025	-	-	-	3	1	2	6	13
		女	2,186	-	-	-	1	1	1	5	7
09201	慢性リウマチ性心疾患		60	-	-	-	-	-	-	-	-
		男	22	-	-	-	-	-	-	-	-
		女	38	-	-	-	-	-	-	-	-
09202	急性心筋梗塞		1,508	-	-	-	-	-	-	4	12
		男	828	-	-	-	-	-	-	3	7
		女	680	-	-	-	-	-	-	1	5
09203	その他の虚血性心疾患		421	-	-	-	-	-	-	-	1
		男	228	-	-	-	-	-	-	-	1
		女	193	-	-	-	-	-	-	-	-
09204	慢性非リウマチ性心内 膜疾患		217	-	-	-	-	-	-	-	1
		男	70	-	-	-	-	-	-	-	-
		女	147	-	-	-	-	-	-	-	1
09205	心筋症		93	-	-	-	-	-	-	-	1
		男	44	-	-	-	-	-	-	-	-
		女	49	-	-	-	-	-	-	-	1
09206	不整脈及び伝導障害		435	-	-	-	1	2	1	2	1
		男	220	-	-	-	1	1	1	1	1
		女	215	-	-	-	-	1	-	1	-
09207	心不全		1,417	-	-	-	3	-	2	5	2
		男	581	-	-	-	2	-	1	2	2
		女	836	-	-	-	1	-	1	3	-
09208	その他の心疾患		60	-	-	-	-	-	-	-	2
		男	32	-	-	-	-	-	-	-	2
		女	28	-	-	-	-	-	-	-	-
09300	脳血管疾患		3,459	1	-	1	1	2	4	6	22
		男	1,713	1	-	1	-	1	3	6	12
		女	1,746	-	-	-	1	1	1	-	10
09301	くも膜下出血		407	1	-	-	-	-	1	2	11
		男	184	1	-	-	-	-	1	2	5
		女	223	-	-	-	-	-	-	-	6
09302	脳内出血		950	-	-	1	1	1	3	3	7
		男	563	-	-	1	-	-	2	3	3
		女	387	-	-	-	1	1	1	-	4
09303	脳梗塞		2,041	-	-	-	-	-	-	1	3
		男	929	-	-	-	-	-	-	1	3
		女	1,112	-	-	-	-	-	-	-	-
09304	その他の脳血管疾患		61	-	-	-	-	1	-	-	1
		男	37	-	-	-	-	1	-	-	1
		女	24	-	-	-	-	-	-	-	-
09400	大動脈瘤及び解離		275	-	-	-	-	-	-	-	1
		男	171	-	-	-	-	-	-	-	1
		女	104	-	-	-	-	-	-	-	-
09500	その他の循環器系の疾患		116	-	-	-	-	-	-	2	1
		男	55	-	-	-	-	-	-	1	-
		女	61	-	-	-	-	-	-	1	1
10000	呼吸器系の疾患		3,744	5	1	1	2	3	2	5	3
		男	2,084	2	-	-	1	2	1	3	2
		女	1,660	3	1	1	1	1	1	2	1
10100	インフルエンザ		10	-	-	-	-	-	-	-	-
		男	6	-	-	-	-	-	-	-	-
		女	4	-	-	-	-	-	-	-	-
10200	肺炎		2,518	3	1	1	2	2	1	2	1
		男	1,325	-	-	-	1	2	1	1	1
		女	1,193	3	1	1	1	-	-	1	-
10300	急性気管支炎		13	-	-	-	-	-	-	-	-
		男	5	-	-	-	-	-	-	-	-
		女	8	-	-	-	-	-	-	-	-

40～ 44歳	45～ 49歳	50～ 54歳	55～ 59歳	60～ 64歳	65～ 69歳	70～ 74歳	75～ 79歳	80～ 84歳	85～ 89歳	90～ 94歳	95～ 99歳	100歳 以上	不詳
27	53	64	138	177	243	386	517	794	802	655	277	38	-
24	42	51	118	143	179	254	292	364	258	194	72	9	-
3	11	13	20	34	64	132	225	430	544	461	205	29	-
-	1	-	-	-	2	5	9	16	13	11	3	-	-
-	1	-	-	-	1	3	5	6	3	2	1	-	-
-	-	-	-	-	1	2	4	10	10	9	2	-	-
13	21	31	65	83	105	178	218	301	252	169	51	5	-
12	17	23	56	65	82	124	127	135	94	65	17	1	-
1	4	8	9	18	23	54	91	166	158	104	34	4	-
2	5	5	11	19	26	42	62	82	68	66	26	6	-
2	3	5	9	17	24	28	39	53	20	18	6	3	-
-	2	-	2	2	2	14	23	29	48	48	20	3	-
-	1	-	4	4	10	13	19	43	46	55	21	-	-
-	-	-	4	3	4	10	10	14	12	10	3	-	-
-	1	-	-	1	6	3	9	29	34	45	18	-	-
1	1	1	9	8	6	13	17	18	11	4	3	-	-
-	-	1	8	5	2	9	6	7	3	1	2	-	-
1	1	-	1	3	4	4	11	11	8	3	1	-	-
4	4	8	16	24	26	35	46	83	77	66	33	6	-
3	2	8	13	22	19	21	26	38	23	27	11	2	-
1	2	-	3	2	7	14	20	45	54	39	22	4	-
7	18	17	29	35	59	91	142	239	328	281	138	21	-
7	17	13	24	30	40	54	79	105	100	70	32	3	-
-	1	4	5	5	19	37	63	134	228	211	106	18	-
-	2	2	4	4	9	9	4	12	7	3	2	-	-
-	2	1	4	1	7	5	-	6	3	1	-	-	-
-	-	1	-	3	2	4	4	6	4	2	2	-	-
25	57	78	135	170	199	310	490	603	648	506	180	21	-
19	46	54	107	118	141	189	298	307	232	130	44	4	-
6	11	24	28	52	58	121	192	296	416	376	136	17	-
9	16	29	33	37	38	49	61	45	45	22	7	1	-
6	10	17	22	20	20	19	26	19	9	4	2	1	-
3	6	12	11	17	18	30	35	26	36	18	5	-	-
9	36	41	77	92	91	104	152	116	123	72	21	-	-
7	31	31	63	68	65	70	95	57	42	17	8	-	-
2	5	10	14	24	26	34	57	59	81	55	13	-	-
5	5	7	23	40	66	148	269	432	473	401	151	17	-
4	5	5	20	29	53	94	172	224	178	105	33	3	-
1	-	2	3	11	13	54	97	208	295	296	118	14	-
2	-	1	2	1	4	9	8	10	7	11	1	3	-
2	-	1	2	1	3	6	5	7	3	4	1	-	-
-	-	-	-	-	1	3	3	3	4	7	-	3	-
3	2	6	16	12	26	33	46	54	46	22	8	-	-
2	1	4	11	8	22	21	34	33	21	8	5	-	-
1	1	2	5	4	4	12	12	21	25	14	3	-	-
1	1	3	2	5	8	12	26	21	13	17	3	1	-
-	1	3	-	4	5	8	11	9	4	8	1	-	-
1	-	-	2	1	3	4	15	12	9	9	2	1	-
2	10	21	33	84	139	266	532	791	813	715	277	39	-
2	9	15	31	58	114	192	383	485	394	301	84	5	-
-	1	6	2	26	25	74	149	306	419	414	193	34	-
-	1	-	-	-	1	1	1	2	2	1	-	1	-
-	1	-	-	-	1	1	1	1	-	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	1	-
1	7	15	18	40	78	155	335	511	574	519	221	31	-
1	7	12	17	28	62	111	235	308	267	205	63	3	-
-	-	3	1	12	16	44	100	203	307	314	158	28	-
-	-	1	-	-	-	-	2	3	4	2	1	-	-
-	-	1	-	-	-	-	1	2	1	-	-	-	-
-	-	-	-	-	-	-	1	1	3	2	1	-	-

第14表 死亡数, 性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4歳 以下	5～ 9歳	10～ 14歳	15～ 19歳	20～ 24歳	25～ 29歳	30～ 34歳	35～ 39歳
10400	慢性閉塞性肺疾患		342	-	-	-	-	-	-	-	-
		男	274	-	-	-	-	-	-	-	-
		女	68	-	-	-	-	-	-	-	-
10500	喘息		57	-	-	-	-	-	1	1	2
		男	25	-	-	-	-	-	-	1	1
		女	32	-	-	-	-	-	1	-	1
10600	その他の呼吸器系の疾患		804	2	-	-	-	1	-	2	-
		男	449	2	-	-	-	-	-	1	-
		女	355	-	-	-	-	1	-	1	-
11000	消化器系の疾患		1,009	2	-	1	1	1	-	4	10
		男	542	1	-	1	-	1	-	2	7
		女	467	1	-	-	1	-	-	2	3
11100	胃潰瘍及び十二指腸潰瘍		80	-	-	-	-	-	-	-	-
		男	44	-	-	-	-	-	-	-	-
		女	36	-	-	-	-	-	-	-	-
11200	ヘルニア及び腸閉塞		148	-	-	-	-	1	-	1	-
		男	61	-	-	-	-	1	-	-	-
		女	87	-	-	-	-	-	-	1	-
11300	肝疾患		348	-	-	-	-	-	-	2	8
		男	221	-	-	-	-	-	-	1	5
		女	127	-	-	-	-	-	-	1	3
11301	肝硬変(アルコール性を除く)		207	-	-	-	-	-	-	-	2
		男	116	-	-	-	-	-	-	-	1
		女	91	-	-	-	-	-	-	-	1
11302	その他の肝疾患		141	-	-	-	-	-	-	2	6
		男	105	-	-	-	-	-	-	1	4
		女	36	-	-	-	-	-	-	1	2
11400	その他の消化器系の疾患		433	2	-	1	1	-	-	1	2
		男	216	1	-	1	-	-	-	1	2
		女	217	1	-	-	1	-	-	-	-
12000	皮膚及び皮下組織の疾患		34	-	-	-	-	-	-	-	-
		男	11	-	-	-	-	-	-	-	-
		女	23	-	-	-	-	-	-	-	-
13000	筋骨格系及び結合組織の疾患		111	-	-	-	1	-	1	1	-
		男	43	-	-	-	-	-	-	-	-
		女	68	-	-	-	1	-	1	1	-
14000	尿路性器系の疾患		626	-	-	-	-	-	-	-	2
		男	281	-	-	-	-	-	-	-	2
		女	345	-	-	-	-	-	-	-	-
14100	糸球体疾患及び腎尿細管間質性疾患		69	-	-	-	-	-	-	-	1
		男	33	-	-	-	-	-	-	-	1
		女	36	-	-	-	-	-	-	-	-
14200	腎不全		458	-	-	-	-	-	-	-	1
		男	207	-	-	-	-	-	-	-	1
		女	251	-	-	-	-	-	-	-	-
14201	急性腎不全		70	-	-	-	-	-	-	-	-
		男	27	-	-	-	-	-	-	-	-
		女	43	-	-	-	-	-	-	-	-
14202	慢性腎不全		278	-	-	-	-	-	-	-	1
		男	125	-	-	-	-	-	-	-	1
		女	153	-	-	-	-	-	-	-	-
14203	詳細不明の腎不全		110	-	-	-	-	-	-	-	-
		男	55	-	-	-	-	-	-	-	-
		女	55	-	-	-	-	-	-	-	-
14300	その他の尿路性器系の疾患		99	-	-	-	-	-	-	-	-
		男	41	-	-	-	-	-	-	-	-
		女	58	-	-	-	-	-	-	-	-
15000	妊娠, 分娩及び産じょく		-	-	-	-	-	-	-	-	-
		男
		女	-	-	-	-	-	-	-	-	-

平成19年

40～ 44歳	45～ 49歳	50～ 54歳	55～ 59歳	60～ 64歳	65～ 69歳	70～ 74歳	75～ 79歳	80～ 84歳	85～ 89歳	90～ 94歳	95～ 99歳	100歳 以上	不詳
-	-	-	-	8	11	28	62	100	82	37	11	3	-
-	-	-	-	6	10	27	55	84	60	27	4	1	-
-	-	-	-	2	1	1	7	16	22	10	7	2	-
-	1	-	-	2	4	8	5	11	7	10	4	1	-
-	-	-	-	1	3	4	3	7	1	3	-	1	-
-	1	-	-	1	1	4	2	4	6	7	4	-	-
1	1	5	15	34	45	74	127	164	144	146	40	3	-
1	1	2	14	23	38	49	88	83	65	65	17	-	-
-	-	3	1	11	7	25	39	81	79	81	23	3	-
4	25	39	61	52	70	127	136	147	159	129	36	5	-
4	22	36	44	39	52	89	72	75	57	33	6	1	-
-	3	3	17	13	18	38	64	72	102	96	30	4	-
-	3	2	2	2	7	12	13	7	18	8	5	1	-
-	3	2	2	1	6	8	9	4	7	2	-	-	-
-	-	-	-	1	1	4	4	3	11	6	5	1	-
-	1	1	1	5	7	16	16	29	36	25	8	1	-
-	1	1	-	5	4	10	8	10	14	5	2	-	-
-	-	-	1	-	3	6	8	19	22	20	6	1	-
3	17	27	45	34	29	54	55	33	20	15	6	-	-
3	15	25	34	27	21	36	24	17	6	6	1	-	-
-	2	2	11	7	8	18	31	16	14	9	5	-	-
1	8	13	31	22	20	33	32	21	14	9	1	-	-
1	7	11	21	17	14	19	7	10	4	3	1	-	-
-	1	2	10	5	6	14	25	11	10	6	-	-	-
2	9	14	14	12	9	21	23	12	6	6	5	-	-
2	8	14	13	10	7	17	17	7	2	3	-	-	-
-	1	-	1	2	2	4	6	5	4	3	5	-	-
1	4	9	13	11	27	45	52	78	85	81	17	3	-
1	3	8	8	6	21	35	31	44	30	20	3	1	-
-	1	1	5	5	6	10	21	34	55	61	14	2	-
-	-	1	-	2	2	2	4	6	7	6	4	-	-
-	-	1	-	-	1	2	2	1	2	2	-	-	-
-	-	-	-	2	1	-	2	5	5	4	4	-	-
1	1	1	4	4	13	13	22	29	11	6	3	-	-
-	1	1	-	1	2	5	16	11	2	2	2	-	-
1	-	-	4	3	11	8	6	18	9	4	1	-	-
2	6	6	16	17	39	56	86	121	138	102	32	3	-
1	4	4	11	10	28	32	50	60	44	24	10	1	-
1	2	2	5	7	11	24	36	61	94	78	22	2	-
-	1	2	1	1	7	4	12	12	17	8	2	1	-
-	1	2	1	1	5	2	7	8	3	2	-	-	-
-	-	-	-	-	2	2	5	4	14	6	2	1	-
1	5	4	13	10	27	42	67	89	96	76	25	2	-
-	3	2	9	5	19	24	38	42	37	17	9	1	-
1	2	2	4	5	8	18	29	47	59	59	16	1	-
-	1	-	2	-	2	6	10	13	14	17	5	-	-
-	1	-	1	-	2	2	5	6	7	1	2	-	-
-	-	-	1	-	-	4	5	7	7	16	3	-	-
-	3	3	10	9	19	27	44	62	53	36	11	-	-
-	2	1	7	4	13	15	23	30	18	8	3	-	-
-	1	2	3	5	6	12	21	32	35	28	8	-	-
1	1	1	1	1	6	9	13	14	29	23	9	2	-
-	-	1	1	1	4	7	10	6	12	8	4	1	-
1	1	-	-	-	2	2	3	8	17	15	5	1	-
1	-	-	2	6	5	10	7	20	25	18	5	-	-
1	-	-	1	4	4	6	5	10	4	5	1	-	-
-	-	-	1	2	1	4	2	10	21	13	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
.
-	-	-	-	-	-	-	-	-	-	-	-	-	-

第14表 死亡数, 性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4歳 以下	5～ 9歳	10～ 14歳	15～ 19歳	20～ 24歳	25～ 29歳	30～ 34歳	35～ 39歳
16000	周産期に発生した病態		29	29	-	-	-	-	-	-	-
		男	16	16	-	-	-	-	-	-	-
		女	13	13	-	-	-	-	-	-	-
16100	妊娠期間及び胎児発育に 関連する障害		5	5	-	-	-	-	-	-	-
		男	2	2	-	-	-	-	-	-	-
		女	3	3	-	-	-	-	-	-	-
16200	出産外傷		-	-	-	-	-	-	-	-	-
		男	-	-	-	-	-	-	-	-	-
		女	-	-	-	-	-	-	-	-	-
16300	周産期に特異的な呼吸障 害及び心血管障害		13	13	-	-	-	-	-	-	-
		男	4	4	-	-	-	-	-	-	-
		女	9	9	-	-	-	-	-	-	-
16400	周産期に特異的な感染症		7	7	-	-	-	-	-	-	-
		男	6	6	-	-	-	-	-	-	-
		女	1	1	-	-	-	-	-	-	-
16500	胎児及び新生児の出血性 障害及び血液障害		1	1	-	-	-	-	-	-	-
		男	1	1	-	-	-	-	-	-	-
		女	-	-	-	-	-	-	-	-	-
16600	その他の周産期に発生した 病態		3	3	-	-	-	-	-	-	-
		男	3	3	-	-	-	-	-	-	-
		女	-	-	-	-	-	-	-	-	-
17000	先天奇形, 変形及び染色体異 常		60	34	1	2	2	-	2	1	-
		男	23	14	1	1	1	-	-	1	-
		女	37	20	-	1	1	-	2	-	-
17100	神経系の先天奇形		7	6	1	-	-	-	-	-	-
		男	2	1	1	-	-	-	-	-	-
		女	5	5	-	-	-	-	-	-	-
17200	循環器系の先天奇形		22	9	-	1	2	-	2	-	-
		男	7	4	-	-	1	-	-	-	-
		女	15	5	-	1	1	-	2	-	-
17201	心臓の先天奇形		13	7	-	1	1	-	-	-	-
		男	7	4	-	-	1	-	-	-	-
		女	6	3	-	1	-	-	-	-	-
17202	その他の循環器系の先 天奇形		9	2	-	-	1	-	2	-	-
		男	-	-	-	-	-	-	-	-	-
		女	9	2	-	-	1	-	2	-	-
17300	消化器系の先天奇形		3	-	-	1	-	-	-	-	-
		男	2	-	-	1	-	-	-	-	-
		女	1	-	-	-	-	-	-	-	-
17400	その他の先天奇形及び変 形		17	9	-	-	-	-	-	1	-
		男	9	6	-	-	-	-	-	1	-
		女	8	3	-	-	-	-	-	-	-
17500	染色体異常, 他に分類され ないもの		11	10	-	-	-	-	-	-	-
		男	3	3	-	-	-	-	-	-	-
		女	8	7	-	-	-	-	-	-	-
18000	症状, 徴候及び異常臨床所 見・異常検査所見で他に分類 されないもの		1,042	9	-	1	1	2	2	3	3
		男	321	7	-	-	-	-	1	3	3
		女	721	2	-	1	1	2	1	-	-
18100	老衰		846	-	-	-	-	-	-	-	-
		男	202	-	-	-	-	-	-	-	-
		女	644	-	-	-	-	-	-	-	-
18200	乳幼児突然死症候群		4	4	-	-	-	-	-	-	-
		男	4	4	-	-	-	-	-	-	-
		女	-	-	-	-	-	-	-	-	-
18300	その他の症状, 徴候及び異 常臨床所見・異常検査所見 で他に分類されないもの		192	5	-	1	1	2	2	3	3
		男	115	3	-	-	-	-	1	3	3
		女	77	2	-	1	1	2	1	-	-
20000	傷病及び死亡の外因		1,799	14	4	2	39	70	62	78	94
		男	1,203	6	2	1	27	53	45	62	74
		女	596	8	2	1	12	17	17	16	20

第14表 死亡数,性・年齢(5歳階級)・死因(死因簡単分類)別

死 因 簡単分類 コ ー ド	死 因	性	総 数	4 歳 以下	5 ～ 9 歳	10 ～ 14 歳	15 ～ 19 歳	20 ～ 24 歳	25 ～ 29 歳	30 ～ 34 歳	35 ～ 39 歳
20100	不慮の事故		938	11	2	-	27	20	21	18	20
		男	573	5	2	-	20	17	18	13	15
		女	365	6	-	-	7	3	3	5	5
20101	交通事故		246	1	1	-	23	13	13	8	9
		男	170	1	1	-	17	11	12	7	8
		女	76	-	-	-	6	2	1	1	1
20102	転倒・転落		142	-	-	-	-	-	2	3	2
		男	90	-	-	-	-	-	1	3	2
		女	52	-	-	-	-	-	1	-	-
20103	不慮の溺死及び溺水		122	2	-	-	1	1	2	-	2
		男	62	-	-	-	1	1	2	-	1
		女	60	2	-	-	-	-	-	-	1
20104	不慮の窒息		223	5	-	-	-	1	-	-	2
		男	125	3	-	-	-	1	-	-	1
		女	98	2	-	-	-	-	-	-	1
20105	煙,火及び火炎への曝露		35	3	1	-	-	1	-	2	3
		男	24	1	1	-	-	1	-	-	2
		女	11	2	-	-	-	-	-	2	1
20106	有害物質による不慮の中毒及び有害物質への曝露		21	-	-	-	1	1	2	3	1
		男	14	-	-	-	1	-	1	2	-
		女	7	-	-	-	-	1	1	1	1
20107	その他の不慮の事故		149	-	-	-	2	3	2	2	1
		男	88	-	-	-	1	3	2	1	1
		女	61	-	-	-	1	-	-	1	-
20200	自殺		770	-	-	1	11	49	37	57	71
		男	568	-	-	1	6	35	26	46	57
		女	202	-	-	-	5	14	11	11	14
20300	他殺		7	1	-	-	-	1	-	1	2
		男	5	1	-	-	-	1	-	1	1
		女	2	-	-	-	-	-	-	-	1
20400	その他の外因		84	2	2	1	1	-	4	2	1
		男	57	-	-	-	1	-	1	2	1
		女	27	2	2	1	-	-	3	-	-

平成19年

40～ 44歳	45～ 49歳	50～ 54歳	55～ 59歳	60～ 64歳	65～ 69歳	70～ 74歳	75～ 79歳	80～ 84歳	85～ 89歳	90～ 94歳	95～ 99歳	100歳 以上	不詳
15	19	38	54	61	82	77	112	150	107	73	28	3	-
13	15	31	40	43	62	46	65	85	45	26	11	1	-
2	4	7	14	18	20	31	47	65	62	47	17	2	-
7	7	15	18	18	26	24	24	31	5	2	-	1	-
6	7	12	12	12	18	12	12	18	2	1	-	1	-
1	-	3	6	6	8	12	12	13	3	1	-	-	-
-	3	6	8	6	12	10	15	18	30	18	8	1	-
-	2	6	8	6	10	8	12	12	12	6	2	-	-
-	1	-	-	-	2	2	3	6	18	12	6	1	-
3	4	3	8	10	10	10	25	20	13	5	3	-	-
2	1	3	3	7	9	6	12	7	4	2	1	-	-
1	3	-	5	3	1	4	13	13	9	3	2	-	-
1	1	3	9	9	19	20	21	46	38	32	15	1	-
1	1	3	8	4	15	14	12	26	15	14	7	-	-
-	-	-	1	5	4	6	9	20	23	18	8	1	-
-	1	4	3	4	5	1	3	3	1	-	-	-	-
-	1	2	2	3	4	1	3	2	1	-	-	-	-
-	-	2	1	1	1	-	-	1	-	-	-	-	-
-	1	2	1	1	1	1	2	1	2	1	-	-	-
-	1	1	1	1	1	1	1	1	2	-	-	-	-
-	-	1	-	-	-	-	1	-	-	1	-	-	-
4	2	5	7	13	9	11	22	31	18	15	2	-	-
4	2	4	6	10	5	4	13	19	9	3	1	-	-
-	-	1	1	3	4	7	9	12	9	12	1	-	-
53	53	85	97	71	46	42	35	32	21	8	1	-	-
43	43	60	75	53	36	32	24	15	10	5	1	-	-
10	10	25	22	18	10	10	11	17	11	3	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
4	2	2	11	2	8	11	15	6	5	4	1	-	-
3	2	2	9	2	7	8	10	4	3	2	-	-	-
1	-	-	2	-	1	3	5	2	2	2	1	-	-