

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	100 東海村石神																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	74	78	74	76	74	74	74	76	74	74	74	75	73	75	74	75	75	74	76	76	74	75	75	75	74	74	78	77	74	74		78	73	75	53888	30	
05	74	72	74	76	76	74	74	74	75	74	75	(74)	(75)	(75)	73	77	75	74	76	75	76	74	74	76	74	73	73	73	74	74	74	77	72	74	54098	28	
06	76	74	74	74	74	74	75	75	75	75	75	75	76	75	75	74	74	75	74	74	75	75	76	76	77	75	74	75	75	75		77	74	75	53884	30	
07	75	75	75	75	75	75	75	75	75	75	77	74	75	74	75	78	75	76	75	76	75	75	75	75	75	74	74	74	73	73	74	78	73	75	55570	31	
08	74	74	74	74	74	74	74	74	74	76	75	76	76	77	80	75	75	76	76	76	75	75	77	76	76	76	76	75	75	76	76	80	74	75	56053	31	
09	76	76	76	78	76	75	75	75	75	76	75	75	75	76	75	75	76	75	75	76	75	75	75	75	76	75	76	75	75	76		78	75	75	54298	30	
10	75	76	77	75	76	76	75	76	76	75	76	77	77	76	76	76	75	75	77	79	77	76	75	75	75	78	75	75	75	76	77	79	75	76	56467	31	
11	76	76	76	76	76	76	76	75	75	75	75	78	75	77	81	76	76	77	79	77	76	75	75	76	76	76	77	76	77	77		81	75	76	54905	30	
12	76	75	75	78	78	76	76	76	75	76	76	76	76	75	76	77	76	77	76	77	77	77	77	77	77	77	77	77	83	77	79	83	75	77	56862	31	
01	78	76	76	77	76	78	78	76	77	77	78	78	77	76	78	81	77	76	75	77	77	76	76	77	78	78	77	77	78	78	78	81	75	77	57408	31	
02	79	78	77	77	77	76	76	78	76	78	77	76	76	76	76	78	76	76	77	79	78	77	78	78	79	76	77	77				79	76	77	51810	28	
03	76	77	77	80	76	76	76	77	77	76	80	79	78	77	76	76	78	77	76	77	77	80	83	78	80	77	77	79	78	78	77	83	76	78	57602	31	
最大	79	78	77	80	78	78	78	78	77	78	80	79	78	77	81	81	78	77	79	79	78	80	83	78	80	78	78	79	83	78	79						
最小	74	72	74	74	74	74	74	74	74	74	74	74	73	74	73	74	74	74	74	74	74	74	74	74	75	74	73	73	73	73	73	74					
平均	76	76	75	76	76	75	75	76	75	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76

年 平 均 値 : 76  
 1時間値の最大値 : 103 (02/25 03)  
 1時間値の最小値 : 72 (05/02 12) (05/02 06)  
 日平均値の最大値 : 83 (12/29) (03/23)  
 日平均値の最小値 : 72 (05/02)  
 月平均値の最大値 : 78 (03月)  
 月平均値の最小値 : 74 (05月)  
 日積算値の最大値 : 1993 (12/29)  
 日積算値の最小値 : 1327 (05/12)  
 年 積 算 値 : 662845  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	101 東海村豊岡																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	77	83	78	81	77	77	78	81	78	78	78	79	77	78	78	79	79	78	80	80	78	79	79	78	78	78	83	81	77	78		83	77	79	56685	30
05	77	76	77	80	81	77	78	78	79	78	79	77	79	78	77	81	78	78	(80)	79	(80)	77	78	79	77	77	77	77	78	78	79	81	76	78	56779	29
06	81	77	77	78	78	78	78	79	78	78	78	78	80	78	78	77	77	78	78	78	78	79	79	79	81	79	78	78	78	78		81	77	78	56296	30
07	78	78	78	78	78	78	79	79	79	80	81	78	79	78	79	83	79	80	79	80	80	79	79	79	79	78	77	78	77	77	77	83	77	79	58349	31
08	78	78	78	78	78	78	79	79	79	81	79	79	79	80	83	78	78	79	78	79	78	78	80	79	79	79	79	77	78	78	78	83	77	79	58540	31
09	79	79	79	80	78	78	78	78	78	78	77	77	78	79	78	77	78	79	78	79	78	79	78	78	78	78	79	78	78	78		80	77	78	56319	30
10	78	78	80	78	79	78	78	78	78	77	78	79	79	78	78	78	77	77	80	82	79	78	78	77	78	81	78	78	77	79	79	82	77	78	58291	31
11	78	78	78	79	79	79	79	78	78	78	78	80	78	80	84	78	78	80	81	79	78	78	78	78	78	79	79	79	79	79		84	78	79	56706	30
12	79	78	78	81	81	78	79	79	78	78	79	80	79	78	79	79	78	79	79	80	80	80	80	79	80	80	80	79	88	79	82	88	78	80	58875	31
01	80	78	79	79	78	80	80	78	79	79	80	80	79	79	81	83	78	78	77	78	79	78	78	79	80	81	79	79	80	80	81	83	77	79	58905	31
02	82	81	80	80	80	78	78	80	79	80	79	79	79	79	79	81	79	78	79	81	81	79	80	81	81	78	78	79				82	78	79	53365	28
03	79	79	79	83	78	78	78	79	79	78	82	81	80	79	79	79	81	80	78	79	79	82	86	80	81	79	79	82	80	79	79	86	78	80	59223	31
最大	82	83	80	83	81	80	80	81	79	81	82	81	80	80	84	83	81	80	81	82	81	82	86	81	81	81	83	82	88	80	82					
最小	77	76	77	78	77	77	78	78	78	77	77	77	77	78	77	77	77	77	77	78	78	77	78	77	77	77	77	77	77	77	77					
平均	79	79	78	79	79	78	78	79	78	79	79	79	79	79	79	79	78	78	79	79	79	79	79	79	79	79	79	79	79	79	79					

年 平 均 値 : 79  
 1時間値の最大値 : 105 (12/29 16)  
 1時間値の最小値 : 75 (02/25 11)  
 日平均値の最大値 : 88 (12/29)  
 日平均値の最小値 : 76 (05/02)  
 月平均値の最大値 : 80 (12月)(03月)  
 月平均値の最小値 : 78 (05月)(06月)(09月)(10月)  
 日積算値の最大値 : 2120 (12/29)  
 日積算値の最小値 : 1355 (05/19)  
 年 積 算 値 : 688333  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	102 東海村舟石川																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	74	80	75	78	75	75	75	78	75	75	75	76	74	75	75	76	76	75	77	77	75	76	76	75	75	75	80	78	75	75		80	74	76	54640	30
05	75	74	75	77	79	75	75	75	76	76	76	75	76	77	(74)	79	76	75	77	76	77	74	75	76	75	(75)	(75)	(74)	74	75	75	79	74	76	54354	27
06	78	74	74	74	75	75	75	76	75	75	75	75	77	75	75	74	74	75	74	74	75	75	76	76	78	75	75	75	75	75		78	74	75	53982	30
07	75	75	75	75	75	75	76	75	75	76	77	75	75	74	75	79	75	77	76	76	76	76	75	75	75	74	74	74	74	73	74	79	73	75	55736	31
08	74	74	74	74	74	74	75	75	75	77	75	76	76	76	80	75	75	75	75	75	75	75	77	76	76	75	76	74	75	75	75	80	74	75	55910	31
09	75	75	75	77	75	75	75	75	75	75	74	74	75	75	74	74	75	75	74	75	75	75	75	75	75	75	76	75	75	76		77	74	75	53926	30
10	75	75	77	75	76	76	75	76	76	75	76	76	77	75	76	75	75	75	77	80	77	75	75	74	75	78	75	75	74	76	77	80	74	76	56269	31
11	75	75	75	76	75	76	76	75	75	75	75	78	75	77	81	75	75	77	79	76	76	75	75	75	75	76	76	76	76	76		81	75	76	54646	30
12	75	75	75	77	78	75	76	76	74	75	76	76	75	75	75	76	75	76	75	76	77	76	76	76	76	76	76	76	82	76	79	82	74	76	56377	31
01	77	76	76	76	75	77	77	75	76	76	77	77	76	75	77	80	76	75	74	75	76	75	75	76	77	78	76	76	77	77	77	80	74	76	56635	31
02	78	77	76	76	76	75	75	77	75	76	75	75	76	75	75	77	75	74	76	78	77	75	76	77	78	76	76	76				78	74	76	51152	28
03	75	76	76	79	75	75	75	76	76	75	79	78	77	76	76	76	77	77	75	76	76	79	83	77	78	76	76	78	77	76	76	83	75	77	56886	31
最大	78	80	77	79	79	77	77	78	76	77	79	78	77	77	81	80	77	77	79	80	77	79	83	77	78	78	80	78	82	77	79					
最小	74	74	74	74	74	74	75	75	74	75	74	74	74	74	74	74	74	74	74	74	74	75	74	75	74	74	74	74	74	73	74					
平均	76	76	75	76	76	75	75	76	75	75	76	76	76	75	76	76	75	75	76	76	76	76	76	76	76	76	76	76	76	75	76					

年 平 均 値 : 76  
 1時間値の最大値 : 101 (03/23 20)  
 1時間値の最小値 : 72 (07/27 18) (07/27 15) (07/27 16) (07/27 17) (10/24 14)  
 日平均値の最大値 : 83 (03/23)  
 日平均値の最小値 : 73 (07/30)  
 月平均値の最大値 : 77 (03月)  
 月平均値の最小値 : 75 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 1986 (03/23)  
 日積算値の最小値 : 1257 (05/15)  
 年 積 算 値 : 660511  
 有効測定日数 : 361 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	110 那珂市横堀																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	73	79	74	76	73	73	73	76	73	73	73	74	72	74	73	74	74	73	75	75	73	75	74	74	73	73	78	76	73	73		79	72	74	53300	30	
05	73	71	73	75	77	72	73	73	74	74	74	73	74	75	72	77	(73)	(73)	75	75	76	73	74	76	73	73	73	73	74	74	74	77	71	74	53892	29	
06	76	73	73	73	73	73	74	75	74	74	74	74	76	74	74	73	73	74	73	73	74	74	75	75	77	74	73	74	74	74		77	73	74	53309	30	
07	74	74	74	74	74	74	75	74	74	74	77	74	74	73	74	79	75	75	75	75	75	75	75	74	74	74	73	73	73	73	73	79	73	74	55135	31	
08	73	73	73	73	73	74	75	74	74	77	75	75	75	76	80	74	74	75	74	75	74	74	76	75	75	75	75	73	74	74	75	80	73	75	55455	31	
09	74	75	75	77	75	74	74	74	74	74	74	74	74	74	73	74	74	74	74	75	74	75	74	74	75	74	75	74	73	75		77	73	74	53356	30	
10	74	74	77	73	76	74	74	75	75	73	74	74	75	74	74	74	73	73	76	79	76	74	73	73	73	76	73	73	73	74	75	79	73	74	55213	31	
11	73	74	73	74	73	74	74	73	73	72	72	76	73	75	80	73	73	75	78	75	74	73	73	73	73	74	74	74	74	74		80	72	74	53215	30	
12	74	73	73	76	76	74	74	74	73	73	73	74	73	72	73	74	73	73	73	73	74	73	74	73	74	75	74	74	82	74	77	82	72	74	54822	31	
01	76	74	74	75	74	75	75	74	75	75	75	75	74	74	76	79	74	73	73	73	74	73	73	74	75	76	74	74	75	76	76	79	73	75	55512	31	
02	77	76	75	74	75	74	73	76	74	75	74	74	74	74	74	76	73	73	74	77	76	74	75	76	77	74	74	74			77	73	75	50147	28		
03	74	74	74	78	74	74	74	74	74	74	78	76	75	75	73	74	75	75	73	74	74	78	81	74	76	73	73	76	74	73	74	81	73	75	55513	31	
最大	77	79	77	78	77	75	75	76	75	77	78	76	76	76	80	79	75	75	78	79	76	78	81	76	77	76	78	76	82	76	77						
最小	73	71	73	73	73	72	73	73	73	72	72	73	72	72	72	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73					
平均	74	74	74	75	74	74	74	74	74	74	74	74	74	74	74	75	75	74	74	74	75	75	74	75	74	74	74	74	74	74	74	75					

年 平 均 値 : 74  
 1時間値の最大値 : 101 (12/29 16)  
 1時間値の最小値 : 70 (08/05 19) (11/10 14)  
 日平均値の最大値 : 82 (12/29)  
 日平均値の最小値 : 71 (05/02)  
 月平均値の最大値 : 75 (08月) (01月) (02月) (03月)  
 月平均値の最小値 : 74 (04月) (05月) (06月) (07月) (09月) (10月) (11月) (12月)  
 日積算値の最大値 : 1979 (12/29)  
 日積算値の最小値 : 1242 (05/17) (05/18)  
 年 積 算 値 : 648867  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	103 東海村押延																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	72	78	73	75	72	72	73	76	73	73	72	73	71	73	73	73	74	72	74	74	73	74	73	73	73	72	77	76	72	72		78	71	73	52746	30			
05	72	71	72	75	77	71	72	72	73	(73)	(73)	71	73	73	71	75	72	72	73	73	74	71	71	73	71	70	70	70	71	72	72	77	70	72	52547	29			
06	75	71	71	71	71	71	72	73	71	72	72	72	74	71	72	71	71	72	71	71	72	72	72	73	75	72	71	72	72	72		75	71	72	51690	30			
07	72	72	72	72	71	72	72	72	72	73	74	72	72	71	72	76	72	73	73	73	73	73	72	72	72	71	71	71	70	70	70	76	70	72	53339	31			
08	71	71	71	71	71	71	72	72	72	74	72	72	72	73	77	72	71	72	72	72	71	71	73	73	73	72	72	70	71	72	72	77	70	72	53534	31			
09	72	72	72	74	72	71	71	72	72	71	71	71	71	72	71	71	72	72	71	72	72	72	71	71	71	71	72	71	71	72		74	71	72	51516	30			
10	71	72	74	71	73	72	71	72	73	71	72	73	73	72	72	72	71	71	73	77	74	72	72	71	72	75	72	71	71	72	73	77	71	72	53766	31			
11	72	72	72	72	72	72	72	71	72	71	71	74	72	74	78	73	72	74	76	73	73	72	72	72	73	73	73	73	73	73		78	71	73	52415	30			
12	73	72	72	75	75	73	73	73	72	72	72	73	72	71	72	73	72	73	72	73	73	73	73	73	73	73	73	73	80	72	75	80	71	73	54132	31			
01	74	72	73	73	72	73	74	72	73	73	74	74	73	73	75	78	73	72	71	72	73	72	72	73	74	74	73	73	74	74	74	78	71	73	54383	31			
02	75	75	74	73	74	72	72	74	72	73	73	73	73	72	73	75	72	71	73	74	74	72	73	74	75	72	72	73							75	71	73	49126	28
03	73	73	72	76	72	72	72	73	73	72	76	75	73	73	72	72	74	73	72	73	73	76	81	74	75	73	73	76	74	73	73	81	72	74	54587	31			
最大	75	78	74	76	77	73	74	76	73	74	76	75	74	74	78	78	74	74	76	77	74	76	81	74	75	75	77	76	80	74	75								
最小	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	70	70	70	70	70	70								
平均	73	72	72	73	73	72	72	73	72	72	73	73	73	72	73	73	72	72	73	73	73	73	73	73	73	73	72	72	73	72	73								

年 平 均 値 : 73  
 1時間値の最大値 : 100 (03/23 20)  
 1時間値の最小値 : 69 (07/27 18)  
 日平均値の最大値 : 81 (03/23)  
 日平均値の最小値 : 70 (05/26) (05/27) (05/28) (07/29) (07/30) (07/31) (08/28)  
 月平均値の最大値 : 74 (03月)  
 月平均値の最小値 : 72 (05月) (06月) (07月) (08月) (09月) (10月)  
 日積算値の最大値 : 1936 (03/23)  
 日積算値の最小値 : 1094 (05/11)  
 年 積 算 値 : 633780  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	104 東海村村松																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	79	84	79	81	79	78	79	82	79	79	79	80	78	79	79	80	80	78	80	81	79	80	80	79	79	79	83	82	78	79		84	78	80	57387	30
05	78	77	78	80	82	78	79	79	80	79	80	79	80	80	78	82	79	79	81	80	81	78	78	80	79	78	77	77	78	79	79	82	77	79	58865	31
06	82	(78)	(78)	(78)	78	79	79	80	78	79	79	79	81	79	79	78	78	79	78	78	79	80	80	80	82	79	78	79	79	78		82	78	79	55441	27
07	79	79	79	79	79	79	80	79	79	80	81	79	79	78	79	83	80	80	79	80	80	80	79	79	79	78	77	78	77	77	77	83	77	79	58594	31
08	78	78	78	78	78	78	78	78	79	81	80	80	79	80	84	79	79	81	80	79	78	79	80	80	80	79	79	78	79	79	79	84	78	79	58852	31
09	79	79	79	81	79	79	78	79	79	79	78	78	79	79	78	78	79	79	78	79	79	79	79	78	79	79	79	79	79	80		81	78	79	56728	30
10	78	79	81	78	80	80	79	80	80	78	79	80	80	79	79	79	78	78	80	84	81	79	79	78	79	82	79	78	78	80	80	84	78	79	59078	31
11	79	79	79	80	80	79	79	79	79	79	78	81	78	81	86	80	79	81	83	80	79	79	79	79	79	80	80	80	80	80		86	78	80	57381	30
12	79	79	79	81	82	80	80	80	79	79	79	80	80	78	79	80	79	79	79	80	81	81	80	80	80	81	80	79	87	80	82	87	78	80	59293	31
01	79	78	78	79	78	80	80	78	79	80	80	81	80	79	82	84	80	78	78	80	80	78	78	80	81	82	80	80	80	81	82	84	78	80	59266	31
02	83	81	80	80	80	79	79	81	79	81	79	79	79	80	80	82	80	78	80	81	82	79	80	81	82	79	79	80				83	78	80	53826	28
03	79	80	79	84	80	79	80	80	80	79	83	82	80	80	79	79	81	80	79	79	79	83	86	80	82	79	79	82	80	80	80	86	79	80	59700	31
最大	83	84	81	84	82	80	80	82	80	81	83	82	81	81	86	84	81	81	83	84	82	83	86	81	82	82	83	82	87	81	82					
最小	78	77	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	79	78	77	77	77	77	77				
平均	79	79	79	80	79	79	79	80	79	79	80	80	79	79	80	80	79	79	80	80	80	80	80	80	79	80	80	79	79	80	79	80				

年 平 均 値 : 79  
 1時間値の最大値 : 103 (03/23 20)  
 1時間値の最小値 : 75 (02/25 07)  
 日平均値の最大値 : 87 (12/29)  
 日平均値の最小値 : 77 (05/02) (05/27) (05/28) (07/27) (07/29) (07/30) (07/31)  
 月平均値の最大値 : 80 (04月) (11月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 79 (05月) (06月) (07月) (08月) (09月) (10月)  
 日積算値の最大値 : 2089 (12/29)  
 日積算値の最小値 : 1328 (06/02)  
 年 積 算 値 : 694411  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	120 ひたちなか市馬渡																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	79	85	80	83	80	79	79	83	80	80	80	80	79	80	80	80	81	80	82	81	80	81	80	80	80	80	83	82	80	79		85	79	80	57879	30	
05	80	78	80	82	84	79	79	79	80	80	80	79	80	81	79	83	80	80	81	81	82	79	79	81	79	79	78	78	79	80	80	84	78	80	59427	31	
06	82	79	79	79	79	79	79	80	(80)	(80)	(80)	80	82	79	80	78	79	79	79	79	79	80	80	80	81	80	80	79	79	79		82	78	80	55870	27	
07	80	79	80	79	79	79	80	79	79	80	82	79	79	78	79	82	80	81	81	80	80	80	79	80	79	79	78	78	78	78	79	82	78	80	59064	31	
08	79	79	79	79	79	79	80	79	79	82	80	81	81	81	85	80	80	80	80	80	80	79	81	80	80	80	81	79	80	80	80	85	79	80	59493	31	
09	80	80	79	81	80	80	79	79	79	79	79	79	79	79	78	78	79	80	79	80	79	80	80	78	79	80	80	80	80	80		81	78	79	57138	30	
10	79	80	83	79	81	80	79	80	82	79	81	80	81	79	80	80	80	79	81	85	83	80	80	79	80	82	79	79	79	80	81	85	79	80	59695	31	
11	79	79	80	80	80	80	81	79	79	79	79	81	80	82	86	80	79	81	83	81	80	80	80	80	80	81	81	81	80	80		86	79	80	57878	30	
12	80	79	79	82	83	80	80	80	79	78	79	80	79	78	79	79	78	79	79	79	80	80	80	79	80	81	80	80	88	80	83	88	78	80	59249	31	
01	81	80	80	80	79	80	80	79	80	80	80	80	79	79	82	85	79	78	77	78	79	78	79	79	80	81	79	79	80	81	81	85	77	80	59304	31	
02	81	80	80	79	80	79	78	81	78	80	79	79	79	78	79	82	79	78	80	81	81	79	79	81	81	79	79	79				82	78	80	53527	28	
03	79	79	79	83	79	79	78	79	79	78	82	81	80	80	79	79	80	80	78	80	80	82	86	80	82	79	79	82	80	80	80	86	78	80	59410	31	
最大	82	85	83	83	84	80	81	83	82	82	82	81	82	82	86	85	81	81	83	85	83	82	86	81	82	82	83	82	88	81	83						
最小	79	78	79	79	79	79	78	79	78	78	79	79	79	78	78	78	78	78	77	78	79	78	79	78	79	79	78	78	78	78	79						
平均	80	80	80	81	80	79	79	80	80	80	80	80	80	80	80	81	80	80	80	81	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80

年 平 均 値 : 80  
 1時間値の最大値 : 102 (03/23 20)  
 1時間値の最小値 : 75 (01/19 16) (01/22 20)  
 日平均値の最大値 : 88 (12/29)  
 日平均値の最小値 : 77 (01/19)  
 月平均値の最大値 : 80 (04月) (05月) (06月) (07月) (08月) (10月) (11月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 79 (09月)  
 日積算値の最大値 : 2112 (12/29)  
 日積算値の最小値 : 1355 (06/09)  
 年 積 算 値 : 697933  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	121 ひたちなか市常陸那珂																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	76	83	77	80	76	76	77	79	76	76	76	76	75	76	76	77	77	76	77	77	76	77	77	76	76	76	80	79	75	76	83	75	77	55314	30				
05	75	74	75	78	81	75	76	76	77	76	76	75	77	77	75	79	76	76	77	77	78	75	75	77	75	75	75	75	75	76	76	81	74	76	56598	31			
06	79	75	75	75	75	76	76	77	75	76	76	76	78	75	76	(74)	(75)	(75)	74	74	75	75	75	76	78	75	74	75	75	75	79	74	75	52882	27				
07	75	75	75	75	75	75	75	75	75	75	76	77	75	75	74	75	78	75	76	75	76	76	75	75	75	74	74	74	73	73	73	78	73	75	55675	31			
08	74	74	74	74	74	74	74	75	75	75	76	76	76	76	80	75	75	75	75	75	75	75	76	76	76	76	76	74	75	74	75	80	74	75	55917	31			
09	75	75	75	77	75	74	74	75	75	75	75	74	75	75	74	74	75	75	75	75	75	75	75	75	75	76	76	75	76	76	77	74	75	53972	30				
10	75	76	80	75	77	76	75	76	78	75	76	76	77	76	76	76	75	75	77	82	79	76	75	75	76	78	75	75	75	76	77	82	75	76	56769	31			
11	76	76	76	76	76	76	76	76	76	75	75	78	75	78	82	76	75	77	80	76	76	75	75	76	76	76	77	76	77	76	82	75	76	54954	30				
12	76	75	76	78	78	76	76	76	75	76	76	76	76	75	76	77	76	76	76	77	77	77	77	77	77	77	77	76	85	76	79	85	75	77	56793	31			
01	77	76	76	77	76	77	77	76	77	77	77	77	76	76	79	81	76	75	75	76	76	75	75	76	77	79	76	76	77	78	78	81	75	77	56960	31			
02	79	78	77	77	77	76	75	78	76	77	76	76	76	76	76	79	76	75	77	78	78	76	76	78	79	76	76	76							79	75	77	51490	28
03	76	76	76	80	76	75	76	76	76	75	80	78	77	77	76	76	78	77	76	76	76	79	84	77	78	76	76	79	76	76	76	84	75	77	57153	31			
最大	79	83	80	80	81	77	77	79	78	77	80	78	78	78	82	81	78	77	80	82	79	79	84	78	79	79	80	79	85	78	79								
最小	74	74	74	74	74	74	74	75	75	75	75	74	75	74	74	74	75	75	74	74	75	75	75	75	75	74	74	74	73	73	73								
平均	76	76	76	77	76	76	76	76	76	76	76	76	76	76	77	77	76	76	76	77	76	76	76	76	76	76	76	76	76	76	76								

年 平 均 値 : 76  
 1時間値の最大値 : 105 (03/23 20)  
 1時間値の最小値 : 73 (07/27 19) (07/31 23) (07/29 24) (08/01 01)  
 日平均値の最大値 : 85 (12/29)  
 日平均値の最小値 : 73 (07/29) (07/30) (07/31)  
 月平均値の最大値 : 77 (04月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 75 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2039 (12/29)  
 日積算値の最小値 : 1266 (06/17)  
 年 積 算 値 : 664475  
 有効測定日数 : 362 日



\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	122 ひたちなか市阿字ヶ浦																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	76	83	77	80	76	76	77	80	77	77	77	77	76	77	77	77	78	76	78	78	77	78	77	77	77	77	80	80	76	76	83	76	77	55733	30		
05	76	75	76	78	81	76	76	76	78	77	77	76	78	78	76	80	77	77	78	78	79	76	77	78	76	76	76	76	77	77	77	81	75	77	57327	31	
06	80	76	76	76	76	77	77	78	77	77	77	77	79	(77)	(77)	77	77	77	77	77	78	78	78	79	80	78	77	78	78	78	80	76	78	54835	28		
07	78	78	78	78	77	78	78	78	78	78	80	77	78	77	77	80	78	79	78	78	79	78	78	78	77	77	76	77	76	76	76	80	76	78	57687	31	
08	76	77	77	77	77	77	77	78	78	79	78	78	78	79	82	78	78	78	77	78	77	78	79	78	78	78	78	77	78	77	78	82	76	78	57814	31	
09	78	78	78	80	78	77	77	77	77	77	77	77	77	78	77	77	78	78	77	77	77	77	77	77	77	77	78	77	77	78	80	77	77	55665	30		
10	77	77	81	77	79	78	77	78	79	77	78	78	79	78	78	78	77	77	79	83	80	78	78	77	77	80	78	77	77	78	79	83	77	78	58109	31	
11	78	78	78	78	78	78	78	77	77	77	77	80	77	80	84	78	77	79	82	78	78	77	77	78	78	78	79	79	79	78	84	77	78	56356	30		
12	78	78	77	80	80	78	78	78	77	77	78	78	78	77	78	79	78	78	78	78	79	79	79	78	78	79	79	78	87	78	81	87	77	79	58158	31	
01	79	78	78	78	78	78	79	78	79	78	79	79	78	78	81	83	78	77	76	78	78	77	77	78	79	81	78	78	79	80	80	83	76	79	58370	31	
02	81	80	79	79	79	78	77	80	77	79	78	78	78	78	78	81	78	77	79	80	80	78	79	79	81	78	78	78				81	77	79	52801	28	
03	78	78	77	82	78	77	77	78	78	77	81	80	79	78	78	78	79	79	77	78	78	81	86	79	80	78	78	81	79	79	78	86	77	79	58541	31	
最大	81	83	81	82	81	78	79	80	79	79	81	80	79	80	84	83	79	79	82	83	80	81	86	79	81	81	80	81	87	80	81						
最小	76	75	76	76	76	76	76	76	77	77	77	76	76	77	76	77	77	76	76	77	77	76	77	77	76	76	76	76	76	76	76	76					
平均	78	78	78	79	78	77	77	78	78	78	78	78	78	78	78	79	79	78	78	78	79	78	78	78	78	78	78	78	78	78	78	78					

年 平 均 値 : 78  
 1時間値の最大値 : 105 (03/23 20)  
 1時間値の最小値 : 74 (05/02 10)  
 日平均値の最大値 : 87 (12/29)  
 日平均値の最小値 : 75 (05/02)  
 月平均値の最大値 : 79 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 77 (04月) (05月) (09月)  
 日積算値の最大値 : 2084 (12/29)  
 日積算値の最小値 : 1301 (06/14)  
 年 積 算 値 : 681397  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	123 ひたちなか市堀口																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	74	80	75	78	74	74	75	78	75	75	75	76	74	75	75	76	76	75	77	77	75	76	76	76	75	75	79	79	74	75		80	74	76	54567	30	
05	74	73	74	77	80	74	75	74	76	75	75	74	76	76	74	78	75	75	76	76	76	74	74	76	74	74	74	74	74	75	75	80	73	75	55832	31	
06	78	74	74	74	74	75	(74)	75	74	74	75	75	77	74	74	74	74	74	74	74	75	75	75	76	78	76	74	75	75	75		78	74	75	53126	29	
07	75	75	75	75	75	75	75	75	75	75	76	78	74	75	74	75	77	75	76	75	76	76	76	75	75	75	74	74	74	73	73	73	78	73	75	55694	31
08	74	74	74	74	74	74	75	75	75	77	76	76	76	77	81	75	75	75	75	76	75	75	75	77	76	76	76	74	75	75	75	81	74	75	55953	31	
09	75	75	75	77	75	74	74	75	75	75	74	74	75	75	74	74	75	76	75	75	75	75	75	74	75	75	76	74	75	75		77	74	75	53862	30	
10	74	75	78	74	76	75	74	76	76	74	75	75	76	75	76	75	74	74	77	81	77	75	75	74	74	78	74	74	74	76	76	81	74	75	56061	31	
11	75	75	75	75	75	75	75	74	75	74	74	77	75	77	82	75	75	77	79	75	75	74	75	75	75	76	76	76	76	76		82	74	76	54429	30	
12	76	75	75	78	77	75	75	75	74	75	75	76	75	74	75	76	75	75	75	76	76	76	76	76	76	76	76	76	84	75	78	84	74	76	56310	31	
01	77	75	75	76	75	76	76	75	76	76	76	76	75	75	79	81	75	74	74	75	75	74	74	75	77	78	76	75	76	77	77	81	74	76	56424	31	
02	78	77	76	76	76	75	75	78	75	77	75	75	75	75	75	78	75	74	76	77	77	75	76	77	78	75	75	75				78	74	76	50979	28	
03	75	75	75	79	74	74	75	75	75	75	79	78	76	76	75	75	77	76	75	76	76	79	84	76	78	75	75	79	76	76	76	84	74	76	56623	31	
最大	78	80	78	79	80	76	76	78	76	77	79	78	77	77	82	81	77	77	79	81	77	79	84	77	78	78	79	79	84	77	78						
最小	74	73	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	75	74	74	74	74	74	74	73	73	73						
平均	75	75	75	76	75	75	75	76	75	75	76	76	75	75	76	76	75	75	76	76	76	75	76	76	76	76	75	75	76	75	76						

年 平 均 値 : 75  
 1時間値の最大値 : 107 (03/23 20)  
 1時間値の最小値 : 72 (02/25 07)  
 日平均値の最大値 : 84 (12/29) (03/23)  
 日平均値の最小値 : 73 (05/02) (07/29) (07/30) (07/31)  
 月平均値の最大値 : 76 (04月) (11月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 75 (05月) (06月) (07月) (08月) (09月) (10月)  
 日積算値の最大値 : 2021 (12/29)  
 日積算値の最小値 : 1340 (06/07)  
 年 積 算 値 : 659859  
 有効測定日数 : 364 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	130 日立市久慈																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	71	76	71	74	71	71	72	74	71	71	71	72	71	72	71	72	73	71	73	73	72	72	72	72	72	71	76	75	71	71		76	71	72	51927	30			
05	71	70	71	73	75	71	71	71	72	72	72	71	72	72	70	75	72	71	73	73	73	71	71	74	71	70	70	70	71	71	72	75	70	72	53275	31			
06	74	70	70	71	71	71	71	73	71	71	72	71	73	71	71	70	70	71	71	71	(72)	72	72	73	75	72	71	72	72	72		75	70	72	50887	29			
07	72	71	72	71	71	71	72	72	72	72	73	71	72	71	72	76	72	73	72	73	72	72	72	72	72	71	70	71	70	70	70	76	70	72	53205	31			
08	70	71	71	70	71	71	72	71	72	74	72	72	72	73	77	72	71	72	72	72	71	71	73	72	72	72	72	71	71	71	72	77	70	72	53421	31			
09	72	72	72	73	72	71	71	72	71	71	71	71	71	72	71	71	72	72	71	72	72	72	72	71	71	72	72	71	71	72		73	71	72	51492	30			
10	71	72	74	71	73	72	71	72	73	71	72	72	73	72	72	72	71	71	73	77	73	72	72	71	72	74	72	71	71	72	73	77	71	72	53602	31			
11	72	72	72	72	72	72	72	71	71	71	71	74	72	73	77	72	71	73	75	73	72	72	71	72	72	73	73	73	73	73		77	71	72	51984	30			
12	72	71	71	74	75	72	72	72	71	71	72	73	72	71	72	73	71	72	72	72	73	73	73	72	73	73	73	72	80	72	75	80	71	73	53750	31			
01	73	72	72	73	72	73	74	72	73	72	73	73	72	72	75	77	72	71	70	72	72	71	71	72	73	74	72	72	73	74	74	77	70	73	53904	31			
02	75	74	73	73	(73)		(71)	73	71	73	72	72	72	72	72	74	72	71	73	74	74	72	73	73	74	72	72	72							75	71	73	45144	25
03	72	72	72	75	71	71	71	72	72	71	76	74	73	73	71	72	73	73	72	72	72	75	79	73	75	72	72	75	73	73	72	79	71	73	54108	31			
最大	75	76	74	75	75	73	74	74	73	74	76	74	73	73	77	77	73	73	75	77	74	75	79	74	75	74	76	75	80	74	75								
最小	70	70	70	70	71	71	71	71	71	71	71	71	71	71	70	70	70	71	70	71	71	71	71	71	71	70	70	70	70	70	70	70							
平均	72	72	72	73	72	71	72	72	72	72	72	72	72	72	73	73	72	72	72	73	72	72	73	72	72	72	72	72	72	72	72	72							

年 平 均 値 : 72  
 1時間値の最大値 : 94 (03/23 16)  
 1時間値の最小値 : 69 (05/02 21)  
 日平均値の最大値 : 80 (12/29)  
 日平均値の最小値 : 70 (05/02) (05/15) (05/26) (05/27) (05/28) (06/02) (06/03) (06/16) (06/17) (07/27) (07/29) (07/30) (07/31) (08/01) (08/04) (01/19)  
 月平均値の最大値 : 73 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 72 (04月) (05月) (06月) (07月) (08月) (09月) (10月) (11月)  
 日積算値の最大値 : 1925 (12/29)  
 日積算値の最小値 : 707 (02/07)  
 年 積 算 値 : 626696  
 有効測定日数 : 361 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	140 常陸太田市磯部																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	76	81	77	80	76	76	77	79	77	77	77	78	76	77	78	78	79	77	80	78	77	78	78	78	78	77	82	80	76	77		82	76	78	55987	30	
05	76	75	76	79	80	76	77	77	78	77	77	76	78	77	76	80	77	76	78	77	77	76	77	78	76	76	75	75	76	77	77	80	75	77	57175	31	
06	78	76	76	76	76	77	77	78	76	76	77	76	77	76	77	76	76	76	76	77	77	77	78	78	80	77	76	(77)	(76)	76		80	76	77	54408	28	
07	77	77	77	77	77	77	78	77	77	78	80	77	77	76	77	81	77	78	77	78	78	78	77	78	77	77	76	76	76	76	76	81	76	77	57198	31	
08	76	76	77	77	76	77	78	77	77	80	77	77	78	79	82	77	77	77	77	77	77	77	79	77	78	77	77	76	76	77	77	82	76	77	57471	31	
09	77	78	77	79	77	76	76	76	76	77	76	76	77	77	76	76	78	78	77	78	77	78	77	77	78	77	77	76	76	77		79	76	77	55372	30	
10	76	77	79	76	77	76	76	77	77	75	76	77	77	76	77	76	75	75	78	81	77	76	76	75	76	78	76	75	75	77	77	81	75	77	56879	31	
11	76	76	76	76	76	77	76	76	76	76	76	78	76	78	82	76	76	78	79	77	76	76	76	76	76	77	77	77	77	77		82	76	77	55248	30	
12	77	76	77	79	79	76	77	77	76	76	76	77	77	76	77	77	76	77	77	77	78	78	78	78	79	79	79	78	85	77	79	85	76	78	57511	31	
01	78	77	77	78	77	79	78	77	78	78	78	79	78	77	79	82	77	76	76	77	77	76	77	77	79	79	78	78	79	79	79	82	76	78	57890	31	
02	80	79	78	78	78	77	77	79	77	79	78	77	78	77	78	79	77	76	77	80	79	77	78	79	80	78	77	77			80	76	78	52454	28		
03	77	77	78	81	77	77	77	78	78	77	81	79	78	78	77	77	79	78	77	78	78	81	84	78	80	77	77	81	78	78	78	84	77	78	58165	31	
最大	80	81	79	81	80	79	78	79	78	80	81	79	78	79	82	82	79	78	80	81	79	81	84	79	80	79	82	81	85	79	79						
最小	76	75	76	76	76	76	76	76	76	75	76	76	76	76	76	76	75	75	76	77	76	76	76	75	76	76	75	75	75	76	76						
平均	77	77	77	78	77	77	77	77	77	77	77	77	77	77	77	78	78	77	77	77	78	77	77	78	77	77	77	77	77	77	77	78					

年 平 均 値 : 77  
 1時間値の最大値 : 105 (03/23 20)  
 1時間値の最小値 : 74 (05/02 08) (06/01 20) (10/18 17) (10/24 10) (10/24 22) (10/29 17) (11/11 19)  
 日平均値の最大値 : 85 (12/29)  
 日平均値の最小値 : 75 (05/02) (05/27) (05/28) (10/10) (10/17) (10/18) (10/24) (10/28) (10/29)  
 月平均値の最大値 : 78 (04月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 77 (05月) (06月) (07月) (08月) (09月) (10月) (11月)  
 日積算値の最大値 : 2039 (12/29)  
 日積算値の最小値 : 1389 (06/28)  
 年 積 算 値 : 675756  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	111 那珂市門部																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	70	75	71	74	70	70	71	73	71	71	71	72	70	71	71	72	72	71	73	73	71	73	72	71	71	71	76	73	70	71		76	70	72	51674	30
05	71	69	70	73	73	70	71	70	72	71	72	70	72	72	70	75	71	71	72	71	72	70	71	(71)	(68)	70	70	70	70	71	71	75	68	71	51983	29
06	72	70	70	70	70	71	71	72	70	71	71	71	72	71	71	70	70	71	70	70	71	71	72	72	74	71	71	71	71	71		74	70	71	51057	30
07	71	71	71	71	71	71	72	71	71	72	73	71	71	70	71	75	72	72	72	72	72	72	72	71	71	71	70	70	69	69	69	75	69	71	52855	31
08	70	70	70	70	70	70	72	70	71	73	72	72	72	73	77	71	71	71	71	71	71	71	73	72	73	72	72	70	70	71	71	77	70	71	53116	31
09	72	72	71	73	71	71	71	71	71	72	71	71	71	72	70	71	71	72	71	72	71	72	71	71	72	71	72	71	71	72		73	70	71	51322	30
10	71	71	74	71	72	71	71	72	72	70	72	72	72	71	72	71	70	71	73	77	73	72	71	70	71	74	71	71	71	72	73	77	70	72	53399	31
11	72	72	71	72	72	72	72	71	71	71	71	74	71	73	78	72	71	74	76	72	72	71	71	72	71	72	73	72	73	72		78	71	72	51871	30
12	72	71	71	74	74	71	72	72	71	71	72	72	72	71	72	72	71	72	72	72	73	73	73	72	73	73	73	72	80	71	75	80	71	72	53652	31
01	73	72	72	73	71	73	73	71	73	72	73	73	72	72	72	74	72	71	70	71	71	70	71	72	73	74	72	72	73	74	73	74	70	72	53666	31
02	74	74	73	72	72	71	71	73	71	73	72	72	72	71	72	73	71	70	72	75	74	72	73	73	74	72	72	72			75	70	72	48541	28	
03	71	72	72	74	71	71	71	72	72	71	75	73	73	72	71	72	73	73	71	72	72	76	78	73	74	72	72	75	73	72	72	78	71	73	53950	31
最大	74	75	74	74	74	73	73	73	73	73	75	74	73	73	78	75	73	74	76	77	74	76	78	73	74	74	76	75	80	74	75					
最小	70	69	70	70	70	70	71	70	70	70	71	70	70	70	70	70	70	70	70	70	71	70	71	70	68	70	70	70	69	69	69					
平均	72	72	71	72	72	71	71	72	71	72	72	72	72	72	72	72	71	71	72	72	72	72	72	72	72	72	72	72	72	71	72					

年 平 均 値 : 72  
 1時間値の最大値 : 99 (12/29 16)  
 1時間値の最小値 : 65 (05/25 04) (05/24 19)  
 日平均値の最大値 : 80 (12/29)  
 日平均値の最小値 : 68 (05/25)  
 月平均値の最大値 : 73 (03月)  
 月平均値の最小値 : 71 (05月) (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 1930 (12/29)  
 日積算値の最小値 : 1283 (05/24)  
 年 積 算 値 : 627086  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	112 那珂市菅谷																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	78	83	79	81	78	78	79	81	79	78	78	79	77	79	79	79	80	78	80	80	79	80	79	79	79	78	83	81	78	78	83	77	79	57010	30				
05	78	77	78	80	82	78	78	78	79	79	79	78	79	80	77	82	79	78	80	80	80	78	78	80	78	77	77	77	78	78	(79)	82	77	79	58061	30			
06	(80)	78	78	78	78	78	78	79	78	78	79	78	80	78	78	77	77	78	77	77	78	79	79	79	81	79	78	78	78	78	81	77	78	55887	29				
07	78	78	78	78	78	78	79	78	78	79	80	78	78	78	78	82	79	80	79	79	79	79	78	78	78	78	77	77	77	77	77	82	77	78	58131	31			
08	77	77	77	77	77	77	78	78	78	81	79	79	79	79	83	78	78	79	78	78	78	78	80	79	79	79	79	77	78	78	78	83	77	78	58273	31			
09	78	78	78	80	78	78	78	78	78	78	78	77	78	79	77	77	78	78	77	78	78	78	78	78	78	78	79	78	78	79	80	77	78	56154	30				
10	78	78	81	78	80	79	78	79	80	78	79	79	79	79	79	78	77	78	80	83	81	78	78	77	78	81	78	78	77	79	80	83	77	79	58598	31			
11	78	78	78	78	79	79	78	78	78	78	78	81	78	80	84	78	78	80	82	79	79	78	78	78	78	79	79	79	79	79	84	78	79	56800	30				
12	79	78	78	80	81	79	79	79	78	78	79	79	79	78	79	80	79	79	79	80	80	80	80	80	80	80	80	79	87	78	82	87	78	80	58938	31			
01	81	79	79	80	79	80	80	79	80	80	80	80	80	79	81	84	79	79	78	79	79	78	78	79	81	81	80	80	81	81	81	81	84	78	80	59395	31		
02	82	81	80	80	80	79	79	81	79	80	79	79	79	79	79	81	79	78	80	81	81	79	80	81	82	79	79	79							82	78	80	53708	28
03	(79)	79	79	82	79	79	79	80	80	79	83	82	80	80	79	79	81	80	79	79	80	83	87	81	82	80	79	82	81	80	80	80	87	79	80	58981	30		
最大	82	83	81	82	82	80	80	81	80	81	83	82	80	80	84	84	81	80	82	83	81	83	87	81	82	81	83	82	87	81	82								
最小	77	77	77	77	77	77	78	78	78	78	78	77	77	78	77	77	77	78	77	77	78	78	78	77	78	77	77	77	77	77	77	77	77	77	77	77	77		
平均	79	79	79	79	79	78	79	79	79	79	79	79	79	79	79	80	80	79	79	79	80	79	79	80	79	79	79	79	79	79	79	79	79	79	79	79	79		

年 平 均 値 : 79  
 1時間値の最大値 : 105 (03/23 20)  
 1時間値の最小値 : 75 (07/27 18)  
 日平均値の最大値 : 87 (12/29) (03/23)  
 日平均値の最小値 : 77 (04/13) (05/02) (05/15) (05/26) (05/27) (05/28) (06/16) (06/17) (06/19) (06/20) (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/02) (08/03) (08/04) (08/05) (08/06) (08/28) (09/12) (09/15) (09/16) (09/19) (10/17) (10/24) (10/29)  
 月平均値の最大値 : 80 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 78 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2082 (03/23)  
 日積算値の最小値 : 1185 (03/01)  
 年 積 算 値 : 689936  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	124 ひたちなか市佐和																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	66	72	67	71	67	66	67	71	68	67	67	67	66	68	67	67	67	66	68	67	65	65	67	67	67	67	71	70	66	65	72	65	67	48536	30		
05	66	65	66	67	71	65	66	66	67	67	65	64	65	65	64	70	66	66	68	68	69	66	67	68	65	63	62	62	61	61	60	71	60	65	48660	31	
06	68	64	63	62	61	62	(64)	(70)	65	64	64	64	66	63	62	63	63	62	60	60	62	61	62	62	66	64	62	63	62	62	70	60	63	43327	28		
07	62	63	63	62	61	61	62	62	61	61	64	62	62	62	62	66	62	63	62	62	62	63	62	61	60	60	60	60	60	60	59	66	59	62	45775	31	
08	60	60	60	60	60	60	61	58	57	62	61	61	61	61	68	61	61	60	59	60	60	61	63	62	62	61	62	60	62	60	60	68	57	61	45182	31	
09	60	61	61	64	62	60	59	59	60	60	60	59	59	59	60	61	61	60	58	59	59	60	60	60	61	62	64	62	61	61	64	58	60	43397	30		
10	61	62	66	64	66	64	64	65	66	63	64	64	65	64	65	64	63	64	66	70	67	64	64	63	64	67	65	66	66	67	66	70	61	65	47984	31	
11	65	70	82	86	89	77	66	65	66	65	65	68	66	69	74	68	68	70	72	68	68	67	68	68	68	70	69	70	70	69	89	65	70	50289	30		
12	69	69	69	72	70	69	70	70	69	69	70	70	69	67	68	68	68	69	68	68	69	70	71	70	71	71	71	70	80	70	74	80	67	70	51980	31	
01	72	70	70	70	71	74	74	73	74	74	75	75	74	73	76	79	73	72	71	72	73	72	72	73	74	75	73	73	73	75	75	79	70	73	54448	31	
02	77	76	75	74	74	73	72	75	72	73	73	73	73	73	72	76	72	71	74	75	75	73	73	75	76	73	73	72							49483	28	
03	72	73	72	78	72	72	72	72	72	71	76	74	74	73	72	72	73	72	71	72	72	75	80	72	75	72	72	75	73	72	73	80	71	73	54285	31	
最大	77	76	82	86	89	77	74	75	74	74	76	75	74	73	76	79	73	72	74	75	75	75	80	75	76	75	73	75	80	75	75						
最小	60	60	60	60	60	60	59	58	57	60	60	59	59	59	60	61	61	60	58	59	59	60	60	60	60	60	60	60	60	60	59						
平均	67	67	68	69	69	67	66	67	67	67	67	67	67	66	67	68	66	66	67	67	67	66	67	67	67	67	67	67	67	67	66	67					

年 平 均 値 : 67  
 1時間値の最大値 : 103 (03/23 20)  
 1時間値の最小値 : 53 (08/09 15)  
 日平均値の最大値 : 89 (11/05)  
 日平均値の最小値 : 57 (08/09)  
 月平均値の最大値 : 74 (02月)  
 月平均値の最小値 : 60 (09月)  
 日積算値の最大値 : 2130 (11/05)  
 日積算値の最小値 : 487 (06/08)  
 年 積 算 値 : 583346  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	125 ひたちなか市柳沢																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	65	70	65	69	65	65	65	68	65	65	65	65	64	66	65	66	65	65	67	65	65	65	67	67	67	67	70	70	66	66	70	64	66	47597	30		
05	65	64	66	67	70	65	66	65	67	67	66	65	65	65	64	70	67	66	68	68	69	66	66	68	66	64	63	63	63	64	64	70	63	66	48874	31	
06	69	65	64	64	63	64	64	(66)	67	66	66	67	68	66	65	65	65	64	63	63	64	64	64	64	65	67	66	64	65	64	64	69	63	65	46381	29	
07	65	65	65	64	64	63	64	64	64	64	66	65	64	64	65	66	64	65	64	64	64	64	64	63	63	63	63	62	62	62	62	62	66	62	64	47374	31
08	62	62	63	62	62	62	63	63	63	64	64	64	64	65	70	64	64	63	63	63	64	64	66	65	65	65	65	64	65	63	64	70	62	64	47491	31	
09	64	64	64	66	65	63	62	63	63	64	64	63	63	64	63	63	64	64	63	63	63	64	64	63	64	65	65	64	64	64	66	62	64	45859	30		
10	64	64	68	66	69	66	65	67	68	65	66	66	67	66	66	67	66	65	68	72	68	66	65	65	67	69	66	65	65	66	67	72	64	66	49429	31	
11	(67)	65	65	66	66	66	66	66	66	65	65	67	66	68	72	66	66	68	69	67	66	67	66	66	66	68	67	67	68	68	72	65	67	47534	29		
12	68	68	68	71	69	68	68	68	66	66	67	67	68	66	67	68	67	67	67	67	68	68	68	68	68	68	69	68	78	68	73	78	66	68	50721	31	
01	70	69	69	68	68	68	68	67	69	69	68	69	68	67	71	73	68	66	65	67	68	66	67	68	69	71	68	68	68	69	70	73	65	68	50819	31	
02	71	69	69	68	68	67	67	69	67	68	67	67	67	68	67	71	67	66	69	69	70	67	68	69	70	67	67	68							45720	28	
03	67	68	67	73	67	67	68	67	67	66	70	69	68	69	67	67	68	68	66	67	68	70	75	68	70	67	67	70	68	67	68	75	66	68	50622	31	
最大	71	70	69	73	70	68	68	69	69	69	70	69	68	69	72	73	68	68	69	72	70	70	75	69	70	71	70	70	78	69	73						
最小	62	62	63	62	62	62	62	63	63	64	64	63	63	64	63	63	64	63	63	63	63	63	64	63	63	63	62	62	62	62	62						
平均	66	66	66	67	66	65	66	66	66	66	66	66	66	66	66	67	67	66	66	66	66	66	66	67	66	67	67	66	66	67	66	67					

年 平 均 値 : 66  
 1時間値の最大値 : 93 (03/23 20)  
 1時間値の最小値 : 60 (07/27 15) (07/27 18) (07/27 16) (07/30 15)  
 日平均値の最大値 : 78 (12/29)  
 日平均値の最小値 : 62 (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/02) (08/04) (08/05) (08/06) (09/07)  
 月平均値の最大値 : 68 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 64 (07月) (08月) (09月)  
 日積算値の最大値 : 1878 (12/29)  
 日積算値の最小値 : 1131 (11/01)  
 年 積 算 値 : 578423  
 有効測定日数 : 363 日



\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	113 那珂市本米崎																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	67	74	68	72	68	67	67	71	68	67	67	66	67	68	67	67	66	65	68	66	64	65	67	68	68	67	73	70	66	65		74	64	68	48619	30	
05	64	65	67	67	71	66	66	65	66	66	64	63	64	64	63	69	64	64	66	67	68	66	67	(70)	64	62	62	62	62	62	62	71	62	65	47882	30	
06	68	63	63	62	62	63	63	65	64	64	66	66	68	65	65	65	65	64	63	63	64	64	65	65	69	66	65	65	62	63		69	62	65	46428	30	
07	64	64	65	64	64	63	64	64	64	65	65	60	64	63	64	68	61	65	64	64	65	65	64	64	63	63	63	63	63	62	62	68	60	64	47360	31	
08	63	64	64	63	63	63	65	64	64	66	65	64	65	66	72	65	64	64	63	64	64	65	68	66	66	65	66	64	65	64	64	72	63	65	48098	31	
09	65	65	65	67	65	64	64	64	64	65	64	64	64	65	64	65	66	65	64	65	64	65	65	64	65	65	67	65	64	64		67	64	65	46579	30	
10	65	65	69	66	68	66	64	66	66	66	63	64	64	65	64	65	66	66	(66)	67	72	67	66	64	65	65	70	67	67	67	69	67	72	63	66	48721	30
11	64	63	63	64	65	65	65	65	66	65	64	67	66	70	75	68	68	70	73	69	68	68	68	68	68	69	70	70	70	70	70		75	63	68	48577	30
12	70	69	69	71	69	68	69	69	67	68	68	69	68	68	68	69	68	69	69	69	70	70	70	70	70	70	70	70	78	69	73	78	67	69	51647	31	
01	71	70	69	70	69	71	70	69	70	70	71	71	70	69	73	76	71	69	68	70	70	70	71	72	72	73	72	72	71	71	72	76	68	71	52611	31	
02	75	74	73	73	73	71	71	73	71	71	70	71	71	71	70	73	70	69	72	73	72	71	71	72	75	72	71	71				75	69	72	48183	28	
03	70	71	71	76	71	72	71	71	69	69	73	71	70	70	69	69	71	70	68	69	69	74	78	70	72	70	69	73	70	70	70	78	68	71	52631	31	
最大	75	74	73	76	73	72	71	73	71	71	73	71	71	71	75	76	71	70	73	73	72	74	78	72	75	73	73	73	78	71	73						
最小	63	63	63	62	62	63	63	64	64	63	64	60	64	63	63	65	61	64	63	63	64	64	64	64	63	62	62	62	62	62	62						
平均	67	67	67	68	67	67	67	67	67	67	67	66	67	67	67	68	68	67	67	67	67	67	67	68	68	68	68	68	68	67	66	67					

年 平均 値 : 67  
 1時間値の最大値 : 104 (03/23 20)  
 1時間値の最小値 : 56 (07/12 14)  
 日平均値の最大値 : 78 (12/29) (03/23)  
 日平均値の最小値 : 60 (07/12)  
 月平均値の最大値 : 72 (02月)  
 月平均値の最小値 : 64 (07月)  
 日積算値の最大値 : 1876 (03/23)  
 日積算値の最小値 : 1057 (10/18)  
 年 積 算 値 : 587336  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	114 那珂市額田																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	66	71	67	69	67	66	67	68	67	66	66	66	65	67	66	67	66	65	68	65	64	64	66	66	67	66	70	69	66	65		71	64	67	47947	30	
05	65	64	66	67	69	65	66	65	66	66	63	63	64	62	63	68	65	64	67	66	67	65	65	67	(64)	62	60	60	58	57	57	69	57	64	47130	30	
06	65	63	62	61	60	60	61	63	64	63	63	63	63	62	61	62	62	60	59	59	60	59	60	59	63	62	61	61	59	59		65	59	61	44117	30	
07	60	61	61	60	59	58	59	59	59	58	58	58	60	60	60	62	57	59	59	58	58	59	58	58	57	57	56	57	57	56	56	62	56	58	43372	31	
08	56	57	57	57	56	56	57	57	57	58	59	58	58	58	64	59	59	58	57	57	58	59	61	59	60	60	60	58	60	59	57	64	56	58	43286	31	
09	58	59	59	60	60	58	57	54	56	57	56	56	56	56	56	58	58	57	54	56	54	56	56	56	57	58	60	59	58	57		60	54	57	41023	30	
10	57	58	62	62	63	62	61	63	63	61	62	61	62	62	62	62	61	61	(63)	66	64	62	61	61	62	63	61	62	62	63	62	66	57	62	45496	30	
11	62	62	61	62	62	62	62	61	62	61	61	63	61	63	67	63	63	65	66	63	62	62	62	63	63	66	64	65	66	67		67	61	63	45284	30	
12	66	65	65	68	65	64	66	64	61	61	61	62	62	61	62	62	61	62	62	62	62	63	64	63	63	63	64	63	70	64	66	70	61	63	47121	31	
01	64	63	63	63	62	64	63	62	64	63	64	64	63	64	66	68	64	64	63	64	64	62	63	64	65	66	64	64	65	66	65	68	62	64	47525	31	
02	66	64	64	64	64	63	63	63	60	61	60	60	60	60	59	62	60	59	61	62	61	60	60	61	62	60	60	59				66	59	61	41172	28	
03	59	60	60	62	60	59	59	59	60	59	62	61	61	61	60	60	60	60	59	60	60	62	65	60	64	63	61	65	62	62	62	65	59	61	45237	31	
最大	66	71	67	69	69	66	67	68	67	66	66	66	65	67	67	68	66	65	68	66	67	65	66	67	67	66	70	69	70	67	66						
最小	56	57	57	57	56	56	57	54	56	57	56	56	56	56	56	58	57	57	54	56	54	56	56	56	57	57	56	57	57	56	56						
平均	62	62	62	63	62	61	62	62	62	61	61	61	61	61	61	62	63	61	61	61	61	61	61	62	61	62	62	62	62	62	61	61					

年 平 均 値 : 62  
 1時間値の最大値 : 85 (04/28 14)  
 1時間値の最小値 : 51 (09/19 11) (09/19 12)  
 日平均値の最大値 : 71 (04/02)  
 日平均値の最小値 : 54 (09/08) (09/19) (09/21)  
 月平均値の最大値 : 67 (04月)  
 月平均値の最小値 : 57 (09月)  
 日積算値の最大値 : 1696 (04/02)  
 日積算値の最小値 : 1030 (05/25)  
 年 積 算 値 : 538712  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	115 那珂市鴻巣																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	48	55	49	53	49	48	49	53	49	49	49	48	47	49	49	49	49	48	51	49	47	47	49	49	49	49	54	52	48	47		55	47	49	35505	30	
05	48	47	48	50	53	48	48	48	50	49	47	46	47	47	46	52	48	47	50	51	51	48	49	51	47	46	44	44	44	44	45	53	44	48	35462	31	
06	50	(46)	45	46	46	46	46	49	48	47	48	47	49	47	46	46	46	46	44	44	46	45	46	46	50	47	46	46	46		50	44	47	33116	29		
07	46	46	47	46	45	44	46	46	45	46	48	46	45	45	46	50	46	46	46	45	46	46	46	45	45	44	44	44	44	43	44	50	43	46	33798	31	
08	44	45	45	44	44	44	46	45	45	47	44	46	46	47	54	46	47	45	45	45	46	46	49	47	48	47	47	45	46	46	45	54	44	46	34181	31	
09	46	47	46	48	47	46	45	44	44	46	44	44	44	44	44	45	45	45	43	45	44	45	44	44	45	46	48	46	46	45		48	43	45	32525	30	
10	45	46	50	48	51	49	47	50	51	48	49	48	49	49	49	49	48	48	51	56	52	49	49	48	48	52	48	49	48	49	51	56	45	49	36253	31	
11	49	48	48	48	49	49	49	48	48	48	48	52	49	50	56	50	49	52	54	50	49	49	49	50	49	51	51	51	52	52		56	48	50	35913	30	
12	51	51	51	53	52	50	52	50	49	49	49	50	49	49	49	50	49	50	50	49	51	51	52	51	51	51	51	51	62	50	55	62	49	51	37818	31	
01	52	50	50	51	50	52	51	50	51	51	51	52	51	50	51	56	50	49	48	50	50	49	49	50	51	52	51	50	50	51	51	56	48	51	37693	31	
02	53	53	52	51	51	50	49	52	49	50	50	50	50	50	49	53	49	48	51	53	52	50	51	52	53	50	50	49				53	48	51	33956	28	
03	49	50	50	55	49	49	49	50	49	48	53	51	51	51	50	50	51	50	49	49	50	53	58	50	52	50	50	53	50	50	50	58	48	51	37527	31	
最大	53	55	52	55	53	52	52	53	51	51	53	52	51	51	56	56	51	52	54	56	52	53	58	52	53	52	54	53	62	52	55						
最小	44	45	45	44	44	44	45	44	44	46	44	44	44	44	44	45	45	45	43	44	44	45	44	44	45	44	44	44	44	43	44						
平均	49	49	48	50	49	48	48	49	48	48	48	48	48	48	49	50	48	48	48	48	49	49	48	49	49	49	49	49	48	49	48	49					

年 平 均 値 : 48  
 1時間値の最大値 : 85 (03/23 20)  
 1時間値の最小値 : 41 (07/27 15) (07/27 16)  
 日平均値の最大値 : 62 (12/29)  
 日平均値の最小値 : 43 (07/30) (09/19)  
 月平均値の最大値 : 51 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 45 (09月)  
 日積算値の最大値 : 1486 (12/29)  
 日積算値の最小値 : 743 (06/02)  
 年 積 算 値 : 423747  
 有効測定日数 : 364 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	116 那珂市後台																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	62	68	62	66	62	62	62	65	62	62	62	62	61	62	62	62	63	62	64	63	62	63	62	63	62	62	67	66	62	61	68	61	63	45233	30				
05	62	60	61	64	67	61	61	61	63	62	62	61	62	62	60	65	62	61	63	63	64	61	62	63	61	60	60	59	59	59	59	67	59	62	45806	31			
06	63	60	60	(60)	59	60	60	62	61	60	61	60	62	60	60	60	60	60	59	59	60	60	60	60	63	61	60	60	60	60	63	59	60	42939	29				
07	60	60	60	60	59	59	60	60	59	60	62	60	60	59	60	63	60	61	60	60	59	60	60	60	59	58	58	58	58	58	58	63	58	60	44284	31			
08	58	59	59	59	58	58	59	59	59	62	60	60	61	61	67	60	60	60	59	60	60	60	62	61	61	61	62	60	61	60	60	67	58	60	44777	31			
09	61	60	61	63	60	60	60	59	59	60	59	59	59	60	59	60	60	59	58	59	59	59	59	59	60	61	62	60	60	60	63	58	60	42960	30				
10	60	60	64	62	64	62	62	63	64	61	62	62	63	62	63	62	61	61	64	69	65	62	62	61	62	65	62	62	62	63	64	69	60	63	46343	31			
11	62	62	62	62	62	62	62	61	62	61	61	64	62	64	69	63	63	65	66	63	62	62	62	63	63	64	64	64	65	65	69	61	63	45122	30				
12	64	64	64	66	65	63	64	64	62	62	63	63	63	62	63	63	62	63	63	63	64	64	64	64	64	64	64	64	73	62	67	73	62	64	47523	31			
01	65	63	63	64	63	64	64	63	64	64	64	64	64	64	63	65	69	63	62	61	62	63	62	62	63	64	65	63	63	64	65	65	69	61	64	47338	31		
02	66	65	64	64	64	62	62	65	62	64	63	63	63	63	62	66	62	62	64	65	64	63	64	65	66	63	63	63							66	62	64	42676	28
03	63	63	62	67	62	62	62	63	63	63	68	67	66	65	64	64	66	65	64	65	65	69	73	65	67	65	64	68	65	64	65	73	62	65	48241	31			
最大	66	68	64	67	67	64	64	65	64	64	68	67	66	65	69	69	66	65	66	69	65	69	73	65	67	65	67	68	73	65	67								
最小	58	59	59	59	58	58	59	59	59	60	59	59	59	59	59	60	60	59	58	59	59	59	59	59	59	58	58	58	58	58	58	58							
平均	62	62	62	63	62	61	62	62	62	62	62	62	62	62	62	63	63	62	62	62	63	62	62	63	62	63	62	62	62	63	62	63							

年 平 均 値 : 62  
 1時間値の最大値 : 95 (03/23 20)  
 1時間値の最小値 : 50 (09/05 24)  
 日平均値の最大値 : 73 (12/29) (03/23)  
 日平均値の最小値 : 58 (07/26) (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/05) (08/06) (09/19)  
 月平均値の最大値 : 65 (03月)  
 月平均値の最小値 : 60 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 1751 (03/23)  
 日積算値の最小値 : 1018 (06/04)  
 年 積 算 値 : 543241  
 有効測定日数 : 364 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	131 日立市大沼																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	77	83	77	81	77	76	77	80	77	77	77	77	77	78	78	77	77	77	79	78	77	77	78	78	78	77	83	81	77	76	83	76	78	56064	30		
05	76	76	76	79	81	77	77	76	78	78	77	75	76	76	75	80	77	77	79	78	79	77	78	80	76	(75)	74	74	74	73	74	81	73	77	56400	30	
06	80	76	75	74	74	74	75	78	77	76	76	76	78	75	75	75	75	74	74	74	75	75	75	75	79	77	75	76	75	75	80	74	76	54362	30		
07	75	75	75	74	74	74	75	75	75	75	76	75	76	74	75	78	75	76	75	75	75	75	75	74	74	74	73	74	73	71	70	78	70	74	55216	31	
08	70	71	71	71	73	73	74	74	74	76	75	75	75	76	80	75	75	75	74	74	74	75	77	75	75	75	76	74	75	74	75	80	70	74	55232	31	
09	75	75	75	76	75	74	74	74	74	75	74	74	74	75	74	74	74	74	74	75	74	76	75	75	75	76	77	76	76	75	77	74	75	53801	30		
10	75	75	79	78	79	78	76	77	80	77	78	78	79	79	80	80	79	77	80	84	80	78	77	77	78	81	79	78	77	78	79	84	75	78	57810	31	
11	78	78	77	78	78	78	78	77	77	76	76	80	78	79	83	79	78	79	81	79	78	77	77	77	77	79	79	78	79	81	83	76	78	56347	30		
12	80	79	79	81	81	79	80	79	80	79	78	81	80	79	78	78	79	79	79	79	80	80	81	80	80	80	80	80	90	81	84	90	78	80	59532	31	
01	82	80	80	80	81	81	80	80	82	82	82	82	81	79	82	84	79	78	77	78	79	78	78	79	80	81	80	79	79	81	81	84	77	80	59612	31	
02	83	82	80	80	80	79	78	81	78	79	79	79	79	79	78	82	79	78	80	81	82	79	80	81	83	80	80	79							53669	28	
03	80	80	79	84	79	79	79	78	78	78	81	81	80	80	78	78	79	79	78	78	78	81	85	79	84	81	80	84	82	81	81	85	78	80	59482	31	
最大	83	83	80	84	81	81	80	81	82	82	82	82	81	80	83	84	79	79	81	84	82	81	85	81	84	81	83	84	90	81	84						
最小	70	71	71	71	73	73	74	74	74	75	74	74	74	74	74	74	74	74	74	74	74	74	75	75	74	74	73	74	73	71	70						
平均	77	77	77	78	78	77	77	78	77	77	77	78	78	77	78	78	77	77	77	78	78	77	78	78	78	78	78	78	78	78	77	78					

年 平 均 値 : 77  
 1時間値の最大値 : 104 (12/29 16)  
 1時間値の最小値 : 68 (07/31 17)  
 日平均値の最大値 : 90 (12/29)  
 日平均値の最小値 : 70 (07/31) (08/01)  
 月平均値の最大値 : 80 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 74 (07月) (08月)  
 日積算値の最大値 : 2162 (12/29)  
 日積算値の最小値 : 1205 (05/26)  
 年 積 算 値 : 677525  
 有効測定日数 : 364 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	141 常陸太田市真弓																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	79	85	79	84	79	79	79	82	79	80	80	80	79	80	80	80	79	78	81	79	77	77	78	78	78	78	84	81	78	77		85	77	80	57282	30
05	77	76	78	80	82	78	78	77	79	79	77	75	76	76	75	81	77	76	78	78	79	77	78	81	77	75	(74)	73	73	73	73	82	73	77	56773	30
06	78	75	75	74	73	73	74	76	76	75	75	75	77	75	74	74	74	74	73	73	75	73	74	74	77	75	74	75	73	73		78	73	74	53580	30
07	74	74	74	73	73	73	74	73	73	74	75	73	74	73	74	77	73	74	73	73	73	74	73	73	72	72	71	72	72	72	72	77	71	73	54369	31
08	72	72	72	72	72	72	74	73	73	76	74	73	74	74	80	75	74	75	74	74	74	75	77	76	76	76	76	75	75	75	75	80	72	74	55323	31
09	75	76	75	77	76	75	74	74	75	76	75	74	75	75	73	73	74	73	72	73	72	73	73	73	74	74	75	74	73	74		77	72	74	53396	30
10	73	74	77	76	78	76	75	77	79	76	77	77	78	77	78	78	77	77	81	84	80	79	78	78	78	81	78	78	78	79	80	84	73	78	57351	31
11	79	78	77	78	78	78	78	77	78	77	77	81	78	80	85	79	79	81	82	79	79	78	78	79	79	80	80	80	81	82		85	77	79	56997	30
12	80	79	80	83	81	78	80	80	79	79	78	81	80	78	78	78	77	78	78	78	79	79	80	80	80	80	80	80	92	80	84	92	77	80	59438	31
01	81	80	79	80	79	82	80	79	80	81	81	82	80	79	82	85	79	78	77	79	79	79	79	80	81	82	80	80	80	81	82	85	77	80	59627	31
02	83	82	81	80	81	79	79	81	79	80	79	79	79	79	79	83	79	78	81	82	81	79	80	82	84	79	80	79			84	78	80	53866	28	
03	79	80	79	85	80	79	79	79	79	78	83	81	80	80	79	79	80	79	78	79	79	82	90	85	89	86	86	91	87	86	87	91	78	82	60900	31
最大	83	85	81	85	82	82	80	82	80	81	83	82	80	80	85	85	80	81	82	84	81	82	90	85	89	86	86	91	92	86	87					
最小	72	72	72	72	72	72	74	73	73	74	74	73	74	73	73	73	73	73	72	73	72	73	73	73	72	72	71	72	72	72	72					
平均	77	78	77	78	78	77	77	77	77	77	78	78	77	77	78	78	77	77	77	78	77	77	78	78	79	78	78	78	78	77	79					

年平均値 : 78  
 1時間値の最大値 : 126 (02/25 03)

1時間値の最小値 : 69 (07/17 14) (07/27 14)

日平均値の最大値 : 92 (12/29)

日平均値の最小値 : 71 (07/27)

月平均値の最大値 : 82 (03月)  
 月平均値の最小値 : 73 (07月)  
 日積算値の最大値 : 2217 (12/29)

日積算値の最小値 : 1264 (05/27)

年積算値 : 678902  
 有効測定日数 : 364 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	142 那珂市瓜連																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	59	64	59	62	59	59	59	61	59	59	59	59	57	58	58	58	58	57	60	59	57	58	59	59	58	58	63	61	58	57		64	57	59	42519	30	
05	58	57	58	60	62	58	58	58	59	59	58	57	58	58	56	62	58	57	60	60	60	58	58	60	57	56	56	56	56	56	56	62	56	58	43046	31	
06	(60)	56	55	55	55	55	56	58	57	56	57	57	58	56	56	56	56	55	55	56	56	56	56	56	59	57	56	57	56	56		60	55	56	40097	29	
07	56	56	56	55	55	55	56	56	56	56	58	56	56	56	56	60	56	57	56	56	56	56	56	56	55	55	55	55	54	54	54	60	54	56	41375	31	
08	54	55	55	55	54	55	56	55	55	57	56	56	56	57	62	56	57	56	55	56	56	56	59	57	58	57	57	55	56	56	56	62	54	56	41739	31	
09	56	57	56	58	57	56	55	54	55	56	55	55	55	55	55	55	55	55	55	56	55	56	56	56	57	56	57	55	56	56		58	54	56	40050	30	
10	56	56	60	57	59	57	56	58	59	56	57	57	57	57	57	57	57	57	59	63	60	58	57	57	57	60	57	57	57	58	59	63	56	58	42480	31	
11	58	58	57	57	57	57	57	57	57	57	57	59	57	58	63	58	58	60	61	58	58	57	58	58	58	59	59	59	59	60		63	57	58	41844	30	
12	59	59	59	61	60	58	60	59	59	58	58	60	59	58	58	58	57	59	58	58	59	59	59	59	59	59	59	59	59	67	57	62	67	57	59	44012	31
01	60	59	58	59	58	60	59	58	60	59	60	60	59	58	59	62	58	58	57	58	59	57	58	58	59	60	59	59	59	59	60	62	57	59	43851	31	
02	61	60	59	59	59	58	58	60	58	59	58	58	58	58	58	60	57	57	59	61	60	58	59	60	61	58	58	58				61	57	59	39452	28	
03	58	58	58	62	57	58	57	58	57	57	61	59	59	59	57	58	59	58	57	58	58	61	65	58	60	58	58	60	58	58	58	65	57	59	43459	31	
最大	61	64	60	62	62	60	60	61	60	59	61	60	59	59	63	62	59	60	61	63	60	61	65	60	61	60	63	61	67	60	62						
最小	54	55	55	55	54	55	55	54	55	56	55	55	55	55	55	55	55	55	55	55	55	56	56	56	55	55	55	55	54	54	54						
平均	58	58	58	58	58	57	57	58	58	57	58	58	57	57	58	58	57	57	58	58	58	58	58	58	58	58	58	58	58	58	57	58					

年 平 均 値 : 58  
 1時間値の最大値 : 84 (03/23 20)  
 1時間値の最小値 : 53 (07/27 16) (07/30 17)  
 日平均値の最大値 : 67 (12/29)  
 日平均値の最小値 : 54 (07/29) (07/30) (07/31) (08/01) (08/05) (09/08)  
 月平均値の最大値 : 59 (04月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 56 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 1611 (12/29)  
 日積算値の最小値 : 1072 (06/01)  
 年 積 算 値 : 503924  
 有効測定日数 : 364 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	143 常陸大宮市根本																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	71	77	71	76	71	71	72	74	72	71	71	72	70	72	72	72	72	71	74	72	70	71	72	71	71	71	77	75	70	70		77	70	72	51755	30
05	69	68	69	72	75	70	70	70	72	71	70	69	71	70	69	75	71	70	72	72	73	70	71	73	70	68	68	68	68	68	(69)	75	68	70	51746	30
06	72	68	68	68	67	68	68	71	69	69	69	69	70	69	68	68	68	68	68	67	69	68	69	69	72	70	68	70	68	68		72	67	69	49503	30
07	69	69	69	69	68	68	69	69	68	69	71	69	69	68	69	73	69	70	69	69	69	69	69	69	69	68	67	67	67	66	66	73	66	69	50946	31
08	67	67	67	67	67	67	70	68	68	70	69	69	69	70	77	69	70	69	68	69	69	69	73	70	72	70	71	68	69	69	69	77	67	69	51502	31
09	69	71	70	72	71	69	69	69	69	71	69	69	69	69	68	69	70	70	68	70	69	70	69	69	71	70	71	69	69	70		72	68	70	50058	30
10	69	70	74	71	73	71	70	72	73	70	71	71	72	71	72	71	70	71	73	79	74	71	71	70	(71)	74	71	71	71	72	73	79	69	72	52873	30
11	72	72	71	71	71	72	72	71	71	71	71	74	71	73	78	72	72	74	77	72	72	71	72	72	72	74	73	74	74	75		78	71	73	52188	30
12	74	73	73	76	75	73	74	74	73	73	73	75	73	73	73	73	72	73	73	73	74	74	74	73	74	74	74	73	84	72	77	84	72	74	54976	31
01	75	73	73	74	73	75	74	73	74	74	75	75	74	72	73	77	72	72	71	72	72	72	72	73	74	75	73	73	74	74	74	77	71	73	54635	31
02	76	75	74	74	73	72	72	74	72	73	72	73	73	72	73	75	72	71	74	76	75	73	74	75	76	73	73	73				76	71	74	49375	28
03	73	73	72	78	72	72	72	73	73	72	77	74	74	74	73	73	75	73	72	73	73	76	81	73	76	73	73	76	74	73	73	81	72	74	54820	31
最大	76	77	74	78	75	75	74	74	74	74	77	75	74	74	78	77	75	74	77	79	75	76	81	75	76	75	77	76	84	75	77					
最小	67	67	67	67	67	67	68	68	68	69	69	69	69	68	68	68	68	68	68	67	69	68	69	69	69	68	67	67	67	66	66					
平均	71	71	71	72	71	71	71	71	71	71	72	72	71	71	72	72	71	71	72	72	72	71	72	72	72	72	72	71	72	71	72					

年 平均 値 : 71  
 1時間値の最大値 : 107 (03/23 20)  
 1時間値の最小値 : 64 (07/27 17) (07/27 15) (07/27 16)  
 日平均値の最大値 : 84 (12/29)  
 日平均値の最小値 : 66 (07/30) (07/31)  
 月平均値の最大値 : 74 (12月) (02月) (03月)  
 月平均値の最小値 : 69 (06月) (07月) (08月)  
 日積算値の最大値 : 2011 (12/29)  
 日積算値の最小値 : 1103 (05/31)  
 年 積 算 値 : 624376  
 有効測定日数 : 363 日



\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	144 常陸太田市久米																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	59	63	59	62	58	59	59	61	60	59	59	59	58	59	59	60	59	59	61	59	58	59	60	59	60	60	63	61	58	58		63	58	60	42811	30	
05	58	57	58	60	62	58	58	57	59	59	58	56	58	58	57	62	59	57	60	61	60	58	58	61	57	56	55	(55)	56	57	57	62	55	58	42884	30	
06	61	58	57	57	57	57	56	58	57	57	58	58	59	57	57	58	57	57	57	56	57	57	58	57	60	58	57	58	57	56		61	56	57	41333	30	
07	57	57	58	57	56	56	58	57	57	57	59	57	57	57	58	61	58	58	58	58	58	58	57	57	57	56	55	56	55	55	54	61	54	57	42238	31	
08	55	56	56	56	55	56	58	52	52	56	56	56	56	56	61	55	55	54	53	54	54	55	57	55	56	55	55	53	54	53	53	61	52	55	40903	31	
09	54	55	54	56	55	54	53	53	54	55	53	54	54	54	53	53	54	53	52	53	52	54	53	53	55	53	55	54	53	53		56	52	54	38580	30	
10	54	54	58	57	58	56	55	57	57	55	56	55	56	56	56	56	55	55	58	61	(59)	57	57	57	57	60	57	57	58	59	60	61	54	57	41822	30	
11	59	58	57	58	58	58	58	57	57	57	57	60	58	59	63	59	59	61	62	59	59	58	59	59	59	61	60	60	60	61		63	57	59	42413	30	
12	60	59	59	62	60	58	61	60	60	59	59	61	60	59	58	59	58	59	59	58	59	60	61	60	61	61	61	60	69	59	63	69	58	60	44670	31	
01	61	60	60	60	60	62	61	60	61	61	62	62	60	59	59	63	59	58	58	59	59	59	59	59	60	60	59	60	60	61	61	63	58	60	44614	31	
02	63	62	61	60	60	59	59	60	58	60	59	59	59	59	59	61	58	57	59	61	61	59	60	61	61	59	60	59				63	57	60	40063	28	
03	59	59	58	62	58	58	59	59	58	58	61	60	60	60	58	59	60	59	58	59	59	61	65	59	63	62	61	65	61	61	61	65	58	60	44506	31	
最大	63	63	61	62	62	62	61	61	61	61	62	62	60	60	63	63	60	61	62	61	61	61	65	61	63	62	63	65	69	61	63						
最小	54	54	54	56	55	54	53	52	52	55	53	54	54	54	53	53	54	53	52	53	52	54	53	53	55	53	55	53	53	53	53						
平均	58	58	58	59	58	57	58	58	58	58	58	58	58	58	58	59	58	57	58	58	58	58	59	58	59	58	58	58	58	58	57	58					

年 平 均 値 : 58  
 1時間値の最大値 : 86 (12/29 16)  
 1時間値の最小値 : 48 (08/09 16)  
 日平均値の最大値 : 69 (12/29)  
 日平均値の最小値 : 52 (08/08) (08/09) (09/19) (09/21)  
 月平均値の最大値 : 60 (04月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 54 (09月)  
 日積算値の最大値 : 1653 (12/29)  
 日積算値の最小値 : 939 (05/28)  
 年 積 算 値 : 506836  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	203 三菱原燃																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	75	80	76	80	76	75	76	79	76	76	76	76	75	76	76	76	76	75	77	76	74	75	76	77	77	76	81	79	76	75		81	74	76	55023	30	
05	76	75	76	78	80	75	75	75	77	77	75	74	75	75	74	80	77	75	78	77	78	75	76	78	74	73	73	72	73	73	73	80	72	76	56127	31	
06	79	75	75	74	74	75	76	77	76	76	76	76	78	75	75	75	75	75	74	74	75	(75)	75	75	79	77	75	76	75	75		79	74	75	53639	29	
07	75	76	76	75	74	73	75	75	74	75	77	75	75	74	75	79	75	76	75	75	75	76	75	74	74	73	72	73	73	72	73	79	72	75	55439	31	
08	73	73	73	73	73	73	74	74	74	76	75	75	75	76	82	75	75	75	74	74	75	75	78	76	76	76	76	75	75	75	74	82	73	75	55702	31	
09	75	75	75	78	76	74	74	74	74	75	75	74	74	74	74	74	75	75	74	75	74	75	75	75	76	76	77	75	75	75		78	74	75	53946	30	
10	75	76	79	76	77	76	75	77	78	75	76	76	78	77	77	77	76	76	78	82	79	77	76	76	76	79	76	76	76	77	78	82	75	77	57135	31	
11	76	76	76	76	76	77	76	75	76	75	75	79	76	78	83	(78)	77	79	81	78	77	76	77	77	77	79	78	78	79	80		83	75	77	55158	29	
12	79	78	78	81	80	77	79	78	76	76	77	78	77	77	77	78	77	78	77	78	78	79	80	79	79	80	79	79	88	79	83	88	76	79	58515	31	
01	81	79	79	79	78	79	79	78	79	79	79	79	79	77	80	83	77	77	76	77	78	77	77	78	79	80	78	78	79	80	80	83	76	79	58462	31	
02	81	80	79	79	79	77	77	79	77	78	77	78	77	77	77	80	77	76	78	80	79	77	78	79	80	78	78	77				81	76	78	52567	28	
03	78	78	78	82	77	78	77	78	78	77	81	80	79	79	77	78	78	78	77	78	78	81	85	78	81	78	78	80	78	78	78	85	77	79	58368	31	
最大	81	80	79	82	80	79	79	79	79	79	81	80	79	79	83	83	78	79	81	82	79	81	85	79	81	80	81	80	88	80	83						
最小	73	73	73	73	73	73	74	74	74	75	75	74	74	74	74	74	75	75	74	74	74	75	75	74	74	73	72	72	73	72	73						
平均	77	77	77	78	77	76	76	77	76	76	77	77	76	76	77	78	76	76	77	77	77	76	77	77	77	77	77	77	77	77	76	77					

年 平 均 値 : 77  
 1時間値の最大値 : 107 (03/23 20)  
 1時間値の最小値 : 69 (07/27 16)  
 日平均値の最大値 : 88 (12/29)  
 日平均値の最小値 : 72 (05/28) (07/27) (07/30)  
 月平均値の最大値 : 79 (12月) (01月) (03月)  
 月平均値の最小値 : 75 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2114 (12/29)  
 日積算値の最小値 : 1274 (06/22)  
 年 積 算 値 : 670080  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	204 原燃工																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	55	62	56	59	56	57	58	60	55	55	55	55	54	58	57	57	56	55	57	56	55	56	57	56	56	56	60	59	55	55		62	54	57	40701	30
05	55	53	55	57	59	56	57	57	59	59	58	56	55	55	53	59	55	55	57	57	57	55	55	59	57	56	53	53	53	54	54	59	53	56	41586	31
06	59	54	54	54	54	54	56	56	55	55	55	55	57	54	54	54	54	56	53	53	55	54	56	57	60	58	56	55	54	54		60	53	55	39503	30
07	(55)	(55)	54	54	55	53	55	54	54	55	59	56	57	55	54	59	54	55	54	55	55	55	54	54	53	53	52	53	52	52	52	59	52	54	39586	29
08	54	53	53	53	53	53	54	54	54	56	55	57	55	55	61	54	54	54	53	54	54	54	56	55	55	55	55	53	54	54	54	61	53	54	40465	31
09	54	54	54	57	55	54	53	53	54	54	54	53	54	54	54	54	54	55	55	54	54	55	54	54	54	55	56	54	54	57		57	53	54	39077	30
10	54	55	58	55	57	55	54	56	56	54	57	58	57	56	56	56	55	57	59	61	58	58	58	57	58	61	56	55	55	57	57	61	54	57	42150	31
11	56	55	55	58	58	56	56	56	55	55	55	59	56	58	63	57	57	58	60	56	55	56	57	58	(58)	(58)	57	57	57	57		63	55	57	40168	28
12	57	57	58	60	59	57	56	56	56	56	56	57	57	56	58	59	58	57	56	57	60	60	59	57	58	59	58	57	66	57	61	66	56	58	43037	31
01	58	57	57	59	58	60	60	58	58	58	58	59	57	56	59	61	56	56	55	56	57	56	56	57	59	61	59	59	59	61	59	61	55	58	43152	31
02	60	59	58	57	57	56	55	58	55	57	57	56	56	56	56	58	56	55	56	58	58	56	56	57	60	59	58	58			60	55	57	38348	28	
03	58	57	56	60	56	56	56	57	57	55	60	58	58	57	56	56	58	57	56	56	57	60	64	57	60	57	56	58	57	57	57	64	55	58	42695	31
最大	60	62	58	60	59	60	60	60	59	59	60	59	58	58	63	61	58	58	60	61	60	60	64	59	60	61	60	59	66	61	61					
最小	54	53	53	53	53	53	53	53	54	54	54	53	54	54	53	54	54	54	53	53	54	54	54	54	53	53	52	53	52	52	52					
平均	56	56	56	57	56	56	56	56	56	56	57	57	56	56	57	57	56	56	56	56	56	56	57	57	57	57	56	56	56	56	56					

年 平 均 値 : 56  
 1時間値の最大値 : 86 (08/15 08)  
 1時間値の最小値 : 50 (07/27 15)  
 日平均値の最大値 : 66 (12/29)  
 日平均値の最小値 : 52 (07/27) (07/29) (07/30) (07/31)  
 月平均値の最大値 : 58 (12月) (01月) (03月)  
 月平均値の最小値 : 54 (07月) (08月) (09月)  
 日積算値の最大値 : 1587 (12/29)  
 日積算値の最小値 : 872 (07/01)  
 年 積 算 値 : 490467  
 有効測定日数 : 361 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	150 大洗町大貫																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	70	76	70	73	70	70	70	73	70	70	70	71	69	71	70	71	71	70	71	71	70	71	71	71	70	70	73	73	69	70		76	69	71	50958	30	
05	69	68	69	72	74	69	70	70	71	71	70	70	71	71	69	73	70	70	72	71	73	70	70	71	69	69	69	69	70	70	70	74	68	70	52247	31	
06	72	69	69	69	69	69	70	70	70	70	70	70	72	70	70	69	69	69	69	69	70	70	71	71	73	71	70	70	(69)		73	69	70	49948	29		
07	(69)	(69)	69	69	70	70	70	70	70	70	72	69	69	69	70	71	70	71	70	70	70	70	70	70	69	69	68	68	68	68	68	68	72	68	70	50942	29
08	68	69	69	69	68	69	69	70	70	70	71	71	70	71	76	70	69	70	69	70	69	70	71	70	70	70	70	69	70	69	70	76	68	70	51865	31	
09	70	70	70	72	70	69	69	70	70	69	69	69	70	70	69	69	70	70	69	70	70	70	70	69	70	70	70	70	70	70		72	69	70	50198	30	
10	69	70	73	69	72	70	69	71	72	69	70	71	71	70	70	70	69	69	72	77	73	70	70	69	70	74	70	69	69	71	72	77	69	71	52526	31	
11	70	70	70	71	70	71	70	70	70	70	70	72	70	72	77	70	70	72	74	71	71	70	70	70	70	71	71	71	71	71		77	70	71	50987	30	
12	71	70	70	73	73	71	70	70	69	70	70	71	70	69	70	71	70	70	70	70	71	71	71	70	71	71	71	70	79	70	74	79	69	71	52412	31	
01	71	70	70	71	70	70	71	70	71	71	71	71	70	70	73	76	70	69	69	70	70	69	69	70	71	74	70	70	71	72	72	76	69	71	52543	31	
02	73	72	71	70	71	70	69	72	70	71	70	70	70	70	70	73	70	69	71	72	73	70	71	72	72	70	70	70			73	69	71	47501	28		
03	70	70	70	74	70	70	70	70	70	69	74	72	71	71	70	70	71	71	70	70	70	74	79	71	73	70	70	73	71	71	71	79	69	71	52827	31	
最大	73	76	73	74	74	71	71	73	72	71	74	72	72	72	77	76	71	72	74	77	73	74	79	72	73	74	73	73	79	72	74						
最小	68	68	69	69	68	69	69	70	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	68	68	68	68	68						
平均	70	70	70	71	71	70	70	70	70	70	71	70	70	70	71	71	70	70	70	71	71	70	71	70	71	71	70	70	71	70	71						

年 平 均 値 : 70  
 1時間値の最大値 : 99 (03/23 20) (03/23 16)  
 1時間値の最小値 : 67 (07/27 20) (07/27 15) (07/27 16) (07/30 21) (07/30 14) (07/30 10)  
 日平均値の最大値 : 79 (12/29) (03/23)  
 日平均値の最小値 : 68 (05/02) (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/05)  
 月平均値の最大値 : 71 (04月) (10月) (11月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 70 (05月) (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 1900 (03/23)  
 日積算値の最小値 : 1249 (06/30)  
 年 積 算 値 : 614953  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	170 茨城町広浦																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	68	74	69	72	68	68	69	72	69	69	69	69	68	70	69	69	70	68	70	70	69	70	69	69	69	69	73	71	68	69		74	68	70	50064	30	
05	68	67	68	71	73	68	69	69	70	69	70	68	70	70	68	72	69	69	71	70	71	68	68	70	69	68	68	68	68	69	69	73	67	69	51394	31	
06	71	68	68	68	68	68	69	69	69	69	69	69	71	69	69	68	68	68	68	68	69	69	(69)	(70)	(71)	70	69	69	69	70		71	68	69	48387	27	
07	69	69	69	69	69	69	70	69	69	70	71	69	69	68	70	71	69	71	70	70	70	70	69	69	69	68	68	68	68	67	68	71	67	69	51413	31	
08	68	68	68	68	68	68	69	69	69	70	70	70	70	71	75	69	69	69	69	70	69	69	71	70	70	70	70	68	70	69	69	75	68	69	51521	31	
09	69	69	69	71	69	68	68	69	69	69	68	68	69	69	68	68	69	69	68	69	69	69	69	68	68	69	69	68	69	69		71	68	69	49515	30	
10	68	69	72	69	71	70	69	70	71	68	69	70	70	69	69	69	68	68	71	75	72	69	69	68	69	72	69	68	68	70	70	75	68	70	51802	31	
11	69	69	69	70	69	69	69	69	69	69	69	71	69	71	76	69	69	71	73	70	69	69	69	69	69	70	70	70	70	70		76	69	70	50240	30	
12	69	69	69	72	72	70	70	70	69	70	70	71	70	69	70	71	70	70	70	71	72	71	71	71	71	71	71	71	79	70	73	79	69	71	52363	31	
01	71	70	70	71	70	71	71	70	71	71	71	71	70	70	74	76	71	69	69	70	70	69	69	70	72	75	71	70	71	72	72	76	69	71	52747	31	
02	73	72	71	71	71	70	70	72	70	72	70	70	70	70	70	74	70	69	71	72	72	70	71	72	73	70	70	70			74	69	71	47651	28		
03	70	71	70	74	70	70	70	70	70	70	74	72	71	71	70	70	71	71	70	70	70	74	79	72	73	70	70	74	71	71	71	79	70	71	52941	31	
最大	73	74	72	74	73	71	71	72	71	72	74	72	71	71	76	76	71	71	73	75	72	74	79	72	73	75	73	74	79	72	73						
最小	68	67	68	68	68	68	68	69	69	68	68	68	68	68	68	68	68	68	68	68	68	69	68	68	68	68	68	68	68	68	67	68					
平均	70	70	69	70	70	69	69	70	70	69	70	70	70	70	71	70	69	70	70	70	70	70	70	70	70	70	70	70	70	70	70						

年 平 均 値 : 70  
 1時間値の最大値 : 99 (03/23 16)  
 1時間値の最小値 : 67 (05/02 19) (06/01 17) (06/01 21)  
 日平均値の最大値 : 79 (12/29) (03/23)  
 日平均値の最小値 : 67 (05/02) (07/30)  
 月平均値の最大値 : 71 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 69 (05月) (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 1892 (03/23)  
 日積算値の最小値 : 1111 (06/23)  
 年 積 算 値 : 610035  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	160 銚田市造谷																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	69	74	70	73	70	70	70	73	70	70	70	71	69	71	70	71	71	70	71	71	70	71	71	71	70	70	73	73	70	70	74	69	71	50854	30				
05	70	68	69	72	75	69	70	69	71	70	71	70	70	71	69	72	70	70	72	72	72	69	69	71	69	69	69	68	69	70	70	75	68	70	52163	31			
06	72	69	69	69	69	70	70	70	70	70	70	70	72	70	70	69	69	69	69	69	70	70	71	71	72	70	70	70	70	71	72	69	70	50396	30				
07	70	70	70	70	70	70	71	70	70	71	71	70	70	(68)	(68)	(69)	68	69	68	69	68	68	68	68	68	67	66	66	66	66	66	66	71	66	69	49885	28		
08	67	67	67	67	67	67	67	68	68	68	69	69	69	70	73	68	67	68	68	68	67	68	69	68	68	69	68	67	68	67	68	73	67	68	50513	31			
09	68	(68)	(68)	69	68	67	67	68	68	67	67	67	67	68	67	67	68	68	67	68	68	68	67	67	67	68	68	67	68	68	69	67	68	47662	28				
10	68	68	72	67	70	68	67	68	70	67	67	68	68	68	68	68	67	67	69	74	70	68	67	67	67	71	67	67	67	68	70	74	67	68	50821	31			
11	68	68	68	69	69	69	69	68	68	68	68	70	68	70	74	68	68	70	71	69	69	68	69	69	69	69	69	70	70	69	74	68	69	49594	30				
12	69	68	68	71	71	69	69	70	68	69	69	70	69	68	69	70	69	69	69	69	70	70	70	70	70	70	69	78	69	73	78	68	70	51637	31				
01	70	69	69	69	69	69	70	69	70	70	70	71	70	70	73	75	70	69	68	69	70	68	69	70	71	74	70	70	71	72	72	75	68	70	52151	31			
02	72	71	71	71	71	70	69	72	69	71	70	69	70	70	70	73	68	68	70	70	72	69	70	71	72	69	69	69							73	68	70	47125	28
03	69	70	69	74	69	69	69	69	69	69	73	71	70	70	69	69	70	71	69	70	70	73	80	70	71	69	69	73	70	70	70	80	69	70	52310	31			
最大	72	74	72	74	75	70	71	73	71	71	73	71	72	71	74	75	71	71	72	74	72	73	80	71	72	74	73	73	78	72	73								
最小	67	67	67	67	67	67	67	68	68	67	67	67	67	68	67	67	67	67	67	68	67	68	67	67	67	67	66	66	66	66	66								
平均	69	69	69	70	70	69	69	70	69	69	70	70	69	69	70	70	69	69	69	70	70	69	70	69	70	70	69	69	70	69	70								

年 平 均 値 : 69  
 1時間値の最大値 : 102 (03/23 16)  
 1時間値の最小値 : 65 (07/27 16) (07/27 17)  
 日平均値の最大値 : 80 (03/23)  
 日平均値の最小値 : 66 (07/27) (07/28) (07/29) (07/30) (07/31)  
 月平均値の最大値 : 71 (04月)  
 月平均値の最小値 : 68 (08月) (09月) (10月)  
 日積算値の最大値 : 1913 (03/23)  
 日積算値の最小値 : 1152 (09/02) (09/03)  
 年 積 算 値 : 605111  
 有効測定日数 : 360 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	161 銚田市荒地																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	75	81	76	78	75	75	76	80	75	76	76	76	75	76	76	76	77	75	76	77	76	77	77	76	76	76	79	78	75	76		81	75	76	55001	30	
05	75	74	75	78	80	75	75	75	76	77	76	75	76	77	75	78	76	76	77	78	78	75	75	77	75	75	74	74	75	76	76	80	74	76	56484	31	
06	79	75	75	75	75	75	76	76	75	76	76	76	78	76	76	75	75	75	75	75	76	76	76	77	78	76	75	76	76	77		79	75	76	54560	30	
07	76	75	75	75	76	76	(75)	(74)	(74)	75	76	74	74	74	75	76	75	76	75	75	75	75	74	74	74	74	73	73	73	73	73	76	73	75	54149	28	
08	73	73	73	73	73	74	74	74	74	75	76	75	75	76	81	75	74	75	74	75	74	74	75	75	75	75	75	74	75	74	75	81	73	75	55493	31	
09	75	75	75	76	75	74	74	74	74	74	74	73	74	74	73	73	74	74	74	74	74	74	74	73	73	75	75	74	74	75		76	73	74	53309	30	
10	74	74	79	74	77	75	74	75	77	74	74	75	76	75	74	74	74	74	76	82	77	75	74	73	74	78	74	74	74	75	76	82	73	75	55853	31	
11	75	74	74	75	75	75	75	74	74	74	74	76	74	77	81	75	74	76	78	75	75	74	74	74	75	75	75	75	75	75		81	74	75	54037	30	
12	75	74	74	77	77	75	75	76	75	75	76	76	76	75	75	76	75	76	76	76	77	77	76	76	76	77	77	76	85	76	79	85	74	76	56505	31	
01	77	75	75	76	76	76	77	75	76	76	77	77	76	76	79	82	76	75	74	75	76	74	75	76	77	81	76	76	76	77	78	82	74	76	56813	31	
02	78	77	77	76	77	75	75	79	75	77	76	76	76	76	76	80	76	75	77	77	78	76	76	78	79	76	76	76			80	75	77	51401	28		
03	76	76	75	81	76	75	75	76	76	75	79	77	77	76	76	76	76	77	75	76	76	79	86	77	78	76	76	80	77	76	76	86	75	77	57124	31	
最大	79	81	79	81	80	76	77	80	77	77	79	77	78	77	81	82	77	77	78	82	78	79	86	78	79	81	79	80	85	77	79						
最小	73	73	73	73	73	74	74	74	74	74	74	73	74	74	73	73	74	74	74	74	74	74	74	73	73	74	73	73	73	73	73	73					
平均	75	75	75	76	76	75	75	76	75	75	76	76	75	76	76	76	75	75	76	76	76	76	76	76	76	76	75	75	76	75	76						

年 平 均 値 : 76

1時間値の最大値 : 108 (03/23 16)

1時間値の最小値 : 72 (07/27 17) (09/18 12) (09/18 14)

日平均値の最大値 : 86 (03/23)

日平均値の最小値 : 73 (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/02) (08/03) (08/04) (08/05) (09/12) (09/15) (09/16) (09/24) (09/25) (10/24)

月平均値の最大値 : 77 (02月) (03月)

月平均値の最小値 : 74 (09月)

日積算値の最大値 : 2068 (03/23)

日積算値の最小値 : 1283 (07/07)

年 積 算 値 : 660730

有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	192 水戸市石川																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	76	80	76	79	77	76	77	79	77	77	77	77	76	77	77	77	78	76	78	78	77	78	77	77	77	77	80	80	76	76	80	76	77	55572	30		
05	76	75	76	78	79	76	77	76	78	77	77	76	78	78	76	80	77	77	78	78	79	76	76	78	76	76	75	76	76	76	76	80	75	77	57153	31	
06	79	76	76	76	76	76	76	77	76	76	77	76	78	76	76	76	76	76	76	76	76	76	77	77	79	77	76	76	76	76	79	76	76	54963	30		
07	76	76	76	76	76	76	77	76	76	77	78	76	76	75	76	78	77	77	77	(77)	(77)	77	77	77	76	76	75	76	75	75	75	78	75	76	55483	29	
08	75	76	76	76	75	76	76	76	76	77	77	77	78	78	81	77	76	77	76	77	76	76	78	78	77	77	77	76	77	76	77	81	75	77	57034	31	
09	77	77	77	78	77	76	76	76	76	77	76	76	76	77	76	76	77	77	76	77	76	77	76	76	76	77	77	76	76	77	78	76	77	55073	30		
10	76	77	80	77	79	77	76	77	79	76	77	78	78	77	78	77	76	76	78	82	79	77	77	76	77	79	77	76	76	77	78	82	76	77	57616	31	
11	77	77	77	77	77	77	77	76	77	76	76	79	77	78	82	77	77	79	80	78	77	77	77	77	77	78	78	78	78	78	82	76	77	55496	30		
12	77	76	77	79	80	77	77	77	77	77	77	78	77	76	77	78	77	77	77	77	78	78	78	77	78	78	78	77	84	76	80	84	76	78	57474	31	
01	78	77	77	78	77	78	78	77	78	78	78	78	77	77	79	82	77	77	76	77	77	76	76	77	78	80	78	77	78	79	79	82	76	78	57829	31	
02	80	79	78	78	78	77	77	79	77	78	77	77	77	77	77	79	77	76	78	79	79	77	78	79	79	77	77	77							52244	28	
03	77	77	77	79	76	76	77	77	77	77	80	79	78	78	77	77	78	78	77	77	77	80	84	78	80	77	77	80	78	78	78	84	76	78	57903	31	
最大	80	80	80	79	80	78	78	79	79	78	80	79	78	78	82	82	78	79	80	82	79	80	84	79	80	80	80	80	84	79	80						
最小	75	75	76	76	75	76	76	76	76	76	76	76	76	75	76	76	76	76	76	76	76	76	76	76	76	76	75	76	75	75	75						
平均	77	77	77	77	77	77	77	77	77	77	77	77	77	77	78	78	77	77	77	78	77	77	78	77	77	77	77	77	77	77	77	78					

年 平 均 値 : 77  
 1時間値の最大値 : 101 (03/23 20)  
 1時間値の最小値 : 73 (07/27 20) (03/04 19) (03/04 21)  
 日平均値の最大値 : 84 (12/29) (03/23)  
 日平均値の最小値 : 75 (05/02) (05/27) (07/14) (07/27) (07/29) (07/30) (07/31) (08/01) (08/05)  
 月平均値の最大値 : 78 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 76 (06月) (07月)  
 日積算値の最大値 : 2021 (03/23)  
 日積算値の最小値 : 1304 (07/20)  
 年 積 算 値 : 673839  
 有効測定日数 : 363 日



\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	191 水戸市大場																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	79	84	79	82	79	79	79	82	79	79	79	80	78	80	80	80	80	79	80	81	80	81	80	80	80	79	83	83	79	79		84	78	80	57625	30	
05	79	78	79	81	83	78	79	79	80	80	80	79	80	80	78	82	79	79	81	80	81	79	79	80	79	78	78	78	79	79	79	83	78	80	59103	31	
06	82	78	78	79	79	79	79	80	79	79	79	79	81	79	79	78	78	79	78	78	79	80	80	80	82	80	79	79	79	79		82	78	79	57018	30	
07	79	79	79	79	79	79	80	79	79	80	81	(79)	(79)	78	79	81	79	81	80	80	80	80	79	79	79	78	78	78	78	77	78	81	77	79	57899	29	
08	78	78	78	78	78	78	79	79	79	80	80	80	80	81	84	79	79	79	79	80	79	79	80	80	80	80	80	78	79	79	79	84	78	79	58879	31	
09	79	79	79	81	79	78	78	79	79	79	78	78	79	79	78	78	79	79	79	79	79	79	79	78	78	79	79	79	79	80		81	78	79	56790	30	
10	79	79	82	78	81	79	78	80	81	79	79	80	80	79	80	79	78	78	81	85	82	79	79	78	79	82	79	78	78	80	81	85	78	80	59225	31	
11	79	79	79	80	79	79	79	78	79	78	78	81	79	81	85	79	79	81	83	80	79	79	79	79	79	80	80	80	80	80		85	78	80	57413	30	
12	80	79	79	82	82	79	80	80	79	79	80	80	80	79	79	80	79	80	80	80	81	81	81	80	80	81	81	80	87	79	83	87	79	80	59503	31	
01	81	80	80	80	79	80	81	79	80	80	80	81	80	80	83	85	80	79	78	79	79	78	79	80	81	83	80	80	81	82	81	85	78	80	59698	31	
02	83	81	80	80	81	79	79	81	79	81	80	79	80	79	80	82	79	79	80	81	81	80	80	81	81	80	80	79				83	79	80	53878	28	
03	80	80	79	83	79	79	79	80	80	79	83	82	81	80	79	79	80	81	79	80	80	83	87	81	82	79	80	83	81	80	80	87	79	81	59819	31	
最大	83	84	82	83	83	80	81	82	81	81	83	82	81	81	85	85	80	81	83	85	82	83	87	81	82	83	83	83	87	82	83						
最小	78	78	78	78	78	78	78	78	79	78	78	78	78	78	78	78	78	78	78	78	79	78	79	78	78	78	78	78	78	77	78						
平均	80	80	79	80	80	79	79	80	79	79	80	80	80	80	80	80	80	79	79	80	80	80	80	80	80	80	80	80	80	80	79	80					

年 平 均 値 : 80  
 1時間値の最大値 : 104 (03/23 16)  
 1時間値の最小値 : 76 (07/27 15) (02/25 07) (07/27 18)  
 日平均値の最大値 : 87 (12/29) (03/23)  
 日平均値の最小値 : 77 (07/30)  
 月平均値の最大値 : 81 (03月)  
 月平均値の最小値 : 79 (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2093 (12/29)  
 日積算値の最小値 : 1420 (07/12) (07/13)  
 年 積 算 値 : 696850  
 有効測定日数 : 363 日

\*\*\* 年 報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	171 茨城町海老沢																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	75	79	75	77	75	75	75	79	75	76	76	76	74	76	76	76	77	75	76	77	76	77	76	76	76	75	78	78	75	75		79	74	76	54706	30			
05	75	74	75	77	80	75	75	75	76	76	76	75	76	76	75	77	75	75	77	76	77	75	75	77	75	74	74	74	75	75	76	80	74	76	56162	31			
06	78	74	74	75	75	75	75	76	75	75	75	76	77	75	75	74	75	75	75	75	76	76	76	76	77	76	75	75	75	76		78	74	75	54202	30			
07	75	75	75	75	(75)	(75)	76	75	75	76	77	75	75	75	76	77	76	77	76	76	76	76	76	76	75	74	74	74	74	74	74	77	74	75	55099	29			
08	75	75	75	75	74	75	75	75	75	76	76	76	76	77	80	76	75	75	75	76	75	75	76	76	76	76	76	75	75	75	76	80	74	76	56252	31			
09	76	76	76	77	76	75	75	75	75	75	75	75	75	75	74	74	75	75	75	75	75	75	75	74	75	76	76	75	75	76		77	74	75	54089	30			
10	75	76	78	75	77	76	75	76	77	75	76	76	76	76	76	76	75	75	77	81	78	76	75	75	75	79	75	75	75	76	77	81	75	76	56539	31			
11	75	75	75	76	76	76	76	75	75	75	75	77	75	77	81	76	75	77	78	76	76	75	76	76	76	76	77	77	77	76		81	75	76	54780	30			
12	76	75	75	78	78	76	76	76	75	75	76	76	76	75	76	76	75	76	76	76	77	77	77	76	77	77	76	76	81	75	78	81	75	76	56553	31			
01	77	76	76	76	76	76	77	76	77	76	76	77	76	76	79	81	76	75	74	75	76	75	75	76	77	80	76	76	77	78	77	81	74	76	56803	31			
02	78	77	77	76	77	76	75	78	75	77	76	76	76	75	75	78	76	74	77	77	77	76	76	77	77	75	75	76							78	74	76	51211	28
03	76	76	75	79	75	75	76	76	76	75	79	78	77	77	75	76	77	77	76	76	76	79	84	77	78	76	76	80	77	76	76	84	75	77	57034	31			
最大	78	79	78	79	80	76	77	79	77	77	79	78	77	77	81	81	77	77	78	81	78	79	84	77	78	80	78	80	81	78	78								
最小	75	74	74	75	74	75	75	75	75	75	75	75	74	75	74	74	75	74	74	75	75	75	75	75	74	75	74	74	74	74	74	74	74	74	74	74			
平均	76	76	76	76	76	75	75	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76		

年 平 均 値 : 76  
 1時間値の最大値 : 104 (03/23 16)  
 1時間値の最小値 : 73 (04/13 19) (02/25 12) (07/29 09) (07/30 16)  
 日平均値の最大値 : 84 (03/23)  
 日平均値の最小値 : 74 (04/13) (05/02) (05/26) (05/27) (05/28) (06/02) (06/03) (06/16) (07/27) (07/28) (07/29) (07/30) (07/31) (08/05) (09/15) (09/16) (09/24) (01/19) (02/18)  
 月平均値の最大値 : 77 (03月)  
 月平均値の最小値 : 75 (06月) (07月) (09月)  
 日積算値の最大値 : 2015 (03/23)  
 日積算値の最小値 : 1350 (07/05)  
 年 積 算 値 : 663429  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	151 大洗町磯浜																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	72	77	73	76	73	73	73	76	73	73	73	73	72	74	73	73	72	72	73	72	71	71	72	73	73	72	75	75	72	71		77	71	73	52533	30	
05	71	70	71	72	76	71	72	71	73	73	72	70	71	70	70	74	72	72	74	74	74	72	73	74	71	70	69	69	69	68	68	76	68	71	53051	31	
06	74	71	70	70	70	70	71	72	72	72	72	72	74	71	70	71	71	69	69	69	(70)	70	(70)	70	73	71	70	70	69	69		74	69	71	49969	28	
07	69	69	70	69	69	68	69	69	68	69	70	69	69	68	69	70	69	69	68	68	68	69	68	67	67	67	67	67	67	67	70	67	68	50643	31		
08	67	67	67	67	67	67	68	68	68	69	69	69	69	69	74	69	69	68	68	68	68	69	70	69	70	70	70	69	70	68	69	74	67	69	51078	31	
09	69	69	69	71	70	68	68	68	69	69	69	68	68	69	68	69	69	69	68	68	68	69	69	69	69	70	71	70	69	69		71	68	69	49547	30	
10	69	70	73	71	73	71	70	72	73	70	71	71	72	72	71	72	71	71	73	77	74	72	71	71	71	75	72	72	72	72	73	77	69	72	53407	31	
11	72	71	71	71	72	72	72	71	71	71	71	73	71	73	78	72	72	74	(77)	73	72	72	72	72	73	74	73	74	74	75		78	71	73	51531	29	
12	74	74	74	76	74	72	75	74	74	73	73	76	74	74	74	73	73	73	73	73	74	74	75	74	74	75	75	74	83	74	78	83	72	74	55320	31	
01	75	74	74	74	74	75	75	74	75	75	75	76	74	74	77	79	73	72	72	73	73	72	73	74	75	77	74	74	74	75	75	79	72	74	55317	31	
02	76	75	75	74	74	73	73	76	73	74	73	73	73	73	73	77	73	72	75	75	76	73	73	74	77	74	74	73				77	72	74	49769	28	
03	73	74	73	79	74	74	73	73	73	72	76	74	74	74	73	73	73	74	72	73	73	75	80	74	75	73	73	76	74	73	73	80	72	74	54930	31	
最大	76	77	75	79	76	75	75	76	75	75	76	76	74	74	78	79	73	74	77	77	76	75	80	74	77	77	75	76	83	75	78						
最小	67	67	67	67	67	67	68	68	68	69	69	68	68	68	68	69	69	68	68	68	68	69	68	67	67	67	67	67	67	67	67	67					
平均	72	72	72	73	72	71	71	72	72	72	72	72	72	72	72	72	73	71	71	72	72	72	72	72	72	72	72	72	72	72	71	72					

年 平 均 値 : 72  
 1時間値の最大値 : 97 (03/23 20)  
 1時間値の最小値 : 53 (06/15 23)  
 日平均値の最大値 : 83 (12/29)  
 日平均値の最小値 : 67 (07/24) (07/25) (07/26) (07/27) (07/29) (07/30) (07/31) (08/01) (08/02) (08/03) (08/04) (08/05) (08/06)  
 月平均値の最大値 : 74 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 68 (07月)  
 日積算値の最大値 : 1987 (12/29)  
 日積算値の最小値 : 1183 (06/23)  
 年 積 算 値 : 627094  
 有効測定日数 : 362 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	162 銚田市田崎																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	58	64	59	63	59	58	59	63	59	59	59	59	58	59	59	59	59	58	59	59	59	59	59	60	59	59	62	62	59	59		64	58	59	42772	30
05	58	57	58	59	64	58	58	57	58	58	58	57	58	58	57	60	58	58	60	60	61	58	58	60	57	56	56	56	56	57	58	64	56	58	43192	31
06	61	57	57	57	57	58	57	58	(58)	58	59	58	60	58	58	57	57	57	56	56	57	57	58	58	60	59	57	58	57	58		61	56	58	41251	29
07	58	58	58	57	57	57	58	58	58	58	59	58	58	57	58	59	58	59	58	58	58	58	57	57	57	57	56	56	56	56	56	59	56	57	42586	31
08	56	56	56	56	56	56	57	57	57	57	58	58	58	59	64	58	57	57	57	57	57	58	59	58	58	59	58	57	58	57	57	64	56	58	42798	31
09	58	58	58	60	58	57	57	57	58	57	57	57	57	57	57	57	58	57	57	57	57	58	57	57	57	58	59	57	58	58		60	57	57	41320	30
10	58	59	63	58	61	58	58	60	60	57	58	59	59	58	58	59	58	58	60	65	61	59	58	58	58	63	59	58	58	60	60	65	57	59	43992	31
11	58	58	59	(59)	59	60	59	58	59	59	58	60	58	61	66	59	59	61	63	59	60	59	59	60	60	60	60	61	61	60		66	58	60	42545	29
12	60	60	60	63	61	59	60	60	58	59	60	60	59	59	59	60	59	60	60	60	61	60	61	61	61	61	61	60	71	60	64	71	58	61	44983	31
01	61	60	60	60	60	61	61	59	61	61	61	62	60	60	63	66	60	59	58	59	59	58	59	60	61	65	60	60	61	61	61	66	58	61	44998	31
02	63	62	61	61	61	60	60	63	60	61	60	60	59	60	60	65	59	59	61	61	63	60	60	62	63	60	60	60				65	59	61	40757	28
03	60	60	59	66	60	59	60	60	60	59	64	61	61	61	60	60	61	61	59	60	60	63	70	61	62	60	60	65	62	60	60	70	59	61	45306	31
最大	63	64	63	66	64	61	61	63	61	61	64	62	61	61	66	66	61	61	63	65	63	63	70	62	63	65	62	65	71	61	64					
最小	56	56	56	56	56	56	57	57	57	57	57	57	57	57	57	57	57	57	56	56	57	57	57	57	57	56	56	56	56	56	56					
平均	59	59	59	60	59	58	59	59	59	59	59	59	59	59	59	60	60	59	59	59	59	59	60	59	59	60	59	59	60	59	60					

年平均値 : 59

1時間値の最大値 : 93 (03/23 16)

1時間値の最小値 : 54 (09/18 13)

日平均値の最大値 : 71 (12/29)

日平均値の最小値 : 56 (05/26) (05/27) (05/28) (05/29) (06/19) (06/20) (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/02) (08/03) (08/04) (08/05) (08/06)

月平均値の最大値 : 61 (12月) (01月) (02月) (03月)

月平均値の最小値 : 57 (07月) (09月)

日積算値の最大値 : 1694 (12/29)

日積算値の最小値 : 1004 (11/04)

年積算値 : 516499

有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位				
2004年度	163 銚田市縦山																															電離箱線量率	nGy/h				
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数	
04	64	70	65	69	65	64	65	70	64	65	65	65	65	66	65	65	65	64	65	64	63	63	65	65	64	64	67	66	64	63		70	63	65	46898	30	
05	63	63	63	65	69	63	63	64	65	65	63	63	63	63	62	66	64	64	66	66	67	64	64	66	63	62	61	61	61	61	61	69	61	64	47006	31	
06	67	62	62	62	61	62	62	63	63	(63)	64	63	65	62	62	62	62	61	61	60	61	62	62	62	62	65	63	62	62	61	62		67	60	62	44478	29
07	62	62	62	62	61	61	61	61	61	62	62	62	62	61	62	63	62	63	61	61	61	62	61	61	60	60	59	60	60	59	59	63	59	61	45374	31	
08	59	60	60	60	59	60	60	61	61	61	62	62	62	62	70	61	61	60	60	61	61	61	63	62	62	62	62	61	63	61	61	70	59	61	45619	31	
09	61	62	61	63	62	61	60	60	61	61	61	61	60	61	61	61	61	61	61	61	61	62	61	61	61	63	64	62	62	61		64	60	61	44115	30	
10	62	62	70	63	66	64	62	64	66	62	63	64	64	63	63	63	63	63	65	72	67	64	63	62	63	68	64	63	63	64	65	72	62	64	47722	31	
11	64	64	63	64	(64)	64	64	63	63	63	63	66	63	66	71	64	64	66	68	65	64	63	64	64	64	65	65	65	66	66		71	63	65	46111	29	
12	66	66	66	68	66	64	66	66	65	64	65	66	65	64	64	65	64	65	65	65	66	66	66	66	66	67	67	66	78	66	71	78	64	66	49157	31	
01	67	66	65	66	66	67	67	65	67	67	67	68	66	65	71	74	66	65	64	65	66	65	65	66	67	72	66	66	66	67	68	74	64	67	49591	31	
02	69	68	67	67	67	66	65	70	65	67	65	66	66	66	65	72	65	65	69	67	69	65	66	69	70	66	66	65			72	65	67	44896	28		
03	66	67	66	74	66	66	65	65	65	65	69	67	66	66	65	65	65	66	65	65	65	68	77	66	67	65	65	70	66	65	65	77	65	67	49471	31	
最大	69	70	70	74	69	67	67	70	67	67	69	68	66	66	71	74	66	66	69	72	69	68	77	69	70	72	67	70	78	67	71						
最小	59	60	60	60	59	60	60	60	61	61	61	61	60	61	61	61	61	60	60	60	61	61	61	61	60	60	59	60	60	59	59						
平均	64	64	64	65	64	63	63	64	64	64	64	64	64	64	64	65	65	64	63	64	64	64	64	65	64	65	65	64	64	64	63	64					

年 平 均 値 : 64  
 1時間値の最大値 : 101 (03/23 20) (03/23 16)  
 1時間値の最小値 : 57 (07/26 19)  
 日平均値の最大値 : 78 (12/29)  
 日平均値の最小値 : 59 (07/27) (07/30) (07/31) (08/01) (08/05)  
 月平均値の最大値 : 67 (01月) (02月) (03月)  
 月平均値の最小値 : 61 (07月) (08月) (09月)  
 日積算値の最大値 : 1869 (12/29)  
 日積算値の最小値 : 1125 (06/10)  
 年 積 算 値 : 560438  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	172 茨城町谷田部																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	62	67	63	67	63	62	63	66	63	63	63	63	62	63	63	63	63	62	64	63	62	63	63	63	63	63	67	66	62	62		67	62	63	45624	30
05	63	61	62	64	68	62	62	62	64	63	62	61	62	61	61	66	63	63	65	65	65	63	63	64	62	61	60	59	59	58	58	68	58	62	46300	31
06	64	60	59	59	58	59	59	60	61	60	61	61	63	60	59	(60)	59	59	58	58	59	59	59	60	63	62	60	60	60	61		64	58	60	42789	29
07	61	61	61	60	60	60	60	60	60	61	62	61	61	60	61	62	61	62	61	61	61	61	61	60	60	60	59	59	59	59	58	62	58	60	44758	31
08	59	59	59	59	59	59	60	60	60	61	61	61	61	62	67	61	61	60	60	60	61	60	62	61	62	62	62	60	62	60	60	67	59	61	45062	31
09	60	61	61	63	61	60	59	59	59	60	59	59	59	59	59	60	60	60	59	59	59	60	60	59	60	62	63	61	61	60		63	59	60	43237	30
10	60	61	65	63	65	63	62	64	65	62	63	63	64	63	63	63	62	62	65	70	66	63	62	62	63	66	63	63	63	64	65	70	60	63	47197	31
11	63	63	63	63	64	64	63	63	63	(63)	63	65	63	65	70	64	64	66	68	64	64	63	64	64	65	66	65	66	66	67		70	63	64	45912	29
12	66	66	66	69	65	61	64	65	64	63	64	65	64	63	64	64	64	64	64	64	65	65	66	65	66	66	66	65	75	65	69	75	61	65	48438	31
01	67	65	65	65	65	66	66	64	66	65	66	66	65	64	68	71	64	63	63	64	64	63	64	64	66	69	65	64	65	65	66	71	63	65	48501	31
02	68	67	66	65	65	64	64	67	64	65	64	64	64	64	63	68	64	63	66	66	66	64	65	66	66	64	64	64				68	63	65	43576	28
03	64	65	64	69	63	64	64	64	64	63	68	65	65	65	64	63	64	64	63	63	64	67	73	64	66	64	63	68	64	63	64	73	63	65	47986	31
最大	68	67	66	69	68	66	66	67	66	65	68	66	65	65	70	71	64	66	68	70	66	67	73	66	66	69	67	68	75	67	69					
最小	59	59	59	59	58	59	59	59	59	60	59	59	59	59	59	60	59	59	58	58	59	59	59	59	60	60	59	59	59	58	58					
平均	63	63	63	64	63	62	62	63	63	62	63	63	63	63	64	64	62	62	63	63	63	63	63	63	63	64	63	63	63	62	63					

年 平 均 値 : 63  
 1時間値の最大値 : 94 (03/23 20)  
 1時間値の最小値 : 56 (05/31 11) (05/30 17) (05/31 01)  
 日平均値の最大値 : 75 (12/29)  
 日平均値の最小値 : 58 (05/30) (05/31) (06/05) (06/19) (06/20) (07/31)  
 月平均値の最大値 : 65 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 60 (06月) (07月) (09月)  
 日積算値の最大値 : 1789 (12/29)  
 日積算値の最小値 : 1066 (11/10)  
 年 積 算 値 : 549380  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	190 水戸市吉沢																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	77	83	78	81	78	78	78	81	78	78	78	78	77	78	78	79	79	77	79	79	78	79	78	78	78	78	82	80	76	76	83	76	79	56534	30				
05	77	75	76	79	81	76	77	76	78	78	78	77	78	78	76	81	78	77	79	79	79	77	77	78	77	76	76	76	76	78	78	81	75	77	57479	31			
06	80	77	76	76	76	76	76	77	77	77	77	77	79	77	77	76	76	(76)	76	76	77	77	77	77	79	77	76	76	76	76	80	76	77	54674	29				
07	76	76	76	76	76	76	76	76	77	77	79	76	77	76	78	79	77	79	78	78	77	77	77	77	76	76	75	76	75	75	75	79	75	77	56906	31			
08	75	76	76	75	75	76	76	76	76	77	77	78	78	78	82	77	77	77	77	77	76	77	78	78	78	78	78	76	77	77	77	82	75	77	57250	31			
09	77	77	77	79	77	77	76	77	77	77	76	76	77	77	76	76	77	77	76	77	77	77	77	76	77	78	78	76	77	78	79	76	77	55328	30				
10	77	77	81	77	80	78	77	79	80	77	78	78	79	78	78	78	77	77	79	84	79	78	77	77	77	81	77	77	77	78	79	84	77	78	58219	31			
11	78	78	78	78	78	78	78	77	77	77	77	80	78	80	84	78	78	80	82	79	78	78	78	78	78	79	79	79	79	79	84	77	79	56193	30				
12	78	78	78	81	81	78	79	79	78	78	78	79	78	77	78	79	78	78	78	78	80	79	79	79	79	80	79	79	88	78	82	88	77	79	58843	31			
01	80	79	79	79	78	79	80	79	80	80	80	80	79	79	82	85	79	78	77	78	79	77	78	79	80	83	79	79	79	80	81	85	77	79	59029	31			
02	82	81	80	79	80	78	78	81	78	80	79	78	79	78	78	82	78	77	80	80	80	78	79	80	81	78	78	78							82	77	79	53224	28
03	78	79	78	82	77	78	78	78	78	78	82	80	79	79	78	78	79	79	78	78	78	82	87	79	(82)	78	78	82	79	79	79	87	77	79	58446	30			
最大	82	83	81	82	81	79	80	81	80	80	82	80	79	80	84	85	79	80	82	84	80	82	87	80	82	83	82	82	88	80	82								
最小	75	75	76	75	75	76	76	76	76	77	76	76	77	76	76	76	76	76	76	76	76	77	77	76	76	76	75	76	75	75	75								
平均	78	78	78	79	78	77	77	78	78	78	78	78	78	78	78	79	79	78	78	78	79	78	78	78	78	78	78	78	78	78	78	79							

年 平 均 値 : 78  
 1時間値の最大値 : 109 (03/23 20)  
 1時間値の最小値 : 74 (07/27 19)  
 日平均値の最大値 : 88 (12/29)  
 日平均値の最小値 : 75 (05/02) (07/27) (07/29) (07/30) (07/31) (08/01) (08/04) (08/05)  
 月平均値の最大値 : 79 (04月) (11月) (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 77 (05月) (06月) (07月) (08月) (09月)  
 日積算値の最大値 : 2106 (12/29)  
 日積算値の最小値 : 1289 (06/18)  
 年 積 算 値 : 682124  
 有効測定日数 : 363 日

\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位			
2004年度	180 銚田市上富田																															電離箱線量率	nGy/h			
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数
04	62	68	63	66	63	63	63	67	63	63	63	63	62	64	63	63	62	62	63	62	61	62	63	64	63	63	65	65	63	62		68	61	63	45479	30
05	62	61	62	63	68	62	62	61	63	63	61	60	61	60	60	65	62	62	64	64	65	62	62	64	61	60	58	58	58	58	58	68	58	62	45710	31
06	65	61	60	59	58	59	60	61	62	61	62	62	64	61	(61)	60	60	59	59	58	59	59	59	59	63	62	60	60	59	61		65	58	60	43128	29
07	60	60	60	59	59	58	58	59	59	59	59	60	60	60	61	60	59	61	60	59	60	60	59	59	58	58	58	58	58	58	61	58	59	43984	31	
08	58	58	58	58	58	58	59	59	59	59	60	60	60	60	67	60	59	59	59	59	60	60	62	61	61	61	61	60	61	60	60	67	58	60	44322	31
09	60	60	60	62	61	59	59	59	60	60	60	60	59	59	60	60	61	60	59	60	59	60	60	60	60	62	62	61	61	61		62	59	60	43201	30
10	61	61	66	62	65	63	61	64	65	62	63	63	63	63	63	63	62	62	65	69	66	63	63	62	63	67	63	63	63	63	65	69	61	63	47117	31
11	63	63	62	63	63	63	63	62	(63)	62	63	65	63	65	70	64	64	66	67	64	64	63	63	64	64	66	64	65	66	67		70	62	64	45780	29
12	66	65	65	68	66	64	67	66	66	65	65	67	65	65	64	64	64	64	64	64	65	65	66	66	66	67	66	65	75	66	70	75	64	66	48942	31
01	67	66	65	65	65	66	66	65	67	66	67	67	65	65	70	72	65	65	64	65	65	64	65	65	66	71	66	66	66	66	67	72	64	66	49175	31
02	68	67	66	66	66	65	65	69	64	66	65	65	66	65	64	70	65	64	68	66	68	65	65	67	68	65	65	65				70	64	66	44284	28
03	65	66	65	70	65	65	64	65	64	64	68	66	66	66	64	64	65	64	64	65	65	67	74	65	67	65	64	69	65	64	65	74	64	66	48691	31
最大	68	68	66	70	68	66	67	69	67	66	68	67	66	66	70	72	65	66	68	69	68	67	74	67	68	71	66	69	75	67	70					
最小	58	58	58	58	58	58	58	59	59	59	59	60	59	59	60	60	59	59	59	58	59	59	59	59	58	58	58	58	58	58	58					
平均	63	63	63	64	63	62	62	63	63	62	63	63	63	63	64	64	62	62	63	63	63	62	64	63	63	64	63	63	63	62	63					

年 平均 値 : 63  
 1時間値の最大値 : 97 (03/23 16)  
 1時間値の最小値 : 55 (05/30 15) (07/27 16) (07/27 15)  
 日平均値の最大値 : 75 (12/29)  
 日平均値の最小値 : 58 (05/27) (05/28) (05/29) (05/30) (05/31) (06/05) (06/20) (07/06) (07/07) (07/25) (07/26) (07/27) (07/28) (07/29) (07/30) (07/31) (08/01) (08/02) (08/03) (08/04) (08/05) (08/06)  
 月平均値の最大値 : 66 (12月) (01月) (02月) (03月)  
 月平均値の最小値 : 59 (07月)  
 日積算値の最大値 : 1793 (12/29)  
 日積算値の最小値 : 1090 (06/15)  
 年 積 算 値 : 549813  
 有効測定日数 : 363 日



\*\*\* 年報 \*\*\*

期間	測定局																															測定項目	単位						
2004年度	181 銚田市徳宿																															電離箱線量率	nGy/h						
月\日	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	最大	最小	平均	積算	有効日数			
04	57	63	57	61	57	58	58	62	58	58	58	58	57	59	58	58	57	56	58	57	56	56	59	59	58	57	60	60	57	57	63	56	58	41754	30				
05	57	56	57	58	63	57	57	56	58	58	55	54	55	55	54	59	57	57	59	60	60	57	57	59	56	54	53	52	52	52	52	63	52	56	41762	31			
06	60	56	56	54	53	54	54	55	57	55	(57)	56	58	55	54	54	55	53	53	52	53	53	54	55	57	56	55	55	54	55	60	52	55	39190	29				
07	55	55	55	54	53	53	54	54	54	54	55	55	55	54	55	54	53	54	53	52	52	54	53	52	51	51	51	52	52	51	50	55	50	53	39477	31			
08	50	51	51	51	50	50	51	51	52	52	53	54	53	53	62	54	53	52	52	53	53	54	55	54	54	55	54	53	55	53	52	62	50	53	39312	31			
09	53	53	53	55	54	52	51	52	53	53	53	53	53	52	53	53	54	53	52	53	52	53	53	53	53	54	55	53	53	53	55	51	53	38128	30				
10	54	54	60	55	59	55	55	57	58	54	55	55	56	56	55	56	55	55	57	63	58	56	56	55	55	59	55	55	55	56	57	63	54	56	41737	31			
11	56	55	54	55	56	56	56	55	55	55	55	57	55	57	62	56	56	58	58	56	56	55	56	56	57	58	56	58	58	59	62	54	56	40208	30				
12	58	58	59	62	58	56	59	58	57	57	57	59	57	57	57	56	56	56	56	56	57	57	58	58	58	59	58	57	67	57	62	67	56	58	43073	31			
01	58	57	56	56	57	58	58	57	58	58	58	59	57	57	61	63	56	56	55	56	56	55	56	56	57	62	57	56	57	57	58	63	55	57	42640	31			
02	59	59	58	57	57	56	56	59	55	57	55	56	56	56	55	61	55	55	59	56	59	56	56	58	60	56	56	55							61	55	57	38147	28
03	56	57	55	64	56	56	55	56	55	54	58	56	56	56	55	55	55	55	54	55	55	58	65	55	56	55	55	59	55	55	55	65	54	56	41721	31			
最大	60	63	60	64	63	58	59	62	58	58	58	59	58	59	62	63	57	58	59	63	60	58	65	59	60	62	60	60	67	59	62								
最小	50	51	51	51	50	50	51	51	52	52	53	53	53	52	53	53	53	52	52	52	52	53	53	52	51	51	51	52	52	51	50								
平均	56	56	56	57	56	55	55	56	56	55	56	56	56	56	57	57	55	55	55	56	56	55	56	56	56	56	55	55	56	55	55								

年 平 均 値 : 56  
 1時間値の最大値 : 89 (03/23 16)  
 1時間値の最小値 : 48 (08/01 10)  
 日平均値の最大値 : 67 (12/29)  
 日平均値の最小値 : 50 (07/31) (08/01) (08/05) (08/06)  
 月平均値の最大値 : 58 (04月) (12月)  
 月平均値の最小値 : 53 (07月) (08月) (09月)  
 日積算値の最大値 : 1613 (12/29)  
 日積算値の最小値 : 1079 (06/11)  
 年 積 算 値 : 487150  
 有効測定日数 : 364 日